

51-  
o.p.

# Memoirs

OF THE

## British Astronomical Association.

~~~~~  
VOL. XV.  
~~~~~

Vol 16, #24 #3  
missing

SIXTH REPORT OF THE SECTION

FOR THE OBSERVATION OF

## VARIABLE STARS.

—♦♦♦—


*Director—Col. E. E. Markwick, C.B., F.R.A.S.*

EDINBURGH:

PRINTED AND PUBLISHED FOR THE ASSOCIATION  
BY NEILL AND CO., LTD.

*Three*  
Price to Members, ~~Two~~ Shillings; Non-Members, Three Shillings.

PUBLISHED DECEMBER 12, 1906.



520.8  
B862  
v. 15

# The British Astronomical Association.

## COUNCIL:

**President**—F. W. LEVANDER, F.R.A.S.

### Vice-Presidents—

A. C. D. CROMMELIN, B.A., F.R.A.S.  
E. W. MAUNDER, F.R.A.S.

S. A. SAUNDER, M.A., F.R.A.S.  
W. H. WESLEY.

**Treasurer**—W. H. MAW, Pres. R.A.S., 18 Addison Road, Kensington, W.

**Editor**—F. W. LEVANDER, F.R.A.S., 30 North Villas, Camden Square, N.W.

**Librarian**—G. BRUFORD, Tolland House, Shoot-up Hill, Cricklewood, N.W.

**Secretaries** { J. A. HARDCASTLE, F.R.A.S., The Dial House, Crowthorne, Berks.  
J. G. PETRIE, F.R.A.S., 359 Holloway Road, N.

**Assistant Secretary**—T. F. MAUNDER, F.S.A.A., 85 Gracechurch Street, E.C.

### Directors of the Observing Sections—

<i>Sun</i> . . . . .	Rev. A. L. CORTIE, S.J., F.R.A.S., Stonyhurst College, Lancashire.
<i>Moon</i> . . . . .	WALTER GOODACRE, F.R.A.S., 1 Birchington Road, Crouch End, N.
<i>Mercury and Venus</i> . . . . .	HENRY MACEWEN, 10 Randolph Place, Mount Florida, Glasgow.
<i>Mars</i> . . . . .	E. M. ANTONIADI, F.R.A.S., 74 Rue Joffroy, Paris.
<i>Jupiter</i> . . . . .	Rev. T. E. R. PHILLIPS, M.A., F.R.A.S., St George's Cottage, Barnett Wood Lane, Ashted, Surrey.
<i>Saturn</i> . . . . .	G. M. SEABROKE, F.R.A.S., Rosemont, Rugby.
<i>Comets</i> . . . . .	E. W. MAUNDER, F.R.A.S., 86 Tyrwhitt Road, St John's, S.E.
<i>Meteors, Auroræ, and Zodiacal Light</i> . . . . .	MISS CATHARINE O. STEVENS, The Red House, Bradfield, Reading.
<i>Variable Stars</i> . . . . .	Col. E. E. MARKWICK, C.B., F.R.A.S., Innisfallen, Campbell Road, Boscombe, Hants.
<i>Double Stars</i> . . . . .	G. M. SEABROKE, F.R.A.S., Rosemont, Rugby.
<i>Photography</i> . . . . .	F. W. LONGBOTTOM, F.R.A.S., Haslemere, Queen's Park, Chester.

### Other Members of Council—

G. J. BURNS, B.Sc.  
G. F. CHAMBERS, F.R.A.S.  
H. ELLIS, F.R.A.S.  
CAPT. F. L. GRANT, M.A., F.R.A.S.  
W. HEATH, M.A., F.R.A.S.

H. P. HOLLIS, B.A., F.R.A.S.  
W. T. LYNN, B.A., F.R.A.S.  
Mrs E. W. MAUNDER.  
H. K. MOORE, B.A., B.Mus.  
C. THWAITES, F.R.A.S., M.Inst.C.E.

### Secretaries of the Branches—

<i>West of Scotland</i> . . . . .	ALEXANDER D. ROSS, M.A., 7 Queen's Terrace, Glasgow, W.
<i>New South Wales</i> . . . . .	A. B. COBHAM, 67 Pitt Street, Sydney, N.S.W.
<i>Victoria</i> . . . . .	GEORGE SMALE, Glenroy, Victoria.

**MEMBERSHIP**—Open to all persons interested in Astronomy, ladies as well as gentlemen.

**OBJECTS**—The Association of Observers, especially the possessors of small telescopes, for mutual help, and their organisation in the work of Astronomical Observation. The circulation of current Astronomical information. The encouragement of a popular interest in Astronomy.

**ENTRANCE FEE**—Five Shillings.

**ANNUAL SUBSCRIPTION** (due 1st October of each year)—Half-a-Guinea; or Members may compound by a single payment of Six Guineas (in addition to the Entrance Fee). Members are entitled to receive the "Journal" and all other publications of the Association, post free.

The Meetings of the Association are held on the last Wednesday in each month, from October to June inclusive, at Sion College, Victoria Embankment, E.C., commencing at Five o'clock.

Subscriptions should be sent to the Treasurer, W. H. MAW, P.R.A.S., 18 Addison Road, Kensington, London, W.

Communications offered for reading at the Meetings of the Association should be addressed to the Secretary, J. A. HARDCASTLE, F.R.A.S., The Dial House, Crowthorne, Berks; other communications intended to be printed, as well as Periodicals, Books for Review, etc., should be addressed to the Editor, F. W. LEVANDER, F.R.A.S., 30 North Villas, Camden Square, London, N.W.; those concerning the Library to the Librarian, G. BRUFORD, Tolland House, Shoot-up Hill, Cricklewood, N.W.; applications for Lantern Slides to Messrs DOLLOND, 35 Ludgate Hill, E.C.; advertisements to Messrs HASTINGS BROS., LTD., Effingham House, Arundel Street, Strand, W.C., and all other communications to the Assistant Secretary, THOS. FRID MAUNDER, 85 Gracechurch Street, London, E.C.

All Cheques and Postal or Post Office Orders should be made payable to the Treasurer, W. H. MAW, P.R.A.S., 18 Addison Road, Kensington, London, W., and crossed "National Provincial Bank of England, St James's Branch, Piccadilly."



# Memoirs

OF THE

# British Astronomical Association.

EDITED BY

F. W. LEVANDER, F.R.A.S.

---

R E P O R T S

OF THE


O B S E R V I N G   S E C T I O N S .

~~~~~  
VOL.   XV.  
~~~~~

EDINBURGH:

PRINTED AND PUBLISHED FOR THE ASSOCIATION  
BY NEILL AND CO., LTD.

1906.



Digitized by the Internet Archive  
in 2023 with funding from  
Kahle/Austin Foundation



## CONTENTS.

---

	Page
Sixth Report of the Variable Star Section (Col. E. E. MARKWICK, C.B., F.R.A.S., Director).	1



# SECTION FOR THE OBSERVATION OF VARIABLE STARS.

DIRECTOR—COL. E. E. MARKWICK, C.B., F.R.A.S.

## SIXTH REPORT OF THE SECTION, 1900-1904.

### PREFACE.

This Memoir contains the observations of twenty-six "long period" and two "irregular" variables by members of the Section and a few others, being made principally in the five years 1900 to 1904 inclusive. A small proportion of the observations, chiefly by the Director, were made prior to that period: as they formed part of the same series, it was thought well to include them.

Following is a list of those who have contributed observations. Against each observer is shown in brackets the abbreviation adopted for the name, the locality, and instruments in use, excluding the binocular, which is more or less common property.

Observer.	Locality.	Instrument.
Astbury, T. H. . . . . (Ast.)	Wallingford	2-in. and 3½-in. O.G.
Backhouse, T. W., F.R.A.S. . . . . (B.)	Sunderland	4½-in. O.G.
Besley, (the late) W. E. . . . . (Be.)	Clapham	1½-in. O.G.
Brook, C. L., M.A., F.R.A.S., etc. . . . . (Br.)	Meltham	9½-in. spec.
Child, J. W. L., F.R.A.S. . . . . (Ch.)	Wimbledon	{ 12-in. and 8½-in. spec., 2-in. O.G.
Corder, H. . . . . (Co.)	Bridgwater	6½-in. spec.
Field, J. M. . . . . (Fd.)	Edinburgh	{ 13-in. spec. and 6-in. O.G.
Kelly, J. . . . . (Ke.)	{ Kingstown, Co. Dublin	3-in. O.G.
Killip, Rev. R., F.R.A.S. . . . . (Kp.)	Liverpool	5-in. O.G.
King, A. . . . . (Ki.)	Leicester	2½-in. O.G.
Le Beau, O. A. . . . . (Le B.)	{ Bedford and Edinburgh	1-in. and 2-in. O.G.
Markwick, Col. E. E., F.R.A.S. . . . . (Ma.)	Devonport and Salisbury	2¼-in. O.G.
Middleton, G. W. . . . . (Mi.)	Mexborough	2½-in. O.G.
Moye, Prof. M. . . . . (My.)	Montpellier	...
Oakes, Walter . . . . . (Oa.)	London	2-in. and 3-in. O.G.
Orr, Miss M. A. . . . . (Or.)	Frimley, etc.	3-in. O.G.
Peridier, J. M. . . . . (Pe.)	Paris	{ 5½-in. spec. and 1¼-in. O.G.
Ryves, P. M. . . . . (Ry.)	Topsham, etc.	1½-in. and 3-in. O.G.
Williams, Rev. L. A. . . . . (Wm.)	Stokewake	2½-in. O.G.
Worsell, W. M. . . . . (Wl.)	{ Arundel and S. Africa	6½-in. spec.
Wood, J. T. . . . . (Wd.)	Nottingham	...

The next table shows the distribution of work among the observers.



Star.		Be.	Br.	Ch.	Co.	Ke.	Ki.	Le B.	Ma.	Mi.	My.	Oa.	Or.	Pe.	Ry.	Wm.	Wl.	Total.
Chandler's Number.	Name.																	
112	R Andromedæ	...	4	54	45	14	...	25	63	...	...	...	17	2	...	...	2	226
782	R Arietis	...	37	33	...	...	...	10	58	...	6	...	8	...	...	...	2	148
806	o Mira Ceti	...	11	14	32	...	...	...	70	...	...	...	49	...	...	1	23	206
1855	R Aurigæ	...	...	20	34	...	...	...	19	...	...	...	...	1	...	...	...	74
2100	U Orionis	...	...	21	57	11	...	1	117	12	...	...	...	...	13	...	41	296
2213	η Geminorum	...	...	66	...	...	...	12	54	...	...	...	23	3	...	...	22	217
3493	κ Leonis	20	15	48	28	30	5	...	107	10	...	...	13	...	...	...	30	331
3825	R Ursæ Majoris	...	...	92	53	11	22	...	114	2	...	3	38	...	...	...	...	279
4511	T " "	...	...	46	53	7	...	4	100	...	...	...	1	2	...	4	...	221
4557	S " "	...	...	77	57	4	...	2	115	2	...	...	7	7	...	4	3	278
4826	R Hydræ	...	...	...	11	...	...	...	18	...	...	...	1	...	...	...	...	30
4847	S Virginis	...	...	1	10	2	...	...	14	...	...	...	1	...	...	...	...	28
5237	R Bootis	...	...	19	...	9	...	...	59	...	...	...	11	...	...	...	...	98
5504	S Coronæ	...	...	50	30	11	...	...	65	...	...	...	15	...	...	...	...	171
5667	R " "	...	...	38	23	36	...	...	108	3	...	26	42	69	13	...	60	478
5677	R Serpentis	...	...	13	31	14	...	...	86	...	...	...	25	...	...	...	...	169
5758	X Herculis	...	...	46	...	61	12	...	133	...	...	...	22	36	...	...	43	353
5955	S Draconis	...	...	35	52	...	...	...	56	...	...	...	9	10	...	...	...	162
6044	S Herculis	...	...	24	...	...	5	...	72	...	...	...	10	15	...	...	...	111
6512	T " "	...	...	35	...	...	...	1	59	...	...	...	12	...	...	...	...	122
6733	R Scuti	...	...	55	19	67	2	5	102	1	...	...	25	...	...	...	34	310
6849	R Aquilæ	...	...	7	26	23	...	...	120	...	...	...	6	...	...	...	...	182
7045	R Cygni	...	...	47	47	...	...	...	47	...	...	...	1	...	...	...	...	142
7120	X " "	...	26	54	42	54	5	21	183	15	22	16	19	44	...	7	...	508
7609	W Cephei	...	...	57	64	10	...	14	59	...	...	8	12	...	...	...	...	224
7754	R Cygni	...	...	68	...	...	1	...	26	...	...	...	...	29	...	...	...	124
8290	R Pegasi	...	...	15	10	10	...	...	34	...	...	...	3	2	...	7	...	81
8600	R Cassiopeiæ	...	...	19	40	23	...	10	19	...	...	...	...	6	...	...	...	117
	Totals	20	93	1054	764	397	52	105	2137	45	28	75	370	237	26	23	260	5686

In addition to the above there are :—

	3 observations of Mira Ceti	by Ast.
11	„ X Herculis	„ B.
7	„ $\eta$ Geminorum	„ Fd.
6	„ R Leonis	„ Kp.
4	„ R Scuti	„ Wd.

thus making a grand total of 5717 observations.

The bulk of the light-determinations has been made on the “step” system, the variable being estimated as so many steps brighter than a given star, or fainter than another star. With the exception of Backhouse, who gives the value of his step as 0.05 of a magnitude, the steps have been assumed to be 0.1 of a magnitude, and the mean of the several estimates made at one observation has been taken. A small number of the observations are on the “fractional” system, under which the variable is estimated as a certain fraction of the light-interval from one comparison star to another. To secure uniformity the record of such observations has been reduced to the “step” form, from the adopted magnitudes of the comparison stars.

The magnitudes of the comparison stars, generally, are taken from Vol. XXXVII. of the “Annals” of the Harvard College Observatory. Part I. of that Vol. gives certain circumpolar variables of which *R Aurigæ*, *R, T*, and *S Ursæ Majoris*, *R Draconis*, *T Cephei* and *R Cassiopeiæ* have been observed by the Section. The remaining stars (21 in number) are contained in Part II., with the exception of *R Serpentis* and *R Aquilæ*, for which special lists of comparison stars have been kindly furnished by Prof. E. C. Pickering.

As a rule, the charts in the Rev. F. Hagen’s beautiful “Atlas Stellarum Variabilium” have been used; but as there are many comparison stars contained therein which do not occur in the H.C.O. lists, the magnitudes of such as are used have been deduced, in the photometric scale, from Table XVIII. in Part II. just referred to.

Thus the scale of magnitudes in the following lists is entirely that of the Harvard College Observatory. This was adopted at the suggestion both of Prof. E. C. Pickering, Director of that Observatory, and the Rev. F. Hagen, so that our work might be strictly comparable with that of H.C.O. Previously the results of work, *i.e.* dates of maxima and minima, peculiarities of light-curves, etc., etc., as given in Vol. XI. Part IV. of the “Memoirs,” and the different Interim Reports of the Section in the “Journal,” were deduced from the use of Hagen’s “magnitudes,” and H.C.O. magnitudes where not given by Hagen. Practically the change to the complete photometric scale makes no difference in the dates of maxima and minima. The amplitude only of the curve may be a little altered, especially near minimum.

Although H.C.O. gives the magnitude to the second decimal of the comparison stars, our deduced magnitudes, after being obtained from the two decimals, are given to the nearest first decimal figure only. Experience shows that the second decimal is far too fine a scale in any visual observations.

A complete and thoroughly reliable scale of magnitudes of all the



comparison stars required in connection with variables appears to be still a desideratum. In the case of the different editions of the photometric catalogues one notices that successive determinations alter not only the second, but often the first decimal figure. Moreover, when converting Hagen's "grades" to the photometric scale, the relative position in the light-scale of two stars is occasionally absolutely changed, the brighter star in the "Atlas Stellarum Variabilium" becoming the fainter in the photometric scale, and *vice versa*.

Referring now to the following lists of observations:—

The 1st column contains the Calendar date.

The 2nd column gives the corresponding Julian date, omitting the number 2410000.

The 3rd column notifies the particulars of the instruments used: T = Telescope, B = Binocular. A number, such as 28, indicates the magnifying power used with the telescope.

The 4th column gives the "class." The word is intended to imply the degree of confidence entertained by the observer for his observation, 1 being first-rate, good, reliable; 2, not so good, inferior, owing to hindrances such as cloud, haze, moon, etc.; and 3, doubtful, unreliable. It should be noted that this method of classifying the work was not adopted until October 1901. Prior to that date the class, not having been directly recorded, has been inferred from the observing conditions, and from any remarks made by the observer at the time.

The 5th column contains the abbreviation of the observer's name, as per preceding list.

The 6th column contains the light-estimates, the negative sign after the comparison star indicating that the variable is fainter and the positive sign brighter than the comparison star. This is the form of record adopted by Prof. Turner in his reduction of the Rousdon observations of variable stars, "Memoirs," R.A.S., Vol. LV. Where not otherwise stated, the small Arabic letters correspond with those indicating the comparison stars in Vol. XXXVII. of H.C.O. Annals. Figures, when used, correspond to those in the "Atlas Stellarum Variabilium," and apply to comparison stars not given by H.C.O. Any stars used other than those just mentioned are detailed in a note at the head of each list of observations, and are generally denoted by Roman capitals. Sometimes there are no light-comparisons made, in which case there is nothing in column 6, the observation being generally an intrinsic one, and not comparative.

Column 7 contains the resulting magnitude of the variable, being the mean when two or more separate light-estimates are made. When no light-comparison is made, the figure here inserted is merely an intrinsic estimate or guess at the magnitude, as made by the observer at the time. Such observations are generally printed in italics. Needless to say that determinations made in this way are vague, and of small value as compared with differential ones.

The 8th column contains the magnitude calculated for the particular date: this is arrived at from a typical curve. For the circumpolar stars such typical or mean curves are given in pp. 124–127 of the Vol. of H.C.O. Annals referred to; for the remaining stars, the data from which the typical curve was



drawn are given in the Notes heading the list of observations of each star. As a rule, the Period, and  $M-m$  (interval from minimum to next following maximum), also the Epoch, and formula for calculating dates of maximum, etc., are taken from Dr Chandler's "Revision of Elements of Third Catalogue of Variable Stars." (A. J., Nos. 553 and 560.)

The 9th column shows the difference between the observed magnitude and that taken from the typical curve, it being expressed algebraically.

The 10th column contains any remarks considered to be of interest, as bearing on the magnitude, colour, etc., etc., of the variable generally. They are usually taken from the original observer's record. An asterisk in this column indicates that the record was either difficult to interpret or was, for various reasons, considered doubtful by the compiler.

The thanks of the Director are largely due to Mr C. L. Brook, who has re-reduced from the earlier summaries the whole of the observations, and himself written the largest part of each list. The Director is also grateful to that gentleman for valuable advice and suggestions during the progress of the work, which has occupied nearly a year.

Experience shows that very reliable results as to light-curves of variables can be deduced from the work of several observers acting in concert. It is true that in the precise matter of "magnitude," observers will often produce different results, even when observing practically simultaneously. This may be due to the idiosyncrasy of the observer, to differing weather conditions, to the different localities where the observations are made, and to other causes. But even in the case of the largest divergence in light-estimates, if the curves from each observer's observations are separately plotted, it is seen they generally run fairly parallel to one another, so that the mean curve of the whole will in all probability be a very fair approximation to the truth.

It is not intended that this Memoir should form more than the actual record of the observations, and, therefore, no discussion of results is herein entered upon. But it is thought that a visual representation of the observations may be of use for reference. They have, therefore, been plotted on the accompanying plates, the originals of which were prepared on squared paper, on the scale

Ordinate :  $\frac{1}{2}$  inch = 1 magnitude.

Abcissa :  $\frac{1}{2}$  inch = 20 days.

A most probable curve has been drawn among the dots representing the observations, and the typical curve has been added, so that the diagrams show at a glance the divergence of observation from calculation. The figures at the base of each diagram indicate the last four digits representing the Julian day, omitting the constant number 2410000.

As in certain places the dots are crowded together owing to the considerable number of observations, it is possible that a few errors in plotting may have occurred, as, once marked in, it is very difficult to detect an error without doing all the work over again. The light-curve would not be materially affected by such occasional slips.

In the case of *X Herculis*, curves representing the results from comparison with different stars are given, with a view to elucidating the variation which at present seems obscure and difficult to bring out from the observations. For detecting possible variation in one of the comparison stars, a diagram is also given showing the apparent light-interval between the comparison stars, independent of the variable.

The cost of publishing this Memoir has been defrayed by a grant from the Government Grant Committee of the Royal Society; by a most generous contribution from Mr C. L. Brook, F.R.A.S., as well as another sum from Mr W. M. Worsell, and by a grant from the Association. The best thanks of the Association are accordingly tendered to the Royal Society and to the two gentlemen named, without whose help it would not have been possible to publish the Memoir. It is hoped that the latter may be of service to those who are engaged in researches on the light-variation of the stars in question.

TABLE OF LIGHT-CURVES.

PLATE				PLATE			
R	Andromedæ	.	1	R	Serpentis	.	7
R	Arietis	.	1	X	Herculis	.	7, 8 and 9
o	(Mira) Ceti	.	2	R	Draconis	.	9
R	Aurigæ	.	2	S	Herculis	.	10
U	Orionis	.	3	T	"	.	10
R	Leonis	.	3	R	Scuti	.	11
R	Ursæ Majoris	.	4	R	Aquilæ	.	11
T	"	.	4	R	Cygni	.	12
S	"	.	5	X	"	.	12
R	Hydræ	.	5	T	Cephei	.	13
S	Virginis	.	5	W	Cygni	.	13
R	Bootis	.	5	R	Pegasi	.	14
S	Coronæ	.	6	R	Cassiopeiæ	.	14
R	Coronæ	.	6				

## (112) R ANDROMEDÆ.

## NOTES.

Star j = D.M. +  $38^{\circ}$  68, 7.05 m. P.D.M.,, P = D.M. +  $35^{\circ}$  8, 6.00 m. R.H.P.Data for mean curve:—Period, 410 d.  $M-m$ , 119 d. Variation, 7.0 m.  
to 13.5 m.

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deducted Mag.	Calc. Mag.	O—C.	Remarks.
1899.									
Sept. 2	4900	B.	I	Ma.	1-5	5.7	7.7	-2.0	Much > 3.
" 3	4901	"	"	"	1-2.5	5.5	7.6	2.1	
" 4	4902	"	"	"	1-6, 3+6	6.1	7.5	1.4	
" 9	4907	"	"	"	1-6	5.8	7.3	1.5	
" 11	4909	"	"	"	1-5	5.7	7.2	1.5	
" 12	4910	"	2	"	1-5	5.7	7.2	1.5	
" 14	4912	"	"	"	1-5.5	5.8	7.2	1.4	
" 30	4928	"	I	"	1-7.5, 3+7.5	6.1	7.0	.9	
Oct. 5	4933	"	"	"	1-5, 3+7.5	5.9	7.1	1.2	
" 12	4940	"	2	"	1-10, 3+5	6.3	7.2	.9	
" 13	4941	"	3	"	3+4.5	6.5	7.2	.7	
" 18	4946	"	"	"	3+1	6.8	7.2	.4	
" 20	4948	"	2	"	3+2	6.7	7.3	.6	
" 23	4951	"	"	"	3+2	6.7	7.3	-.6	
" 28	4956	"	I	"	3-5	7.4	7.4	0	
" 30	4958	"	"	"	3-5	7.4	7.4	0	
" 31	4959	B. & T.28	2	"	3-1	7.0	7.5	-.5	
Nov. 6	4965	"	I	"	3-5	7.4	7.6	-.2	
" 10	4969	"	3	"	3-10	7.9	7.7	+.2	
" 11	4970	"	"	"	3-10	7.9	7.7	+.2	
1900.									
Aug. 26	5258	"	I	Or.	...	...	11.7	...	Invisible < 9.0.
Sept. 19	5282	"	"	Ke.	...	...	9.0	...	Very faint, est. 8.3.
" 21	5284	"	"	Pe.	3-6, 2+2, f+3	7.4	8.9	-1.5	
" 24	5287	"	"	Or.	3-2	7.1	8.7	1.6	
" 29	5292	"	"	"	=3	6.9	8.3	1.4	About.
Oct. 2	5295	T.30	2	Ch.	3-3	7.2	8.1	.9	Est. 7.0.
" 2	5295	B.	"	Ke.	...	...	8.1	...	
" 2	5295	"	2	Or.	3-2	7.1	8.1	1.0	
" 12	5305	"	"	"	=3	6.9	7.6	.7	
" 13	5306	T.30	I	Ch.	3+2	6.7	7.5	.8	
" 13	5306	B.	"	Ke.	1-10, 3+7	6.2	7.5	1.3	> 2. Much > 2.
" 14	5307	T.30	3	Ch.	3+2	6.7	7.5	.8	
" 14	5307	B.	"	Wl.	c-2, 3+4	6.6	7.5	.9	
" 15	5308	"	2	Or.	=3	6.9	7.4	.5	
" 16	5309	"	I	"	3+2	6.7	7.4	.7	
" 17	5310	"	"	Ke.	3+6	6.3	7.3	1.0	
" 19	5312	"	2	Ma.	3+0.5	6.9	7.3	.4	



## (112) R ANDROMEDÆ—continued.

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deducted Mag.	Calc. Mag.	O—C	Remarks.
1900.									
Oct. 21	5314	T.30	1	Ch.	2+2, 3+4	6.8	7.2	.4	>3, much >2.
" 21	5314	B.	2	Ma.	3+2	6.7	7.2	.5	
" 22	5315	"	1	Ke.	1-10, 3+5	6.3	7.2	.9	
" 26	5319	"	"	Or.	=c	6.4	7.1	.7	
" 26	5319	"	"	Ma.	3+2.5	6.7	7.1	.4	
" 26	5319	"	"	Ke.	=c, 3+5	6.4	7.1	.7	
" 26	5319	"	"	Wl.	c-2, 3+5	6.5	7.1	.6	
" 26	5319	T.30	"	Ch.	3+3	6.6	7.1	.5	
" 27	5320	"	"	"	3+3	6.6	7.1	.5	
" 27	5320	B.	1	Ma.	3+2.5	6.7	7.1	-.4	
Nov.									
9	5333	T.30	1	Ch.	3-2	7.1	7.1	0	White.
" 9	5333	B.	1	Ma.	3+1	6.8	7.1	-.3	
" 9	5333	"	"	Ke.	c-1.5, 3+4.5	6.5	7.1	.6	
" 10	5334	T.30	"	Ch.	3+3	6.6	7.1	.5	
" 13	5337	B.	2	Ma.	3+1	6.8	7.1	.3	
" 13	5337	"	1	Ke.	c-2.5, 3+2.5	6.7	7.1	.4	
" 13	5337	T.30	"	Ch.	3+2	6.7	7.1	.4	
" 15	5339	B.	"	Ma.	3+1	6.8	7.1	.3	
" 15	5339	T.30	"	Ch.	3+2	6.7	7.1	.4	
" 17	5341	B.	"	Ke.	c-4, 3+2	6.8	7.1	.3	
" 17	5341	"	"	Ma.	3+0.5	6.9	7.1	-.2	
" 18	5342	T.30	2	Ch.	3-4, =2	7.3	7.1	+.2	
" 18	5342	B.	1	Or.	=3	6.9	7.1	-.2	
" 18	5342	"	"	Ma.	3-1	7.0	7.1	.1	
" 22	5346	"	"	Ke.	c-4, 3+2	6.8	7.2	-.4	
" 23	5347	T.30	"	Ch.	3-3	7.2	7.2	0	
" 23	5347	B.	"	Ma.	3-2.5	7.2	7.2	0	
" 25	5349	T.30	"	Ch.	3-3	7.2	7.2	0	
" 25	5349	B.	"	Ke.	c-4, 3+2	6.8	7.3	-.5	
" 27	5351	T.30	2	Ch.	3-3	7.2	7.3	.1	
" 27	5351	B.	1	Or.	3-2	7.1	7.3	-.2	
Dec.									
7	5361	T.30	2	Ch.	6+4	8.3	7.4	+.9	Much < e, much > g. Est. 8.0.
" 7	5361	B.	1	Ma.	3-5	7.4	7.4	0	
" 9	5363	"	"	Ke.	3-2	7.1	7.5	-.4	
" 10	5364	T.30	"	Ch.	=1	9.0	7.5	+1.5	
" 13	5367	"	"	"	=1	9.0	7.6	+1.4	
" 13	5367	B.	"	Ke.	3-3.5	7.3	7.6	-.3	
" 13	5367	"	2	Or.	=2	7.4	7.6	-.2	
" 13	5367	T.28	1	Ma.	5+6	7.7	7.6	+.1	
" 15	5369	T.30	"	Ch.	=1	9.0	7.6	+1.4	
" 15	5369	T.	2	Or.	f+1	7.6	7.6	0	
" 21	5375	B.	1	Ma.	...	...	7.8	...	
" 22	5376	"	"	Ke.	3-7.5	7.7	7.8	-.1	
" 26	5380	T.30	"	Ch.	15+1	9.4	7.9	+1.5	
" 28	5382	"	"	"	=15	9.5	8.0	+1.5	
1901.									
Jan. 7	5392	B.	"	Ra.	...	...	8.4	...	Invisible.
" 9	5394	T.30	"	Ch.	15-1, 17+1	9.6	8.4	+1.2	
" 14	5399	"	"	"	15-2	9.7	8.6	1.1	
" 15	5400	"	"	"	15-2, 17+1	9.7	8.6	1.1	
" 15	5400	T.	"	Or.	17-3	10.0	8.6	1.4	
" 18	5403	T.30	"	Ch.	17+1	9.6	8.7	.9	

(112) R ANDROMEDÆ—*continued.*

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deducted Mag.	Calc. Mag.	O—C.	Remarks.
1901.									
Feb. 11	5427	T.	I	Or.	17-2	9.9	9.5	.4	
" 14	5430	T.28	"	Ma.	17-1.5	9.8	9.6	+ .2	
June 5	5541	T.30	2	Ch.	...	...	12.8	...	< 9.2.
" 16	5552	"	I	"	...	...	13.0	...	< 11.5.
July 15	5581	"	"	"	...	...	13.3	...	< 11.5.
" 18	5584	"	"	"	...	...	13.3	...	< 11.5.
Aug. 20	5617	T.90	"	"	44-4, 48-2	13.2	13.5	-.3	*
Sept. 9	5637	"	"	"	40+2, 44+3, 48+6	12.1	13.2	-1.1	
" 15	5643	T.90	I	Ch.	35-4, 37-2, 40+2	11.7	12.6	-.9	Red.
" 18	5646	T.	"	Pe.	=44	12.4	12.5	.1	
Oct. 4	5662	T.28	"	Ma.	17-4.5, 25+4	10.1	11.2	1.1	
" 5	5663	T.60	"	Ch.	17-4, =25, 30+6	10.4	11.1	.7	
" 5	5663	T.20	"	LeB.	17-3, 19-3	10.0	11.1	1.1	
" 7	5665	T.60	"	Ch.	15-5, 17-4, 25+3	10.1	10.9	.8	Fine red.
" 13	5671	T.20	"	LeB.	15-1, 17+2	9.6	10.3	.7	
" 18	5676	T.30	"	Ch.	5-8, 7-3, 15+6,	9.1	9.9	.8	Fine red.
					17+6				
" 18	5676	T.20	"	LeB.	13+2	9.2	9.9	.7	
" 30	5688	"	3	"	5+1	8.2	8.9	.7	
" 31	5689	T.30	I	Ch.	4-2, 5+3	8.0	8.8	.8	Orange.
Nov. 10	5699	T.20	2	LeB.	3-2, 2+2	7.1	8.1	1.0	
" 14	5703	"	"	"	3+3	6.6	7.9	1.3	V. doubtful obs.
" 16	5705	"	"	"	3-3, 2+2	7.2	7.8	.6	
" 16	5705	B	"	Ma.	3+2.5	6.7	7.8	1.1	
" 17	5706	T.20	"	LeB.	3-2, 2+2	7.1	7.8	.7	
" 21	5710	"	"	"	3+3, 2+5	6.7	7.5	.8	
" 22	5711	"	"	"	3+4	6.5	7.5	1.0	
" 23	5712	"	"	"	3+4	6.5	7.4	.9	
" 26	5715	T.30	"	Ch.	1-10, 3+7	6.2	7.3	1.1	
" 28	5717	T.30	I	"	1-14, 2+6	6.7	7.3	.6	
		V.F.							
" 29	5718	T.20	"	LeB.	3+5	6.4	7.2	.8	
Dec. 3	5722	"	"	"	3+5	6.4	7.1	.7	
" 6	5725	"	2	"	3+2	6.7	7.0	.3	
" 8	5727	"	I	"	3+2	6.7	7.0	.3	
" 8	5727	T.60	"	Ch.	3+4, 2+6	6.6	7.0	.4	
" 10	5729	T.20	"	LeB.	3+5	6.4	7.0	.6	
" 16	5735	T.60	2	Ch.	3+4, 2+6	6.6	7.0	.4	
		V.F.							
" 17	5736	T.20	3	LeB.	3+5	6.4	7.0	.6	
" 18	5737	"	2	"	3+4	6.5	7.0	.5	
" 26	5745	T.30	I	Ch.	3+4, 2+5	6.7	7.1	.4	
" 27	5746	T.20	"	LeB.	3+2	6.7	7.2	.5	Date uncertain.
" 29	5748	B.	I	Ma.	3+0.5, j+1	6.9	7.2	.3	
" 30	5749	T.20	3	LeB.	=3	6.9	7.2	.3	
1902.									
Jan. 4	5754	T.28	I	Ma.	3+2	6.7	7.2	.5	
" 4	5754	T.30	"	Ch.	3+3, 2+5	6.7	7.2	.5	

## (112) R ANDROMEDÆ—continued.

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deducted Mag.	Calc. Mag.	$\frac{C}{O}$	Remarks.
1902.									
Jan. 4	5754	T.20	I	LeB.	3+2	6.7	7.2	.5	
" 5	5755	T.30	"	Ch.	3+1, 2+3	6.9	7.3	.4	
" 5	5755	B.	"	Ma.	3+1	6.8	7.3	.5	
" 5	5755	T.20	"	LeB.	3+2	6.7	7.3	.6	
" 7	5757	...	...	Co.	...	6.8	7.3	.5	
" 9	5759	T.20	3	LeB.	3+2	6.7	7.3	— .6	
" 10	5760	T.30	I	Ch.	3-3, 2-2	7.4	7.3	+ .1	
" 14	5764	T.20	2	LeB.	3+2	6.7	7.4	— .7	
" 19	5769	"	"	"	3+1	6.8	7.5	.7	
" 28	5778	...	...	Co.	...	7.3	7.7	.4	
" 31	5781	T.95	2	Ch.	=3	6.9	7.8	— .9	
Feb. 9	5790	T.30	I	"	4-4, =5, =6, 7+2	8.5	8.1	+ .4	
" 28	5809	"	"	"	3-8, 5-3, =6, 7+1, 15+10	8.4	8.8	— .4	
June 21	5922	...	...	Co.	...	12.0	12.5	— .5	
" 29	5930	T.95	I	Ch.	=40	11.6	12.7	1.1	About.
July 6	5937	"	"	"	...	...	12.8	...	< 11.6.
Aug. 24	5986	...	...	Co.	...	12.0	13.4	1.4	
Sept. 4	5997	...	...	"	...	12.5	13.4	.9	
" 24	6017	...	...	"	...	11.5	13.5	2.0	
" 30	6023	...	...	"	...	11.5	13.4	1.9	
Oct. 8	6031	T.95	2	Ch.	=40	11.6	13.3	1.7	
" 21	6044	"	I	"	=40	11.6	12.8	1.2	
" 24	6047	...	...	Co.	...	12.0	12.6	.6	
" 29	6052	T.95	I	Ch.	40+3	11.3	12.4	1.1	
" 30	6053	B.	"	Ma.	...	...	12.3	...	Invisible.
Nov. 1	6055	T.95	"	Ch.	35-1, =37, 40+4	11.4	12.2	.8	
" 7	6061	...	...	Co.	...	11.5	11.7	.2	
" 15	6069	...	...	"	...	10.5	10.9	— .4	
" 28	6082	...	...	"	...	9.8	9.7	+ .1	
" 28	6082	T.60	3	Ch.	=17	9.7	9.7	0	
Dec. 2	6086	"	I	"	5-5, 6-4	8.9	9.3	— .4	
" 4	6088	...	...	Co.	...	9.0	9.2	.2	
" 15	6099	...	...	"	...	7.5	8.4	.9	
" 20	6104	...	...	"	...	7.0	8.1	1.1	
" 23	6107	B. & T.28	I	Ma.	=3	6.9	7.9	1.0	
" 24	6108	B.	2	"	3+1	6.8	7.8	1.0	
" 28	6112	...	...	Co.	...	6.5	7.6	1.1	
" 31	6115	...	...	"	...	6.5	7.5	1.0	
1903.									
Jan. 2	6117	B.	I	"	3+4.5	6.5	7.4	.9	
" 3	6118	"	"	Ma.	3+3	6.6	7.4	.8	
" 11	6126	"	2	Co.	3+2.5	6.7	7.1	.4	
" 23	6138	"	I	"	3+1.5	6.8	7.0	.2	
" 23	6138	"	"	Ma.	=3	6.9	7.0	.1	
" 29	6144	T.28	2	"	3+1	6.8	7.1	.3	



(112) R ANDROMEDÆ—*continued.*

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deducted Mag.	Calc. Mag.	O-C	Remarks.
1903.									
Feb. 1	6147	B.	I	Co.	3+1	6.8	7.1	.3	
" 13	6159	"	"	"	3-2	7.1	7.2	-.1	
" 17	6163	B. & T.28	"	Ma.	3-7.5	7.7	7.3	+.4	
" 21	6167	B.	"	Co.	3-1	7.0	7.4	-.4	
" 28	6174	"	"	"	3-2	7.1	7.5	-.4	
" 28	6174	T.28	"	Ma.	3-6, j+1.5	7.2	7.5	.3	
Mar. 16	6190	B.	...	Co.	...	7.5	8.0	.5	< 3.
" 22	6196	"	...	"	...	...	8.2	...	Invisible.
July 23	6319	T.	...	"	...	...	12.2	...	" in 6½ inch.
Aug. 26	6353	T.28	2	Ma.	...	...	12.9	...	Invisible < 9.0.
Nov. 14	6433	T.	...	Co.	...	11.5	13.3	1.8	
" 15	6434	B.	I	Ma.	...	...	13.3	...	Invisible.
Dec. 11	6460	T.	...	Co.	...	10.5	12.2	1.7	
" 24	6473	"	...	"	17+2	9.5	10.9	1.4	
1904.									
Jan. 3	6483	"	...	"	17+8	8.9	10.0	1.1	
" 10	6490	"	...	"	3-4	7.3	9.4	2.1	
" 13	6493	"	...	"	3-2	7.1	9.2	2.1	
" 16	6496	B.	I	Ma.	=3	6.9	8.9	-2.0	Nearly = 3.
" 19	6499	B.	I	Ma.	3+1	6.8	8.7	-1.9	Ruddy.
" 22	6502	"	"	"	3+3.5	6.6	8.5	1.9	
" 22	6502	T.	...	Co.	3+1	6.8	8.5	1.7	
Feb. 2	6513	B.	2	Or.	1-9, 3+9	6.1	7.8	1.7	*
" 6	6517	"	...	Co.	3+9	6.0	7.6	1.6	*
" 6	6517	"	I	Ma.	P-2.5, 3+7.5	6.2	7.6	1.4	
" 13	6524	"	"	"	c+4, 3+7	6.1	7.3	1.2	
" 13	6524	"	2	Or.	1-12, 3+6	6.4	7.3	.9	*
" 13	6524	"	...	Co.	3+9	6.0	7.3	1.3	*
" 14	6525	"	3	Ma.	3+7	6.2	7.3	1.1	
" 15	6526	"	2	"	c+3, 3+6	6.2	7.3	1.1	
" 15	6526	"	"	Or.	c+2, 3+7	6.2	7.3	1.1	*
" 18	6529	"	I	Ma.	c-2, 3+4	6.6	7.2	0.6	
Mar. 10	6550	B.	...	Co.	3+1	6.8	7.1	.3	
" 21	6561	"	2	"	=3	6.9	7.2	.3	
July 5	6667	T.	...	"	17-5	10.2	10.5	.3	
" 12	6674	"	...	"	17-7	10.4	10.8	-.4	
Aug. 2	6695	"	...	"	=37	11.5	11.4	+.1	
" 12	6705	T.28	I	Ma.	...	...	11.7	...	Invisible < 9.0.
" 14	6707	T.	...	Co.	40-3	11.9	11.7	.2	
Sept. 3	6727	"	...	"	...	...	12.2	...	Glimpsed ± 13.0.
" 18	6742	T.150	I	Br.	...	...	12.6	...	" < 13.0.
Oct. 3	6757	T.	...	Co.	...	...	12.9	...	Just visible ± 13.0.
" 8	6762	T.300	I	Br.	=α	13.9	13.0	.9	

(112) R ANDROMEDÆ—*continued.*

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deducted Mag.	Calc. Mag.	O—C	Remarks.
1904.									
Oct. 12	6766	B.	1	Ma.	...	...	13.0	...	Invisible.
„ 29	6783	T.	2	Co.	...	...	13.2	...	..
Nov. 7	6792	T.300	1	Br.	= $\alpha$	13.9	13.3	.6	
„ 14	6799	T.28	„	Ma.	...	...	13.3	...	Invisible < 9.3.
„ 26	6811	T.150	„	Br.	$\alpha + 3$	13.6	13.4	+ .2	
Dec. 5	6820	T.	...	Co.	...	...	13.5	...	Invisible < 12.0.
„ 5	6820	B.	1	Ma.	...	...	13.5	...	..
„ 10	6825	„	„	„	...	...	13.5	...	..

(782) R<sup>\*</sup> ARIETIS.

## NOTES.

Star P = D.M. + 24° 32.5, 7.08 m. P.D.M.

„ N unidentified. Estimated 8.75 m. It follows star k of H.C.O. 20 s.  $\pm$  in R.A. and is about the same Dec.

Data for mean curve:—Period, 187 d.  $M - m$ , 92 d. Variation, 8.3 m. to 12.4 m.

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deducted Mag.	Calc. Mag.	O—C	Remarks.
1899.									
Sept. 9	4907	T.28	1	Ma.	9-4, p-6	11.3	11.8	- .5	*
Oct. 30	4958	„	„	„	7-3.5	10.0	8.7	+ 1.3	
„ 31	4959	„	2	„	=4	8.7	8.7	0	
Nov. 6	4965	„	„	„	N-5, 8+5	9.3	8.5	+ .8	N=8.75.
„ 10	4969	B.	3	„	...	...	8.4	...	Invisible in Bin.
„ 11	4970	T.28	„	„	P-2.5	7.3	8.3	- 1.0	
1900.									
Sept. 6	5269	T.	...	Ch.	...	...	12.1	...	Inv. in 2 inch < 10.5.
Oct. 2	5295	T.28	1	Wl.	9-6, 14+5	10.7	10.8	- .1	*
„ 13	5306	T.	„	Ch.	...	...	10.0	...	Inv. in 2 inch < 10.5.
„ 14	5307	„	„	Or.	5-3, =9, 11+3	10.1	9.9	+ .2	
„ 19	5312	T.28	2	Ma.	4-5, 10-4	9.9	9.6	.3	
„ 21	5314	T.	1	Ch.	...	10.2	9.5	.7	Just visible.
„ 26	5319	B.	„	Ma.	...	...	9.1	...	Inv. in Bin. < 8.5.
„ 27	5320	T.28	2	„	4-5, 7+4	9.2	9.1	+ .1	
„ 27	5320	T.	1	Or.	4-3.5, 5+3.5	9.1	9.1	0	

(782) R ARIETIS—*continued.*

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deducted Mag.	Calc. Mag.	C-O	Remarks.
1900.									
Nov. 9	5333	T.30	I	Ch.	=8	9.8	8.6	+1.2	
" 11	5335	"	"	"	=8	9.8	8.5	+1.3	
" 13	5337	"	"	"	=8	9.8	8.5	+1.3	
" 13	5337	T.28	3	Ma.	4+2.5	8.5	8.5	0	
" 15	5339	T.30	I	Ch.	=g	9.2	8.4	+ .8	
" 15	5339	T.28	I	Wl.	e-2, 4+3	8.4	8.4	0	
" 18	5342	T.30	2	Ch.	=g	9.2	8.3	+ .9	
" 18	5342	B.	I	Ma.	...	8.0	8.3	- .3	
" 18	5342	T.	"	Or.	4+3	8.4	8.3	+ .1	
" 23	5347	T.30	"	Ch.	=g	9.2	8.3	+ .9	
" 23	5347	T.	2	Or.	4+5	8.2	8.3	- .1	Crimson.
" 25	5349	"	I	"	4+6, e+1	8.1	8.3	- .2	Red. *
" 25	5349	T.30	"	Ch.	8+2	9.6	8.3	+1.3	
" 27	5351	"	"	"	4+2	8.5	8.4	+ .1	
Dec. 7	5361	B.	3	Ma.	...	7.0	8.6	-1.6	
" 10	5364	T.30	I	Ch.	4+3	8.4	8.7	-.3	
" 13	5367	"	"	"	4+4	8.3	8.8	-.5	
" 13	5367	T.28	"	Ma.	...	7.0	8.8	-1.8	
" 15	5369	T.30	"	Ch.	4+4	8.3	8.9	-.6	
" 15	5369	T.	2	Or.	4+3	8.4	8.9	-.5	Red.
" 15	5369	T.28	I	Ma.	...	7.5	8.9	-1.4	
" 17	5371	T.30	"	Ch.	4+3	8.4	9.0	-.6	
" 21	5375	B.	"	Ma.	...	...	9.2	...	Inv. in Bin. <8.5.
" 25	5379	T.30	"	Ch.	=4	8.7	9.5	-.8	
" 26	5380	"	2	"	4-1	8.8	9.6	-.8	
" 28	5382	"	I	"	4+1	8.6	9.7	-1.1	
1901.									
Jan. 7	5392	T.28	"	Ma.	6+2.5, 9+4.5	9.5	10.4	-.9	
" 8	5393	"	2	"	6+2, 5-6	9.7	10.5	-.8	
" 9	5394	T.30	I	Ch.	9+1	10.0	10.6	-.6	
" 14	5399	T.28	"	Ma.	7+1, 9+2	9.7	10.9	-1.2	
Feb. 5	5421	B.	2	"	...	...	12.1	...	Invisible <8.5.
" 12	5428	T.28	"	"	...	...	12.2	...	Invisible <8.5.
" 14	5430	"	I	"	...	...	12.3	...	Invisible <8.5.
July 27	5593	T.60	2	Ch.	11-1, =12	10.7	11.4	- .7	
Aug. 7	5604	"	I	"	6-4, 9-2	10.1	11.9	-1.8	
Oct. 4	5662	T.28	"	Ma.	=14	11.2	11.1	+ .1	
" 7	5665	T.60	"	Ch.	9-3, =11, 10-1	10.5	10.9	-.4	
" 16	5674	T.28	2	Ma.	9-1	10.2	10.3	-.1	
" 18	5676	T.30	I	LeB.	14-2	11.4	10.1	+1.3	
" 30	5688	T.20	2	"	4-3	9.0	9.3	-.3	
Nov. 1	5690	"	"	"	3-1, 4+2	8.5	9.2	- .7	
" 14	5703	"	"	"	4+1	8.6	8.6	0	
" 16	5705	"	"	"	4+1	8.6	8.6	0	
" 16	5705	T.28	"	Ma.	4+2.5	8.5	8.6	-.1	
" 17	5706	T.20	"	LeB.	4+2	8.5	8.6	-.1	
" 28	5717	T.30	I	Ch.	4+4	8.3	8.3	0	
" 29	5718	T.20	"	LeB.	4+4	8.3	8.3	0	

(782) R ARIETIS—*continued.*

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deducted Mag.	Calc. Mag.	O—C.	Remarks.
1901.									
Dec. 16	5735	T.95	2	Ch.	6+5, 9+8	9.2	8.7	+ .5	
" 26	5745	"	"	"	4-2, 9+5	9.2	9.2	0	
1902.									
Jan. 4	5754	T.20	1	LeB.	5-5, 9+3	9.8	9.8	0	
" 5	5755	T.95	"	Ch.	4-3, 6+2, 9+4	9.4	9.8	- .4	
" 5	5755	T.20	2	LeB.	5-5, 9+1	9.9	9.8	+ .1	
" 10	5760	"	11	"	=9	10.1	10.2	- .1	
" 28	5778	T.40	1	Br.	9-7.5, 14+3.5	10.8	11.4	.6	
" 29	5779	"	"	"	9-7.5, 14+3.5	10.8	11.4	.6	
" 31	5781	"	2	"	=14	11.2	11.5	.3	
" 31	5781	T.95	1	Ch.	9-5, =14, 19+5	11.3	11.5	- .2	
Feb. 9	5790	"	"	"	17-2, =18, 20+2	12.6	11.9	+ .7	
" 9	5790	T.75	"	Br.	15-2.5, 18+8	11.5	11.9	- .4	
" 10	5791	"	2	"	=18	12.3	12.0	+ .3	
" 11	5792	"	1	"	=18	12.3	12.0	.3	
" 28	5809	T.90 & 160	"	Ch.	18-8, 19-6, 20-5, =26	13.5	12.4	1.1	V. faint, difficult.
" 28	5809	T.75	"	Br.	=19	12.8	12.4	.4	
Oct. 10	6033	T.95	"	Ch.	14-2	11.4	11.2	+ .2	
" 21	6044	"	"	"	9-2, 11+1	10.5	10.5	0	
" 27	6050	"	"	"	9+1	10.0	10.1	- .1	
" 30	6053	T.28	"	Ma.	=9	10.1	9.8	+ .3	
Nov. 1	6055	T.95	"	Ch.	=9	10.1	9.7	.4	
" 17	6071	T.25	"	Br.	4-3, 5+4	9.0	8.8	.2	
" 18	6072	"	"	"	4-3.5, 5+3.5	9.1	8.8	.3	
" 21	6075	T.40	2	"	4-1.5, 5+5.5	8.9	8.7	.2	
" 22	6076	T.28	1	Ma.	=11	10.8	8.7	2.1	Distinctly > 14.*
" 23	6077	T.40	"	Br.	=4	8.7	8.6	.1	
" 28	6082	"	"	"	=4	8.7	8.5	+ .2	
Dec. 2	6086	"	3	"	=3	8.3	8.4	- .1	Perhaps.
" 18	6102	T.28	"	Ma.	4+3.5	8.4	8.5	- .1	Difficult.
" 21	6105	"	1	"	4+3, 5+7	8.6	8.6	0	
" 23	6107	"	"	"	4+5.5	8.2	8.6	- .4	
1903.									
Jan. 3	6118	"	"	"	4+3	8.4	9.2	.8	
" 23	6138	B	"	"	...	...	10.5	...	Invisible < 8.
" 28	6143	T.28	"	"	9-1	10.2	10.9	- .7	
Feb. 17	6163	T.28	1	Ma.	...	...	11.9	...	Invisible < 10.1.
" 28	6174	"	"	"	...	...	11.9	...	" < 10 Mag.
Mar. 16	6190	"	"	"	...	...	12.4	...	" < 8 Mag.
Oct. 17	6405	T.75	"	Br.	=14	11.2	11.2	0	
" 25	6413	"	"	"	11-1, 12+1	10.7	10.7	0	
" 30	6418	T.28	2	Ma.	...	10.7	10.4	...	Invisible < 9 Mag.
Nov. 6	6425	"	"	"	-9	10.1	9.9	+ .2	
" 7	6426	"	3	"	=9	10.1	9.8	.3	
" 8	6427	"	2	"	=9	10.1	9.7	.4	



(782) R ARIETIS—*continued.*

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deducted Mag.	Calc. Mag.	$\frac{C}{O}$	Remarks.
1903.									
Nov. 12	6431	T.40	2	Br.	9-2'5, 11+4'5	10'3	9'5	.8	
" 14	6433	"	1	"	8-1'5, 9+1'5	9'9	9'4	.5	
" 15	6434	"	"	"	=8	9'8	9'3	.5	
" 15	6434	T.28	"	Ma.	7+1'5	9'5	9'3	.2	Much < 9.
" 17	6436	T.	2	Or.	=9	10'1	9'1	1'0	< 7.
" 18	6437	T.46	1	Br.	=8	9'8	9'1	.7	
" 19	6438	T.28	"	Ma.	=7	9'6	9'0	.6	
" 21	6440	"	"	"	7+2	9'4	8'9	.5	Much > 9.
" 21	6440	T.40	"	Br.	5-1, 6+1	9'5	8'9	.6	
" 25	6444	"	2	"	4-4'5, 5+2'5	9'2	8'8	.4	
Dec. 6	6455	T.25	1	"	3-2, 4+2	8'5	8'4	+ '1	Very difficult.
" 14	6463	"	"	"	=3	8'3	8'3	0	About.
1904.									
Jan. 13	6493	T.28	"	Ma.	4+2	8'5	9'3	- '8	
" 15	6495	T.	2	Or.	=9	10'1	9'4	+ '7	
" 16	6496	T.28	1	Ma.	4+1	8'6	9'5	- '9	
" 19	6499	"	"	"	4-10, 7+5	9'4	9'8	.4	
" 22	6502	"	"	"	=4	8'7	10'0	1'3	
Feb. 6	6517	"	"	"	=7, 9-2	9'9	11'0	1'1	
" 13	6524	"	"	"	9-3'5, 11+3'5, =12	10'5	11'4	.9	
" 15	6526	"	2	"	9-5	10'6	11'5	- '9	
" 18	6529	"	"	"	...	...	11'7	...	< 9'6.
Mar. 10	6550	"	1	"	...	...	11'3	...	Invisible < 9'9
Sept. 15	6739	"	2	"	...	...	12'4	...	< 10'0 invisible.
" 17	6741	T.300	1	Br.	=20	13'3	12'4	+ '9	
" 18	6742	T.240	"	"	=20	13'3	12'4	.9	
Oct. 2	6756	T.150	"	"	=22	13'2	12'1	1'1	
" 8	6762	"	"	"	22-2, 26+3'5	13'3	12'0	1'3	
" 11	6765	T.28	"	Ma.	...	...	11'9	...	< 9'6 invisible.
" 12	6766	"	"	"	...	...	11'8	...	< 10'0 "
" 13	6767	"	"	"	...	...	11'8	...	< 10'0 "
Nov. 7	6792	T.75	"	Br.	9-3, 14+8	10'4	10'2	.2	
" 12	6797	T.40	"	"	=9	10'1	9'9	.2	
" 14	6799	T.28	"	Ma.	9-1'5	10'2	9'7	.5	> 14.
" 23	6808	T.25	"	Br.	4-5, 5+2	9'2	9'1	.1	
" 26	6811	"	"	"	4-3'5, 5+3'5	9'1	9'0	+ '1	
Dec. 2	6817	"	"	"	=4	8'7	8'7	0	
" 5	6820	B.	"	Ma.	...	...	8'7	...	< 9'0 inv. in Bin.
" 6	6821	T.25	"	Br.	3-2, 4+2	8'5	8'6	- '1	
" 9	6824	"	"	"	3+1	8'2	8'5	- '3	
" 10	6825	T.28	"	Ma.	6-2'5	9'9	8'5	+ 1'4	
" 13	6828	T.25	"	Br.	2-11, 3+3	8'0	8'4	- '4	
" 22	6837	"	"	"	2-9, P-6, 3+5	7'8	8'3	- '5	*
" 30	6845	"	"	"	2-11, 3+3	8'0	8'4	- '4	

## (806) o (MIRA) CETI.

## NOTES.

Star M = U.A. 244 Ceti	R.H.P.
" N = " 224 " = F. 66 Ceti = B.D. - 3° 336	6.92 m.
" P = " 204 " = F. 61 Ceti	5.63 "
" R = ξ Piscium	5.87 "
	4.78 "

Data for mean curve:—Period, 332 d.  $M - m$ , 125 d. Variation, 3.4 m. to 8.75 m.

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deducted Mag.	Calc. Mag.	$\frac{C}{O}$	Remarks.
1899.									
Jan. 1	4656	B.	2	Or.	N + 2	5.4	5.4	0	
" 4	4659	"	"	"	s - 1, N + 1	5.5	5.5	0	
" 9	4664	"	"	"	N - 3, y + 3	6.0	5.8	+ .2	
" 14	4669	"	"	Ma.	N - 5, y + 4, z + 3	6.2	6.0	.2	
" 26	4681	"	"	"	= a	7.3	6.5	.8	Distinctly < y.
" 27	4682	"	3	"	y - 4, a + 4, = Mz - 4	6.9	6.5	.4	
" 28	4683	"	1	"	y - 4, a + 4, M - 1	6.9	6.6	.3	
Feb. 2	4688	"	2	"	a + 1, M - 3, z - 6	7.2	6.8	+ .4	
" 13	4699	"	"	"	...	...	7.3	...	< a.
" 26	4712	"	"	"	...	...	7.7	...	Invisible in Bin.
Aug. 12	4879	"	1	Or.	m - 6, s + 6	4.8	4.9	- .1	Orange red.
" 28	4895	"	"	"	k - 4, m + 2	3.9	4.0	- .1	Orange.
" 31	4898	"	2	"	= m	4.1	3.7	+ .4	"
Sept. 2	4900	"	"	"	= m	4.1	3.7	.4	"
" 3	4901	"	"	"	m + 1	4.0	3.6	.4	Orange red.
" 9	4907	"	1	"	m + 1	4.0	3.5	.5	Much < k.
" 12	4910	B. & N.E.	3	"	= m	4.1	3.4	.7	"
" 16	4914	B.	"	"	m + 2	3.9	3.4	.5	Pale orange.
" 17	4915	"	"	"	= m	4.1	3.4	.7	"
" 22	4920	B. & N.E.	"	"	m + 2	3.9	3.5	.4	"
" 27	4925	B.	2	"	m + 2	3.9	3.6	.3	Orange.
" 28	4926	"	1	"	= m	4.1	3.6	.5	Pale orange.
" 30	4928	"	3	Ma.	m - 2	4.3	3.6	.7	A little < l.
Oct. 1	4929	"	2	Or.	= m	4.1	3.7	.4	
" 2	4930	N.E.	1	"	= m	4.1	3.7	.4	
" 4	4932	B.	2	"	m - 1	4.2	3.7	.5	Orange red.
" 8	4936	"	3	"	= m	4.1	3.8	.3	Orange.
" 10	4938	"	2	"	m - 2	4.3	3.9	.4	"
" 12	4940	"	"	"	m - 3	4.4	3.9	.5	"
" 13	4941	"	"	"	m - 3	4.4	3.9	.5	"
" 31	4959	"	"	Ma.	t + 2	5.3	4.4	.9	< 1 or m.
" 31	4959	"	3	Or.	m - 6, s + 6	4.8	4.4	.4	Yellowish red.
Nov. 6	4965	"	2	Ma.	s + 1, t - 2	5.5	4.6	.9	
" 6	4965	"	1	Or.	s + 2	5.2	4.6	.6	Yellowish red.

(806)  $\alpha$  (MIRA) CETI—continued.

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deducted Mag.	Calc. Mag.	O-C	Remarks.
1899.									
Nov. 11	4970	B.	3	Ma.	t + 1	5.4	4.8	.6	
" 23	4982	"	"	Or.	s - 5, y + 5	5.9	5.2	+ .7	
Dec. 30	5019	"	2	"	...	...	6.8	...	> y.
" 31	5020	"	"	"	...	...	6.8	...	Barely visible in Bin.
1900.									
Jan. 18	5038	"	1	Ma.	...	...	7.5	...	Just visible in Bin.
" 24	5044	"	2	Or.	...	...	7.7	...	Invisible "
" 25	5045	"	1	Ma.	...	...	7.7	...	" "
July 24	5225	"	2	Or.	g - 7, k + 1, m + 7	3.4	4.0	- .6	
" 28	5229	"	"	"	g - 7, k + 1, m + 7	3.4	3.8	.4	Fiery orange.
" 30	5231	N.E. & B.	1	"	g - 7, k - 2, l + 2, m + 7	3.6	3.7	- .1	
Aug. 2	5234	B.	"	"	= k, l + 2	3.6	3.6	0	
" 5	5237	"	"	"	k - 1, l + 1	3.7	3.5	+ .2	Fiery orange.
" 7	5239	N.E.	"	"	k - 1, l + 1, g - 8, m + 4	3.7	3.5	.2	
" 13	5245	"	2	"	= k, l + 2, g - 8, m + 4	3.7	3.4	+ .3	
" 22	5254	N.E. & B.	1	Or.	k - 3, m + 3	3.8	3.5	+ .3	Orange.
" 24	5256	B.	"	"	k - 3, m + 3, l - 2	3.9	3.5	.4	
Sept. 2	5265	"	"	"	l - 1.5, m + 1.5	4.0	3.8	.2	
" 18	5281	"	"	Ma.	m - 10	5.1	4.2	.9	
" 19	5282	"	2	Or.	m - 8, s + 5	4.9	4.2	.7	
" 21	5284	"	1	"	m - 8, s + 5	4.9	4.2	.7	
" 25	5288	"	"	"	m - 8, s + 5	4.9	4.3	.6	
" 29	5292	"	"	Ma.	t + 1	5.4	4.4	1.0	Record doubtful.
" 29	5292	"	"	Or.	m - 6, s + 6	4.8	4.4	.4	
Oct. 16	5309	"	"	"	s - 5, t - 5, u - 5, x + 2	6.0	5.0	1.0	
" 18	5311	"	"	Ma.	y - 1.5, z - 1.5	6.5	5.1	1.4	
" 21	5314	"	2	"	= y, z + 1	6.5	5.2	1.3	
" 27	5320	"	1	"	M + 2, z + 1	6.6	5.4	1.2	
Nov. 15	5339	"	2	Or.	z - 3, $\alpha$ + 3	7.0	6.2	.8	
" 17	5341	"	1	Ma.	= $\alpha$	7.3	6.3	1.0	
" 18	5342	"	"	"	$\alpha - 1$	7.4	6.4	1.0	
" 27	5351	T.	2	Or.	$\beta$ + 3, $\alpha - 3$	7.7	6.8	.9	Much > $\epsilon$ .
Dec. 13	5367	B.	"	"	$\beta - 3$	8.3	7.4	.9	Only just visible.
" 15	5369	T.	2	Or.	= $\beta$ , $\alpha - 8$ , $\delta$ + 8	8.0	7.5	.5	
" 15	5369	T. 28	1	Ma.	$\beta$ + 2	7.8	7.5	.3	Much > $\delta$ or $\epsilon$ .
" 21	5375	"	2	"	...	...	7.1	...	Just visible in Bin.
1901.									
Jan. 7	5392	"	1	"	$\delta$ + 6, $\epsilon$ + 6	8.4	8.1	.3	
" 14	5399	"	"	"	$\delta$ + 2, $\epsilon$ + 4	8.7	8.3	.4	*
" 14	5399	T.	"	Or.	$\delta - 1$ , $\epsilon$ + 2	9.0	8.3	.7	
Oct. 3	5661	T. 30	2	Ch.	y - 3, z + 3	6.5	5.8	.7	Fine red.
" 5	5663	B.	1	Wl.	z - 2, $\alpha$ + 2	7.0	5.9	1.1	
" 12	5670	"	"	"	z - 3, $\alpha$ + 3	7.0	6.2	.8	

(806) o (MIRA) CETI—*continued.*

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deducted Mag.	Calc. Mag.	O-C	Remarks.
1901.									
Oct. 13	5671	B.	I	Wl.	$\alpha-4, \alpha+2$	7.1	6.2	.9	
" 14	5672	"	"	"	$\alpha-4, \alpha+2$	7.1	6.3	.8	
" 16	5674	"	"	"	$\alpha-3, \beta+4$	7.6	6.4	1.2	
" 17	5675	"	"	"	$\alpha-2, \beta+5$	7.5	6.4	1.1	
" 18	5676	"	2	Ma.	$\beta+5$	7.5	6.5	1.0	
" 18	5676	"	"	Wl.	$\alpha-3, \beta+4$	7.6	6.5	1.1	
" 19	5677	"	"	"	$\alpha-2, \beta+5$	7.5	6.5	1.0	
" 19	5677	"	I	Ma.	$\beta+4$	7.6	6.5	1.1	
" 20	5678	"	2	Wl.	$\alpha-3, \beta+3$	7.7	6.5	1.2	
" 22	5680	"	"	Ma.	...	...	6.6	...	Barely visible in Bin.
" 29	5687	"	I	Wl.	$\alpha-3, \beta+2$	7.7	7.0	.7	
" 31	5689	"	"	"	$\alpha-4, \beta+3$	7.7	7.0	.7	
Nov.									
" 1	5690	"	"	"	$\alpha-5, \beta+3$	7.8	7.0	.8	
" 3	5692	"	"	"	$\alpha-5, \beta+3$	7.8	7.1	.7	
" 3	5692	T.28	"	Ma.	$=\beta, \delta+10$	7.9	7.1	.8	
" 4	5693	B.	"	Wl.	$\alpha-6, \beta+2$	7.9	7.2	.7	
" 6	5695	"	"	"	$\alpha-6, \beta+2$	7.9	7.3	+ .6	
" 11	5700	B.	I	Wl.	$\alpha-7, \beta+1$	8.0	7.4	+ .6	
" 13	5702	"	2	"	$\beta-2$	8.2	7.5	.7	
" 14	5703	T.28	"	Ma.	$\beta-1.5$	8.2	7.5	.7	> $\delta$ ruddy.
" 15	5704	B.	"	Wl.	$\beta-2$	8.2	7.6	.6	
" 16	5705	"	"	"	$\beta-2$	8.2	7.6	.6	
" 27	5716	"	I	"	$\beta-4$	8.4	7.9	.5	
" 28	5717	"	"	"	$\beta-4$	8.4	7.9	.5	
Dec.									
" 11	5730	"	"	"	$\beta-5$	8.5	8.2	.3	> $\delta$ .
" 16	5735	"	"	"	$\gamma-1$	8.7	8.3	.4	
" 29	5748	T.28	2	Ma.	$\epsilon-2$	9.4	8.5	.9	
1902.									
Jan. 4	5754	"	I	"	$\epsilon-1$	9.3	8.6	.7	
Feb. 7	5788	...	...	Co.	...	8.0	8.7	.3	About.
Sept.									
" 4	5997	...	...	"	...	7.0	6.0	1.0	
" 7	6000	...	...	"	...	7.0	6.1	.9	
" 24	6017	B.	2	Ma.	$\alpha-5$	7.8	6.9	.9	
" 28	6021	...	...	Co.	...	7.5	7.0	.5	
Oct.									
" 4	6027	...	...	"	...	8.0	7.1	.9	
" 26	6049	T.28	I	Ma.	$\delta+2.5, \epsilon+7$	8.5	7.8	.7	
Nov.									
" 1	6055	T.	"	Ch.	$\delta+10, \epsilon+8$	8.1	8.0	.1	
" 4	6058	B.	"	Or.	...	...	8.2	...	Invisible in Bin.
" 7	6061	...	...	Co.	...	8.5	8.2	.3	
" 15	6069	...	...	"	...	9.0	8.4	.6	
" 25	6079	...	...	"	...	9.5	8.5	1.0	
Dec.									
" 4	6088	...	...	"	...	9.0	8.6	.4	
" 21	6105	T.28	I	Ma.	$=\epsilon$	9.2	8.7	.5	
" 23	6107	"	"	"	$\epsilon+1$	9.1	8.7	.4	
1903.									
Jan. 2	6117	T.	2	Co.	$\epsilon-5$	9.7	8.7	1.0	
" 3	6118	T.28	I	Ma.	$=\epsilon$	9.2	8.7	.5	



(806)  $\alpha$  (MIRA) CETI—*continued*.

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deducted Mag.	Calc. Mag.	C-O	Remarks.
1903.									
Jan. 23	6138	T.	I	Co.	$\epsilon + 2.5$	8.9	8.4	.5	
" 28	6143	T.28	"	Ma.	$\beta - 6, \delta + 2$	8.6	8.3	.3	
Feb. 1	6147	T.	2	Co.	$\epsilon + 7.5$	8.4	8.2	.2	
" 13	6159	"	"	"	$= \beta$	8.0	7.7	+ .3	Record doubtful.
" 21	6167	"	"	"	$M - 2$	7.1	7.3	- .2	
" 28	6174	"	"	"	$= M$	6.9	7.0	- .1	
Sept. 2	6360	...	...	"	...	7.9	7.3	+ .6	
Oct. 16	6404	B.	I	Ma.	...	...	8.4	...	Invisible in Bin.
" 25	6413	...	...	Co.	$\epsilon + 2$	9.0	8.6	.4	
Nov. 14	6433	...	...	"	$= \epsilon$	9.2	8.7	.5	
" 15	6434	T.67	I	Ma.	$\epsilon - 3$	9.5	8.7	.8	
" 19	6438	T.28	"	"	$\epsilon - 2$	9.4	8.7	.7	
Dec. 11	6460	T.	2	Co.	$= \epsilon$	9.2	8.6	.6	
1904.									
Jan. 3	6483	...	...	"	$= \epsilon$	9.2	8.0	1.2	
" 10	6490	...	...	"	$\beta - 6, \epsilon + 6$	8.6	7.7	.9	
" 13	6493	T.28	I	Ma.	$= \beta$	8.0	7.6	+ .4	
" 16	6496	"	"	"	$\beta + 5$	7.5	7.5	...	
" 19	6499	T.28 & B.	"	"	$\alpha - 3.5, \beta + 7.5$	7.5	7.3	+ .2	
" 22	6502	B.	"	"	$\alpha + 1.5$	7.1	7.2	- .1	
" 22	6502	...	...	Co.	...	7.0	7.2	- .2	
Feb. 6	6517	...	...	Co.	$= R$	4.8	6.3	- 1.5	
" 6	6517	B.	I	Ma.	$s + 5$	4.9	6.3	1.4	Much < $\delta$ .
" 13	6524	"	"	"	$m - 1, l + 1$	4.0	5.9	1.9	
" 13	6524	...	...	Co.	$m - 1$	4.2	5.9	1.7	
" 14	6525	N.E.	2	Ma.	$= m$	4.1	5.8	1.7	
" 15	6526	"	I	"	...	...	5.7	...	About 4.0.
" 17	6528	"	"	Ch.	$= k$	3.6	5.6	2.0	
" 18	6529	N.E. & B.	"	Ma.	$l + 2, k - 4, m + 2$	3.8	5.5	1.7	
" 18	6529	N.E.	I	Ast.	$= m$	4.1	5.5	1.4	
" 18	6529	"	"	Ch.	$k + 2$	3.4	5.5	2.1	
" 19	6530	"	2	"	$k + 3$	3.3	5.5	2.2	
" 26	6537	"	I	"	$g - 7, k + 2$	3.4	5.0	1.6	
" 28	6539	"	"	"	$g - 6, k + 3$	3.3	4.8	1.5	
" 28	6539	B.	3	Ast.	$k - 1, l + 1$	3.7	4.8	1.1	
" 29	6540	...	...	Co.	$g - 3, k + 6$	3.0	4.8	1.8	
Mar. 1	6541	B.	2	Ast.	$g - 5, k + 4$	3.2	4.7	1.5	
" 2	6542	N.E.	"	Ch.	$g - 4.5, k + 4.5$	3.1	4.6	1.5	
" 3	6543	"	"	"	$g - 2, k + 7$	2.9	4.6	1.7	
" 5	6545	"	"	"	$g - 3, k + 6$	3.0	4.5	1.5	
" 6	6546	"	"	"	$g - 3, k + 6$	3.0	4.4	1.4	
" 10	6550	B.	I	Ma.	$g - 6, k + 3$	3.3	4.1	.8	
" 10	6550	...	...	Co.	$g - 2.5$	2.9	4.1	1.2	Record doubtful.
" 14	6554	N.E.	2	Ch.	$g - 4.5, k + 4.5$	3.1	3.9	.8	
" 16	6556	"	"	"	$g - 6, k + 3$	3.3	3.8	.5	
" 18	6558	"	"	"	$g - 7, k + 2$	3.4	3.7	.3	
" 21	6561	...	"	Co.	$g - 3$	3.0	3.6	- .6	

(806) o (MIRA) CETI—*continued*.

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deducted Mag.	Calc. Mag.	O-C.	Remarks.
1904.									
Sept. 3	6727	B.	I	Ma.	...	...	8.3	...	Invisible < 8.0.
" 10	6734	...	2	Co.	$\delta - 1, \epsilon + 3$	8.9	8.4	+ .5	
" 17	6741	T.28	I	Ma.	$= \epsilon$	9.2	8.5	.7	
" 18	6742	T.25	"	Br.	$\gamma - 1.5, \delta + 0.5$	8.8	8.5	.3	
Oct. 3	6757	...	2	Co.	$\epsilon - 1$	9.3	8.7	.6	
" 3	6757	T.28	I	Ma.	$\epsilon - 2$	9.4	8.7	.7	
" 8	6762	"	"	"	$\epsilon - 2$	9.4	8.7	.7	
" 8	6762	T.25	"	Br.	$\delta - 3, \epsilon + 1$	9.1	8.7	.4	
" 11	6765	T.28	"	Ma.	$\epsilon - 1.5$	9.3	8.7	.6	
" 12	6766	"	"	"	$\epsilon - 1.5$	9.3	8.7	.6	
" 13	6767	"	"	"	$\epsilon - 2$	9.4	8.7	.7	
" 29	6783	"	"	"	$\epsilon - 4$	9.6	8.7	.9	
" 29	6783	...	2	Co.	$\epsilon - 1$	9.3	8.7	.6	
Nov. 3	6788	T.28	I	Ma.	$\epsilon - 2.5$	9.4	8.7	.7	
" 4	6789	T.	"	My.	$\epsilon - 2$	9.4	8.7	.7	
" 7	6792	T.40	"	Br.	$\delta - 3, \epsilon + 1$	9.1	8.6	.5	
" 9	6794	T.	"	My.	$\epsilon - 2$	9.4	8.6	.8	
" 12	6797	T.40	"	Br.	$\delta - 3, \epsilon + 2$	9.1	8.5	.6	
" 12	6797	T.28	"	Ma.	$\epsilon - 1$	9.3	8.5	.8	
" 12	6797	...	...	Co.	$\epsilon - 1$	9.3	8.5	.8	
" 14	6799	T.	I	My.	$= \epsilon$	9.2	8.5	.7	
" 14	6799	T.28	"	Ma.	$\epsilon - 2$	9.4	8.5	+ .9	
" 23	6808	T.25	2	Br.	$\delta - 2, \epsilon + 2$	9.0	8.2	+ .8	
" 26	6811	T.	I	"	$= \delta$	8.8	8.1	.7	
" 28	6813	T.	"	My.	$\epsilon + 3$	8.9	8.1	.8	
" 29	6814	T.28	"	Ma.	$= \delta, \epsilon - 2$	9.1	8.0	1.1	Much < $\beta$ .
Dec. 2	6817	T.25	"	Br.	$= \delta$	8.8	7.9	.9	Very red.
" 5	6820	...	...	Co.	$= \epsilon$	9.2	7.8	1.4	
" 5	6820	B.	I	Ma.	...	...	7.8	...	Invisible in Bin.
" 6	6821	T.28	3	"	$\epsilon - 2$	9.4	7.7	1.7	
" 6	6821	T.25	2	Br.	$= \delta$	8.8	7.7	1.1	
" 7	6822	T.	...	Wm.	$\delta + 2, \epsilon - 2$	9.0	7.7	1.3	
" 7	6822	T.28	I	Ma.	$\epsilon - 1$	9.3	7.7	1.6	
" 8	6823	"	"	"	$\epsilon - 1.5$	9.3	7.6	1.7	
" 10	6825	"	"	"	$= \epsilon$	9.2	7.6	1.6	
" 11	6826	T.	2	My.	$\epsilon + 8$	8.4	7.5	.9	
" 13	6828	T.25	I	Br.	$\beta - 3, \gamma + 1.5$	8.4	7.4	1.0	
" 13	6828	T.28	2	Ma.	$\epsilon + 1$	9.1	7.4	1.7	
" 14	6829	"	I	"	$\epsilon + 2$	9.0	7.4	1.6	
" 22	6837	T.25	2	Br.	$\alpha - 4.5, \beta + 3$	7.7	7.0	+ .7	
" 25	6840	T.	"	My.	$P - 5$	6.4	6.9	- .5	
" 30	6845	T.25	I	Br.	$\alpha - 5, \beta + 2$	7.8	6.6	+ 1.2	
" 30	6845	T.28	"	Ma.	$N - 12, \beta + 12$	6.8	6.6	+ .2	*

## (1855) R AURIGÆ.

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deducted Mag.	Calc. Mag.	O-C.	Remarks.
1900. Sept. 21	5284	B.	I	Pe.	d-6	8.3	8.5	- .2	
1901. Aug. 9	5606	T.60	..	Ch.	8-3, 12-1	9.7	9.7	0	
" 13	5610	"	"	"	8-3, =12	9.7	9.6	+ .1	
" 21	5618	"	"	"	8+6, 5+3	8.6	9.5	- .9	
Sept. 9	5637	"	"	"	8+3, 5-2, 4-2	9.0	9.0	0	Orange.
Oct. 3	5661	"	2	"	3+3	7.9	8.2	- .3	
" 7	5665	T.30	"	"	3+3, 2+2	7.7	8.1	.4	
" 18	5676	"	I	"	3+6	7.6	7.7	- .1	Bright orange.
Nov. 28	5717	"	"	"	3-3, 4+3	8.5	8.0	+ .5	
Dec. 8	5727	T.95	"	"	3+3, 2+2	7.7	8.2	- .5	
" 27	5746	"	2	"	3-1, 4-4, 5+2	8.7	8.7	0	Very red.
1902. Jan. 5	5755	"	I	"	4-3, 5-2, 8+3, 9+3	9.1	8.9	+ .2	Dull red.
Feb. 9	5790	"	"	"	=23, 25+2, 26+4	10.9	10.0	.9	
" 28	5809	"	3	"	25-8, 34+3	12.0	10.7	1.3	
Mar. 25	5834	"	"	"	43+2	12.6	11.7	.9	
Apr. 23	5863	T.160	"	"	=43	12.8	12.7	.1	
" 24	5864	"	"	"	...	...	12.8	...	< 12.5.
" 27	5867	"	"	"	43-6	13.4	12.9	+ .5	
Oct. 10	6033	T.95	I	"	8-4, =16	9.8	10.1	- .3	
" 21	6044	"	"	"	8-3, 9-1	9.6	10.0	- .4	Red.
Nov. 1	6055	"	"	"	8-4, 12-1	9.8	9.8	0	
1903. Jan. 23	6138	T.	..	Co.	=3	8.2	7.6	+ .6	
Feb. 1	6147	"	2	"	3-4, 14+5	9.2	7.4	1.8	
" 13	6159	"	"	"	3-3, 4+3	8.5	7.7	.8	*
" 21	6167	"	"	"	3-3, 4+3	8.5	7.8	.7	*
" 28	6174	"	"	"	3-3, 4+3	8.5	8.0	.5	*
" 28	6174	"	I	Ma.	8+1.5	9.1	8.0	1.1	
Mar. 3	6177	"	"	"	8+5	8.8	8.0	.8	
" 16	6190	"	"	"	=8	9.3	8.3	1.0	
" 16	6190	"	...	Co.	4-2.5, 8+2.5	9.1	8.3	.8	
" 28	6202	"	...	"	8+1	9.2	8.7	.5	
Apr. 2	6207	"	...	"	=8	9.3	8.7	.6	
" 11	6216	"	...	"	8-1	9.4	9.0	.4	
" 24	6229	"	...	"	21-2	10.8	9.5	1.3	

## (1855) R AURIGÆ—continued.

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deducted Mag.	Calc. Mag.	O—C	Remarks.
1903. May 15	6250	T.	...	Co.	...	11.5	10.2	1.3	
" 24	6259	"	...	"	...	11.0	10.5	+ .5	
Aug. 25	6352	"	...	"	...	...	13.4	...	Invisible in 6½ inch.
Sept. 2	6360	"	...	"	...	...	13.5	...	" "
Oct. 15	6403	"	...	"	27 + 2	11.7	12.9	- 1.2	
" 25	6413	"	...	"	12 - 1	9.8	12.6	2.8	
Nov. 14	6433	"	...	"	8 - 2	9.5	11.9	2.4	
Dec. 11	6460	"	...	"	= 8	9.3	10.9	1.6	
" 24	6473	"	...	"	= 8	9.3	10.4	1.1	About.
1904. Jan. 3	6483	"	...	"	8 + 1	9.2	10.2	1.0	
" 10	6490	"	...	"	8 + 1	9.2	10.1	.9	
" 14	6494	"	...	Ma.	= 8	9.3	10.1	.8	
" 22	6502	"	...	"	8 + 0.5	9.2	10.9	.8	
Feb. 6	6517	"	...	Co.	...	8.0	9.8	- 1.8	
Mar. 10	6550	T.	...	Co.	...	8.0	9.0	- 1.0	*
" 10	6550	T.	...	Ma.	4 + 5, 10 + 5, = d	8.4	9.0	.6	
" 21	6561	"	...	Co.	...	7.5	8.6	1.1	*
Apr. 3	6574	T.	1	Ma.	3 + 5, = d	7.7	8.2	.5	
" 6	6577	T.	...	Co.	3 + 2	8.0	8.1	.1	
" 9	6580	"	2	Ma.	3 + 3.5, d + 2	7.8	8.0	.2	
" 12	6583	"	"	"	= d	7.7	7.9	- .2	
May 2	6603	"	1	"	3 - 3, 8 + 4	8.7	7.4	+ 1.3	
" 18	6619	"	...	Co.	8 + 5	8.8	7.7	1.1	
June 3	6635	"	...	"	= 8	9.3	8.0	1.3	
July 12	6674	T.	...	"	8 - 5	9.8	9.0	.8	
Aug. 2	6695	"	...	"	...	10.5	9.6	.9	*
" 11	6704	"	1	Ma.	...	...	10.0	...	Invisible < 9.0.
" 17	6710	"	"	"	...	...	10.2	...	" "
Sept. 3	6727	"	"	"	...	...	10.9	...	" "
" 3	6727	"	"	Co.	...	11.0	10.9	+ .1	Very faint.
" 15	6739	"	"	Ma.	...	...	11.3	...	Invisible < 9.0.
" 17	6741	"	"	"	...	...	11.4	...	" "
Oct. 3	6757	"	"	"	...	...	12.0	...	" "
" 3	6757	"	...	Co.	...	...	12.0	...	Invisible < 12.0.
" 11	6765	"	1	Ma.	...	...	12.2	...	" < 9.0.
" 29	6783	"	"	Co.	...	...	12.9	...	" < 12.0.
Nov. 12	6797	"	...	"	...	...	13.2	...	" < 11.5.
" 14	6799	"	1	Ma.	...	...	13.2	...	" < 9.0.
Dec. 5	6820	"	...	Co.	...	12.0	13.5	- 1.5	
" 14	6829	"	1	Ma.	...	...	13.5	...	Invisible < 9.0.



## (2100) U ORIONIS.

## NOTE.

Data for mean curve:—Period, 375 d.  $M-m$ , 148 d. Variation, 7.0 m. to 12.3 m.

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deducted Mag.	Calc. Mag.	O-C.	Remarks.
1899.									
Jan. 26	4681	B.	2	Ma.	...	...	10.0	...	Invisible.
" 27	4682	"	"	"	...	...	10.0	...	"
" 28	4683	"	1	"	...	...	9.9	...	" < 8.5.
Feb. 2	4688	"	"	"	...	...	9.7	...	"
" 13	4699	"	"	"	...	...	9.0	...	"
" 22	4708	"	2	"	...	...	8.5	...	"
" 26	4712	"	"	"	...	...	8.2	...	" < 8.5.
" 27	4713	"	"	"	...	...	8.1	...	"
" 28	4714	"	1	"	...	...	8.1	...	"
Mar. 1	4715	"	"	"	4-3.5, 5+3.5	7.5	8.0	-.5	
" 2	4716	"	2	"	...	...	8.0	...	Suspected.
" 3	4717	"	1	"	...	8.8	7.9	+.9	Just visible.
" 4	4718	"	"	"	f-12, 4+4	7.3	7.9	-.6	
" 5	4719	"	"	"	f-10	7.6	7.8	.2	
" 6	4720	"	2	"	f-10	7.6	7.8	.2	
" 7	4721	"	1	"	f-10	7.6	7.8	.2	
" 9	4723	"	"	"	f-7.5	7.4	7.7	.3	
" 13	4727	"	"	"	f-5	7.1	7.5	.4	
" 14	4728	"	2	"	f-4	7.0	7.5	.5	
" 15	4729	"	3	"	f-3	6.9	7.4	.5	
" 16	4730	"	"	"	f-3	6.9	7.4	.5	
" 20	4734	"	2	"	f+1, e-6.5	6.6	7.3	.7	
" 24	4738	"	"	"	e-2.5	6.3	7.2	.9	Difficult.
" 26	4740	"	"	"	f+6, e-3, d-6	6.2	7.2	1.0	
Apr. 3	4748	"	"	"	f+2, e-8, d-10	6.7	7.0	.3	
" 8	4753	"	"	"	f+2, e-4, d-7	6.4	7.0	.6	
Nov. 11	4970	T.28	3	"	...	...	12.3	...	Invisible.
1900.									
Jan. 18	5038	B.	1	"	...	...	10.9	...	" < 8.5.
" 24	5044	"	"	Or.	...	...	10.6	...	" < 8.0.
" 29	5049	T.28	2	Ma.	41+2	10.0	10.4	.4	
Feb. 4	5055	B.	3	Or.	...	...	10.1	...	Invisible < 8.0.
" 6	5057	T.28	"	Ma.	41+3	9.9	10.0	.1	
" 6	5057	T.76	2	Wl.	=15	9.0	10.0	1.0	
" 7	5058	"	"	"	=15	9.0	9.9	.9	
" 16	5067	B.	"	Or.	...	...	9.5	...	Invisible < 8.0.
" 17	5068	T.76	3	Wl.	11-1, 15+2	8.9	9.4	.5	
" 20	5071	B.	1	Ma.	...	...	9.2	...	Invisible.
" 23	5074	T.76	3	Wl.	11-1, 15+3	8.8	9.0	.2	
" 25	5076	B.	2	Ma.	...	...	8.9	...	Invisible.

(2100) U ORIONIS—*continued.*

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deducted Mag.	Calc. Mag.	C-O	Remarks.
1900.									
Mar. 1	5080	B.	I	Ma.	...	...	8.6	...	Suspected.
" 2	5081	"	"	Or.	...	...	8.6	...	Invisible < 8.5.
" 4	5083	"	"	Ma.	...	...	8.5	...	Suspected.
" 5	5084	T.28	3	"	4-3.5, 5+3.5	7.5	8.4	.9	
" 11	5090	T.	2	Mi.	=h	7.6	8.1	.5	
" 12	5091	"	"	"	=h	7.6	8.1	.5	
" 12	5091	B.	"	Ma.	...	...	8.1	...	Invisible.
" 13	5092	T.38	2	Wl.	f-2, g+2	6.8	8.0	1.2	
" 14	5093	"	"	"	f-2, g+2	6.8	8.0	1.2	
" 15	5094	"	3	"	f-1, g+3	6.7	7.9	-1.2	
" 15	5094	B.	2	Ma.	...	7.5±	7.9	-.4	Just visible.
" 16	5095	T.28	"	"	f-3, 4+4	6.8	7.8	1.0	
" 17	5096	B.	I	Or.	...	6.4	7.8	1.4	Above f, but below d and e, nearer f.
" 17	5096	"	3	Ma.	f-5	7.1	7.8	.7	
" 19	5098	"	I	Or.	...	6.5	7.7	1.2	Very little above f, but much below d and e.
" 19	5098	"	2	Mi.	=g	7.0	7.7	.7	Doubtful obs.
" 20	5099	"	I	"	=g	7.0	7.7	.7	
" 20	5099	"	"	Or.	...	6.5	7.7	1.2	As on 19th.
" 20	5099	...	2	Ke.	...	...	7.7	...	Doubtful est., 8.0.
" 20	5099	Fi.8	I	Wl.	e-4, f+2	6.4	7.7	1.3	"
" 24	5103	"	"	"	e-5, f+1	6.5	7.5	1.0	"
" 26	5105	"	2	"	e-4, f+2	6.4	7.5	1.1	"
" 26	5105	B.	I	Mi.	=f	6.6	7.5	.9	
" 26	5105	"	"	Ma.	f-2.5	6.9	7.5	.6	
" 26	5105	...	2	Ke.	f-4.5, g-1	7.1	7.5	.4	
" 28	5107	B.	I	Mi.	=f	6.6	7.4	.8	
" 29	5108	Fi.8	"	Wl.	e-4, f+2	6.4	7.4	1.0	Doubtful.
" 30	5109	T.28	2	Ma.	f-2.5	6.9	7.3	.4	
" 31	5110	B.	3	"	f-2	6.8	7.3	.5	
" 31	5110	"	I	Mi.	e-3, f+2	6.4	7.3	.9	
" 31	5110	...	2	Ke.	g-1	7.1	7.3	.2	
Apr. 1	5111	B.	I	Mi.	e-3, f+2	6.4	7.3	.9	
" 1	5111	"	2	Ma.	...	...	7.3	...	Invisible < f.
" 2	5112	F.8	"	Wl.	=f	6.6	7.2	.6	
" 7	5117	"	"	"	f-1	6.7	7.1	.4	
" 9	5119	B.	2	Mi.	=f	6.6	7.1	.5	
" 12	5122	...	"	Ke.	f-3	6.9	7.1	.2	
" 13	5123	B.	"	Ma.	f-1	6.7	7.0	.3	
" 15	5125	"	"	"	=f	6.6	7.0	.4	
" 15	5125	B.&T.	I	Mi.	e-2, f+2	6.3	7.0	.7	
" 16	5126	T.28	"	Ma.	f+2	6.4	7.0	.6	
" 16	5126	...	2	Ke.	f-2.5	6.9	7.0	.1	
" 17	5127	...	"	"	=f	6.6	7.0	.4	
" 17	5127	B.	I	Ma.	f+1	6.5	7.0	.5	
" 17	5127	F.8	"	Wl.	f-2, g+2	6.8	7.0	.2	
" 18	5128	T.28	2	Ma.	f+2	6.4	7.0	.6	
" 19	5129	B.	2	Or.	d-4, f+4	6.2	7.0	.8	
" 19	5129	...	I	Ke.	f-1.5, =g	6.9	7.0	.1	
" 19	5129	F.8	"	Wl.	=f	6.6	7.0	.4	
" 20	5130	B.	"	Or.	d-3	6.1	7.0	.9	
" 20	5130	B.&T.	"	Mi.	e-3, f+2	6.4	7.0	.6	
" 20	5130	...	"	Ke.	f-2, g+2	6.8	7.0	.2	

(2100) U ORIONIS—*continued.*

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deduced Mag.	Calc. Mag.	O-C.	Remarks.
1900.									
Apr. 21	5131	T.28	2	Ma.	f+2	6.4	7.0	.6	
" 21	5131	F.8	1	Wl.	f+1	6.5	7.0	.5	
" 23	5133	T.28	3	Ma.	f+1	6.5	7.0	.5	
" 25	5135	T.	1	Mi.	e-2, f+3	6.3	7.1	.8	
" 26	5136	T.28	2	Ma.	d-4, f+2	6.3	7.1	.8	
" 28	5138	"	"	"	d-5, f+2	6.4	7.1	.7	
" 28	5138	B.	1	Or.	e-3, f+3	6.3	7.1	.8	
May 5	5145	T.28	3	Ma.	f+1.5	6.5	7.2	.7	
" 7	5147	"	2	"	d-4.5, f+3	6.3	7.2	.9	
Sept. 24	5287	B.	1	Wl.	...	...	11.1	...	Invisible.
" 30	5293	T.76	"	"	4I-4	10.6	11.3	.7	
Dec. 15	5369	T.28	"	Ma.	...	...	12.2	...	Invisible.
1901.									
Jan. 7	5392	"	"	"	4I-3	10.5	11.3	1.3	Just glimpsed.
" 8	5393	T.120	"	"	4I-5	10.7	11.7	1.0	
" 9	5394	B.	2	Or.	...	...	11.7	...	Invisible < 8.0.
" 14	5399	T.	1	"	=1.5	9.0	11.5	2.5	Doubtful.
" 14	5399	T.67	"	Ma.	4I-5	10.7	11.5	.8	
Feb. 5	5421	B.	2	"	...	...	10.6	...	Invisible.
" 6	5422	T.	"	Or.	...	...	10.5	...	Doubtful < 8.6.
" 12	5428	T.67	"	Ma.	4I+1.5	10.0	10.2	.2	
" 14	5430	T.120	1	"	4I+1	10.1	10.1	.0	
" 24	5440	B.	"	"	...	...	9.6	...	Invisible.
Mar. 3	5447	...	...	Co.	...	10.0	9.2	+0.8	
" 6	5450	T.28	2	Ma.	II-6, 4I+6	9.5	9.0	.5	
" 8	5452	"	1	"	II-4, 4I+8	9.3	8.8	.5	
" 12	5456	T.120	"	"	II-1.5	9.0	8.6	+ .4	
" 14	5458	B.	2	"	...	...	8.5	...	Invisible.
" 16	5460	T.28	"	"	=5	7.9	8.4	-.5	
" 18	5462	T.38	1	Wl.	h-2, k+1	7.8	8.2	.4	Very ruddy.
" 19	5463	T.28	"	Ma.	4-3.5, 5+3.5	7.5	8.2	.7	
" 21	5465	...	...	Co.	...	7.9	8.1	.2	
" 22	5466	T.28	1	Ma.	=4	7.2	8.1	-.9	Warm, ruddy hue.
" 22	5466	T.	2	Ke.	II+2.5	8.6	8.1	+ .5	
" 24	5468	T.28	"	Ma.	4+3	6.9	8.0	-1.1	Ruddy.
" 25	5469	T.	"	Or.	4+7	6.5	7.9	1.4	Approximately.
" 28	5472	"	"	"	4+10, h+5, =g	6.8	7.8	1.0	
" 28	5472	T.28	"	Ma.	4+3	6.9	7.8	.9	
" 29	5473	...	...	Co.	...	7.5	7.7	.2	
" 30	5474	T.	1	Or.	4+10, h+5, f-10	7.0	7.7	.7	
Apr. 1	5476	"	"	"	f-1, g+3	6.7	7.6	.9	
" 5	5480	"	"	"	f-3, g+2	6.9	7.5	.6	
" 8	5483	...	...	Co.	...	7.1	7.4	.3	Very red.
" 9	5484	T.30	"	Ch.	f-5	7.1	7.3	.2	
" 10	5485	"	"	"	f-4, 4+6	6.3	7.3	.5	
" 10	5485	T.	"	Or.	f-3, g+1	6.9	7.3	.4	
" 12	5487	...	...	Co.	...	7.0	7.2	.2	
" 12	5487	T.30	1	Ch.	f-3	6.9	7.2	.3	
" 12	5487	B.	3	Ma.	...	...	7.2	...	Just glimpsed.

(2100) U ORIONIS—*continued.*

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deducted Mag.	Calc. Mag.	O—C	Remarks.
1901.									
Apr. 13	5488	T.30	1	Ch.	f-4	7.0	7.2	.2	
" 15	5490	B.	"	Or.	f-2	6.8	7.2	-.4	
" 16	5491	"	2	Ke.	g-4	7.4	7.1	+.3	
" 19	5494	"	"	"	g-4	7.4	7.1	+.3	
" 19	5494	T.	1	Or.	f-2, g+2	6.8	7.1	-.3	
" 19	5494	T.30	"	Ch.	f-3	6.9	7.1	.2	
" 20	5495	"	"	"	f-4	7.0	7.1	-.1	
" 20	5495	T.	1	Or.	f-3, g+3	6.8	7.1	-.3	Red.
" 21	5496	...	...	Co.	...	7.2	7.1	+.1	
" 21	5496	T.30	1	Ch.	f-3	6.9	7.1	-.2	
" 26	5501	T.28	3	Ma.	=f	6.6	7.0	.4	Ruddy.
" 27	5502	T.	2	Or.	f-2, g+3	6.8	7.0	-.2	
" 28	5503	...	...	Co.	...	7.4	7.0	+.4	
" 29	5504	T.28	3	Ma.	=f	6.6	7.0	-.4	
May 11	5516	"	2	Ma.	f-2	6.8	7.1	.3	
" 14	5519	"	"	"	f-4 <sup>5</sup>	7.1	7.2	.1	
" 15	5520	"	"	"	f-5	7.1	7.2	.1	Difficult.
Oct. 18	5676	T.90	3	Ch.	=45	11.2	11.4	.2	
Nov. 16	5705	T.67	2	Ma.	...	...	12.1	...	Not seen < 10.2.
Dec. 18	5737	T.28	...	Ma.	...	...	12.3	...	Not > 10.2.
" 29	5748	T.67	...	"	=41	10.2	12.2	2.0	
1902.									
Jan. 5	5755	T.28	...	"	41-2	10.4	12.1	1.7	
" 5	5755	T.95	...	Ch.	41-3, 45-2	10.9	12.1	1.2	
" 31	5781	"	"	"	41+6, 21-4, 29-2	9.9	11.2	1.3	
Feb. 8	5789	...	...	Co.	...	9.8	10.9	1.1	
" 9	5790	T.95	2	Ch.	=31, 41+3	9.9	10.9	1.0	
" 10	5791	B.	1	Ma.	...	...	10.8	...	Invisible.
" 27	5808	T.95	"	Ch.	9-3, 11-2, =15, 21+5, 29+8	9.0	10.0	1.0	
" 28	5809	"	"	"	=9, 11+3, 15+4, 21+6, 29+9	8.8	9.9	1.1	
Mar. 5	5814	"	"	"	7-2, 9+3, 11+4, 15+6, 21+8	8.5	9.7	1.2	
" 12	5821	...	...	Co.	...	9.0	9.2	-.2	
" 13	5822	B.	2	Ma.	...	...	9.2	...	Invisible < 8.2.
" 21	5830	...	...	Co.	...	8.5	8.2	+.3	
" 23	5832	T.30	2	Ry.	4-1	7.3	8.6	-1.3	
" 25	5834	"	"	"	4-0.5	7.2	8.4	1.2	
" 25	5834	T.95	1	Ch.	4+2, 5+5, 6+8	7.3	8.4	1.1	
" 28	5837	T.30	1	Ry.	=4	7.2	8.2	-1.0	
" 28	5837	...	...	Co.	...	8.4	8.2	+.2	
" 28	5837	B.	1	Mn.	...	...	8.2	...	Glimpsed, say 8.3.
" 30	5839	...	...	Co.	...	8.3	8.1	.2	
" 31	5840	...	...	"	...	8.2	8.1	+.1	
Apr. 1	5841	...	...	"	...	8.0	8.0	.0	
" 1	5841	T.30	1	Ry.	4+1.5	7.0	8.0	-1.0	
" 2	5842	...	...	Co.	...	7.7	8.0	.3	



(2100) U ORIONIS—*continued.*

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deduced Mag.	Calc. Mag.	O—C	Remarks.
1902.									
Apr. 3	5843	T.30	1	Ry.	4+2	7.0	7.9	.9	
" 3	5843	T.95	2	Ch.	d-7, 4+6	6.5	7.9	1.4	
" 5	5845	...	...	Co.	...	7.2	7.9	.7	
" 7	5847	...	...	"	...	6.9	7.8	.9	
" 10	5850	T.30	1	Ry.	f+3, d-2	6.2	7.7	1.5	
" 13	5853	"	"	"	f+3, d-1	6.1	7.5	1.4	
" 14	5854	"	2	"	f+3, d-1	6.1	7.5	1.4	
" 16	5856	"	"	"	d-0.5	5.9	7.4	1.5	
" 16	5856	T.28	"	Ma.	=e	6.0	7.4	1.4	
" 18	5858	"	"	"	e-4, f+2	6.4	7.4	-1.0	Ruddy.
" 18	5858	F.	2	Ch.	d+4, e+3	5.6	7.4	-1.8	
" 20	5860	T.30	"	Ry.	=d, f+3.5	6.0	7.3	1.3	
" 23	5863	F.	"	Ch.	d+4 e+5	5.5	7.2	1.7	
" 23	5863	...	...	Co.	...	6.2	7.2	1.0	
" 24	5864	"	"	Ch.	d+2, e+3, f+4	5.8	7.2	1.4	
" 28	5868	"	"	"	d+4, f+8, e+3	5.6	7.1	.5	
" 28	5868	T.30	1	Ry.	=d, f+3	6.1	7.1	1.0	
" 28	5868	B.	"	Wl.	f+3, e-2	6.3	7.1	.8	
" 30	5870	T.12	3	LeB.	d+2, e-4	5.6	7.1	-.5	
May 1	5871	B.	2	Wl.	f+4, d-2	6.1	7.1	.0	
" 2	5872	T.28	"	Ma.	f+4.5, e-1.5	6.2	7.0	-.8	
" 3	5873	"	"	"	e-1	6.1	7.0	.9	
" 3	5873	T.18	"	Wl.	f+2, d-4	6.3	7.0	.7	
" 3	5873	T.30	1	Ry.	f+3.5, d-0.5	6.1	7.0	.9	
" 4	5874	"	"	"	d-0.5	5.9	7.0	1.1	
" 4	5874	B.	2	Ma.	f+3, e-3	6.3	7.0	.7	
" 4	5874	T.26	3	Wl.	f-2, g+4	6.7	7.0	.3	
" 5	5875	"	2	"	f-3, g+2	6.9	7.0	.1	
" 8	5878	"	1	"	d-4, f+2	6.3	7.0	.7	
" 8	5878	T.28	3	Ma.	f+2	6.4	7.0	.6	Ruddy.
" 8	5878	...	...	Co.	...	6.1	7.0	.9	
" 10	5880	T.28	2	Ma.	f+3, e-3	6.3	7.0	.7	
" 10	5880	T.26	"	Wl.	d-4	6.2	7.0	.8	
" 11	5881	"	"	"	f+2, d-4	6.3	7.0	.7	
" 13	5883	T.28	"	Ma.	=e	6.0	7.0	-1.0	Ruddy.
Sept. 4	5997	...	...	Co.	...	10.0	9.9	+ .1	
Oct. 1	6024	...	...	"	...	11.2	10.7	+ .5	
" 16	6039	...	...	"	...	11.0	11.2	-.2	
Nov. 1	6055	T.95	1	Ch.	43-4, 45-2	11.4	11.6	.2	
" 7	6061	...	...	Co.	...	11.0	11.7	.7	
Dec. 4	6088	...	...	"	...	12.0	12.2	.2	Doubtful obs.
" 20	6104	...	...	"	...	11.3	12.3	1.0	
" 21	6105	T.28	1	Ma.	41-1	10.3	12.3	2.0	Doubtful obs.
" 31	6115	...	...	Co.	...	10.8	12.3	1.5	
1903.									
Jan. 2	6117	T.	2	"	...	9.3	12.2	2.9	Not fairly seen.
" 3	6118	T.28	1	Ma.	...	...	12.2	...	Invisible.
" 23	6138	B.	...	"	...	...	11.8	...	
" 23	6138	T.	...	Co.	...	11.1	11.8	.7	
" 28	6143	T.28	1	Ma.	41-1	10.3	11.7	1.4	

(2100) U ORIONIS—*continued*.

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deducted Mag.	Calc. Mag.	O—C.	Remarks.
1903.									
Feb. 1	6147	T.	I	Co.	...	11.3	11.6	.3	
" 13	6159	"	"	"	...	10.8	11.1	.3	
" 17	6163	T.28	"	Ma.	41+0.5	10.1	10.9	.8	
" 21	6167	T.	"	Co.	...	10.0	10.7	.7	
" 28	6174	"	"	"	=29	9.9	10.4	.5	
" 28	6174	T.28	"	Ma.	41-1	10.3	10.4	.1	
Mar. 3	6177	"	"	"	41+5	9.7	10.3	.6	
" 16	6190	"	"	"	11+2	8.7	9.6	.9	
" 16	6190	T.	I	Co.	11+2	8.7	9.6	.9	
" 22	6196	"	...	"	4-3, 5+3	7.5	9.2	1.7	
" 28	6202	T.	...	Co.	4+3	6.9	8.8	1.9	
" 30	6204	"	...	"	...	7.5	8.2	.7	
Apr. 2	6207	"	...	"	f-4	7.0	8.5	1.5	
" 7	6212	T.28	I	Ma.	=f	6.6	8.2	1.6	
" 8	6213	T.	...	Co.	f+1	6.5	8.2	1.7	
" 13	6218	"	...	"	f+4, d-4	6.2	8.0	1.8	
" 19	6224	"	...	"	f+3, e-3	6.3	7.7	1.4	
" 22	6227	T.28	I	Ma.	f+2, e-4	6.4	7.6	1.2	
" 24	6229	T.	...	Co.	f+3, e-3	6.3	7.5	1.2	
" 24	6229	B.	2	Wl.	f+4, e-3	6.3	7.5	1.2	
" 25	6230	"	"	"	f+3, e-2	6.3	7.4	1.1	
" 27	6232	"	"	"	f+3, e-5	6.4	7.4	1.0	
" 29	6234	"	3	"	f+2, e-6	6.5	7.3	.8	
May 2	6237	"	2	"	=f	6.6	7.2	.6	
" 3	6238	"	"	"	f+2, e-5	6.5	7.2	.7	
" 6	6241	"	"	"	f-2	6.8	7.1	.3	
" 7	6242	"	"	"	=f	6.6	7.1	.5	
" 11	6246	"	"	"	f-2	6.8	7.1	.3	
" 13	6248	"	I	"	f-2	6.8	7.0	.2	
" 15	6250	"	"	"	f+1, e-5	6.5	7.0	.5	
" 16	6251	"	"	"	f-2	6.8	7.0	.2	
" 22	6257	"	"	"	f-3	6.9	7.0	.1	
" 23	6258	"	"	"	f-5	7.1	7.0	+.1	
Sept. 2	6360	...	...	Co.	41+4	9.8	9.6	+.2	
Oct. 25	6413	...	...	"	41-6	10.8	11.1	-.3	
Nov. 14	6433	...	...	"	41-4	10.6	11.6	1.0	
" 15	6434	T.28	I	Ma.	41+2	10.0	11.6	1.6	
Dec. 24	6473	...	...	Co.	41-8	11.0	12.3	1.3	Very faint.
1904.									
Jan. 10	6490	...	...	"	41-8	11.0	12.3	1.3	
" 10	6490	B.	2	Ma.	...	...	12.3	...	"Invisible."
" 13	6493	T.28	I	"	...	...	12.2	...	<11.0.
" 16	6496	"	"	"	41-2	10.4	12.2	1.8	
" 19	6499	"	"	"	=41	10.2	12.2	2.0	
" 22	6502	...	...	Co.	41-6	10.8	12.1	1.3	
Feb. 6	6517	...	...	"	41-3	10.4	11.7	1.3	
" 6	6517	T.28	I	Ma.	41+2	10.0	11.7	1.7	

(2100) U ORIONIS—*continued.*

Date.	Julian Date.	Inst.	Class.	Observer	Comparisons.	Deduced Mag.	Cale. Mag.	O—C.	Remarks.
1904.									
Feb. 13	6524	T.28	I	Ma.	41-5	10.7	11.5	.8	
" 14	6525	"	"	"	41-5	10.7	11.5	.8	
" 15	6526	"	"	"	41-2	10.3	11.4	1.1	
Mar. 10	6550	"	"	"	41+2	10.0	10.4	.4	
" 10	6550	...	...	Co.	39+5	10.1	10.4	.3	
" 21	6561	...	...	"	11-5, 41+8	9.4	9.8	.4	
Apr. 3	6574	T.28	I	Ma.	5-3, 7+1	8.3	9.0	.7	
" 6	6577	...	...	Co.	...	7.8	8.8	1.0	Doubtful.
" 9	6580	T.28	I	Ma.	4+3	6.9	8.7	1.8	
" 12	6583	"	"	"	4+5	6.7	8.5	1.8	
" 16	6587	...	...	Co.	f-2	6.8	8.3	1.5	
" 25	6596	...	...	"	=f	6.6	7.9	-1.3	
May 2	6603	...	...	Co.	f-2	6.8	7.5	-.7	Rather doubtful.
" 2	6603	T.28	I	Ma.	d-6, f+2	6.4	7.5	1.1	
Sept. 10	6734	...	...	Co.	11-4	9.3	9.6	.3	Much > 41.
Nov. 12	6797	...	...	"	41-1	10.3	11.3	1.0	
Dec. 5	6820	...	...	"	41-1	10.3	11.9	-1.6	
" 5	6820	B.	I	Ma.	...	...	11.9	...	Invisible.

(2213)  $\eta$  GEMINORUM.

## NOTES.

This star does not occur in Hagen's Atlas, nor in vol. XXXVII. of the Annals H.C.O. The magnitudes of the comparison stars have been derived from the R.H.P., and the references are as follows:—

$a = \zeta$ Geminorum	3.02 m.	$g = \lambda$ Geminorum	3.66 m.
$b = \mu$ „	3.16 „	$h = \iota$ „	3.78 „
$c = \epsilon$ „	3.18 „	$k = \nu$ „	4.16 „
$d = \xi$ „	3.45 „	$l = \upsilon$ „	4.26 „
$e = \delta$ „	3.54 „	$m = \iota$ „	4.14 „
$f = \kappa$ „	3.62 „	$n = \zeta$ Tauri	3.02 „

No definite variation or period appears to be traceable from the observations of the Variable Star Section, and it has, therefore, not been considered necessary to calculate the theoretical brightness. The residuals would be very large and irregular, and merely indicate that our observations do not support the period of variation given in the Catalogues of H.C.O., or Chandler, viz. 231.4 d. Variation 3.2 m. to 4.2 m.

*N.B.*—Since the above was written, Series V. of the “Atlas Stellarum Variabilium” has appeared, and  $\eta$  Geminorum is included therein.—E. E. M.

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deducted Mag.	Calc. Mag.	O.-C.	Remarks.
1899.									
Jan. 1	4656	N.E.	...	Be.	...	3.3			
„ 4	4659	„	...	„	...	3.3			
„ 7	4662	„	...	„	...	3.3			
„ 11	4666	„	...	„	...	3.3			
„ 16	4671	„	...	„	...	3.4			
„ 26	4681	„	2	Ma.	b-7, =c	3.5			
Feb. 2	4688	„	1	„	b-6, c-4, k+12, e+3, m+20	3.1			
„ 10	4696	„	...	Be.	...	3.4			
„ 27	4713	„	3	Ma.	b-7, c-2, e+7, k+10	3.3			
„ 28	4714	„	1	„	b-6, =c, e+5, k+8	3.3			
Mar. 1	4715	„	„	„	b-6, c-1, e+6, k+10	3.3			
„ 2	4716	„	2	„	b-6, c-1, e+2, k+5	3.5			
„ 4	4718	„	1	„	b-4, c-1, e+10, k+15	3.0	...	...	Ruddy.
„ 5	4719	„	2	„	b-4, =c, e+6, k+10	3.2			
„ 9	4723	„	1	„	b-3, c-1, e+7, k+10, n-1	3.2			
„ 13	4727	„	„	„	b-1, c+1, e+15 k+17, n-1	2.8			



(2213)  $\eta$  GEMINORUM—*continued.*

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deducted Mag.	Calc. Mag.	O-C	Remarks.
1899.									
Mar. 14	4728	N.E.	2	Ma.	b-2=c, e+7, k+12, n-4	3.2			
" 15	4729	"	3	"	b-2, c-1, e+8, k+12, n-2	3.1			
Apr. 3	4748	"	2	"	b-4, c-2, e+6, k+10, n-1	3.2			
" 8	4753	"	"	"	b-1, c, e+7, k+12, n	3.1			
May 2	4777	"	3	"	b-5, c-2	3.5			
" 5	4780	"	2	"	b-5, c-1	3.5			
Nov. 8	4967	"	...	Be.	...	3.2			
Dec. 30	5019	"	...	...	...	3.2			
1900.									
Jan. 1	5021	"	1	"	=b	3.2			
Feb. 7	5058	"	2	Ma.	b-3, c-1	3.4			
Mar. 4	5083	"	1	"	b-6, c-4, e+5	3.5			
" 17	5096	"	3	"	b-3, c-2, e+7	3.2			
" 31	5110	"	2	"	b-4, c-2, =e	3.5			
Apr. 16	5126	"	1	Be.	b-1, c-1	3.3			
" 17	5127	"	"	Ma.	b-7, c-4, e+4	3.5			
" 21	5131	"	3	"	b-8, c-4, e-1.5	3.7			
" 23	5133	N.E.	"	"	b-5, c-2, e+5	3.4			
" 26	5136	& B.	2	"	b-4, c-2, e+2.5	3.4			
" 28	5138	N.E.	"	"	b-4, c-2, e+2	3.4			
May 7	5147	B.	3	"	b-5, c-3	3.6			
Oct. 26	5319	N.E.	1	Wl.	b-2, e+3	3.3			
" 27	5320	"	"	"	b-2, e+2	3.4			
" 28	5321	"	2	"	b-2, e+3	3.3			
" 30	5323	"	1	"	b-1, e+2	3.3			
" 31	5323	"	2	"	b-2, e+3	3.3			
Nov. 15	5339	"	1	Ch.	b-8, c-3	3.7			
" 18	5342	"	"	"	b-8, c-3	3.7			
" 22	5346	"	"	Wl.	b-2, e+1	3.4			
" 23	5347	"	"	Ch.	b-5	3.7			
" 25	5349	"	"	"	b-5, c-3	3.6			
" 27	5351	"	"	"	c-2	3.4			
" 27	5351	"	"	Be.	=b, =c	3.2			
Dec. 10	5364	N.E.	2	Ch.	b-3	3.5			
" 13	5367	"	1	"	b-2	3.4			
" 13	5367	"	2	Be.	=b, =c	3.2			
" 13	5367	"	"	Or.	b-2, e+2	3.4			
" 15	5369	"	"	"	b-2, e+2	3.4			
" 15	5369	"	1	Ki.	n-10, k+5	3.9			
" 15	5369	"	"	Be.	=b, =c	3.2			

(2213)  $\eta$  GEMINORUM—*continued.*

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deducted Mag.	Calc. Mag.	O—C	Remarks.
1900.									
Dec. 15	5369	N.E.	I	Ch.	b-3	3.5			
" 17	5371	"	"	"	b-4	3.6			
" 19	5373	"	"	"	b-4	3.6			
" 19	5373	B.	3	Kl.	b-7, c-9, k+6, n-10	3.9			
" 19	5373	N.E.	I	Be.	=b, =c	3.2			
" 19	5373	"	"	Wl.	b-2, e+2	3.4			
" 21	5375	"	"	"	b-2, e+3	3.3			
" 21	5375	"	"	Ch.	b-4	3.6			
" 24	5378	"	"	Be.	=b, =c	3.2			
" 25	5379	"	"	"	=b, =c	3.2			
" 25	5379	"	"	Ch.	b-5	3.7			
" 26	5380	"	2	"	b-4	3.6			
" 28	5382	"	I	"	b-5	3.7			
1901.									
Jan. 9	5394	"	"	"	b-4	3.6			
" 14	5399	"	"	"	b-3	3.5			
" 14	5399	"	"	Or.	b-1, e+3	3.3			
" 14	5399	B.	"	Kl.	c-6, k+6	3.7			
" 15	5400	N.E.	"	Or.	b-2, e+2	3.4			
" 22	5407	B.	"	Kl.	b-6, k+6	3.7			
" 24	5409	N.E.	2	Or.	b-2, e+2	3.4			
" 24	5409	"	"	Ch.	b-3	3.5			
Feb. 5	5421	"	"	Ma.	b-8, c-3, e+7.5, k+10	3.4			
" 11	5427	"	I	Or.	b-1, e+3	3.3			
" 11	5427	"	"	Ch.	b-3	3.5			
" 12	5428	"	"	"	b-3	3.5			
" 13	5429	"	"	"	b-3	3.5			
" 14	5430	"	"	Ma.	b-2, c-1, e+5, k+10	3.2			
" 15	5431	"	2	"	b-3, c-1, e+3, k+10	3.3			
" 15	5431	"	I	Ch.	b-2	3.4			
" 15	5431	"	2	Or.	b-1, e+3	3.3			
" 17	5433	"	"	Ch.	b-3	3.5			
" 17	5433	"	I	Wl.	b-1, e+3	3.3			
" 20	5436	"	"	Ch.	b-3	3.5			
" 25	5441	"	3	"	b-3	3.5			
Mar. 3	5447	"	2	"	b-3	3.5			
" 5	5449	"	"	"	b-3	3.5			
" 5	5449	"	I	Be.	=b, =c	3.2			
" 6	5450	"	2	Ch.	b-4	3.6			
" 7	5451	"	I	Or.	b-1, e+3	3.3			
" 9	5453	"	"	Ch.	b-3	3.5			
" 10	5454	"	"	"	b-3	3.5			
" 10	5454	N.E.	3	Or.	b-2, e+2	3.4			
" 14	5458	"	2	Ma.	b-4, c-2, e+5, k+8	3.3			
" 19	5463	"	I	"	b-6, c-4, e+6, k+12	3.3			
" 21	5465	B.	"	Kl.	c-65, k+9	3.5			
" 21	5465	N.E.	"	Ch.	b-4	3.6			

(2213)  $\eta$  GEMINORUM—*continued.*

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deducted Mag.	Calc. Mag.	$\frac{C}{O}$	Remarks.
1901. Mar. 22	5466	N.E.	I	Ma.	b-3, c-1, e+5, k+15	3.1			
" 24	5468	"	"	Ch.	b-5	3.7			
" 25	5469	"	3	"	b-4	3.6			
" 26	5470	"	2	"	b-4	3.6			
" 28	5472	"	"	"	b-5	3.7			
Apr. 1	5476	"	"	"	b-4	3.6			
" 4	5479	"	3	Or.	b-2	3.4			
" 5	5480	"	I	"	b-1	3.3			
" 5	5480	"	2	Ch.	b-4	3.6			
" 10	5485	"	I	"	b-6, c-5, e+4	3.5			
" 13	5488	"	"	Be.	=b, =c	3.2			
" 14	5489	"	"	Ch.	b-5	3.7			
" 15	5490	"	"	Or.	b-2	3.4			
" 18	5493	"	"	"	b-2	3.4			
Dec. 10	5729	"	"	Be.	=b, =c	3.2			
1902. Jan. 1	5751	"	"	WL	b-2, e+2	3.4			
" 2	5752	"	"	"	b-4, e+2	3.5			
" 3	5753	"	"	"	b-2, e+2	3.4			
" 4	5754	"	"	Be.	=b, =c	3.2			
" 4	5754	"	"	Ch.	b-3, c-2	3.4	...	...	Yellowish-white.
" 4	5754	"	"	LeB.	a-3, g+4	3.3			
" 5	5755	"	"	Ch.	b-3, c-2	3.4			
" 5	5755	"	"	WL	b-2, e+2	3.4			
" 6	5756	"	"	"	b-2, e+2	3.4			
" 7	5757	"	"	"	b-1, e+3	3.3			
" 9	5759	"	"	"	b-1, e+3	3.3			
" 10	5760	"	"	Ch.	b-2, c-2	3.4			
" 12	5762	"	"	"	b-3, c-3	3.5	...	...	Distinctly ruddy.
" 14	5764	"	3	LeB.	b-2	3.4			
" 15	5765	"	2	WL	b-2, e+3	3.3			
" 16	5766	"	"	"	b-3, e+2	3.4			
" 19	5769	"	3	LeB.	b-3	3.5			
" 29	5779	"	I	Ch.	b-3, c-3	3.5			
" 30	5780	"	2	"	b-3, c-3	3.5			
" 31	5781	"	I	"	b-3, c-3	3.5			
" 31	5781	"	2	LeB.	b-2	3.4			
Feb. 1	5782	"	I	Ch.	b-3, c-3	3.5			
" 8	5789	"	"	WL	b-3, e+1	3.5			
" 9	5790	"	"	Ch.	b-4, c-3, e+3	3.4			
" 10	5791	"	"	WL	b-3, e+1	3.5			
" 11	5792	"	"	"	b-2, e+2	3.4			
" 12	5793	"	2	"	b-3, e+2	3.4			
" 27	5808	"	"	Ch.	b-4, c-4, =g	3.6			
" 28	5809	"	I	"	b-4, c-3	3.5			
" 28	5809	"	"	LeB.	b-3	3.5			
Mar. 4	5813	"	"	"	b-3, c-3	3.5			
" 8	5817	"	2	"	b-3	3.5			
" 12	5821	"	I	"	b-3	3.5			
" 20	5829	"	"	"	b-3	3.5			

(2213)  $\eta$  GEMINORUM—*continued.*

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deducted Mag.	Calc. Mag.	O—C.	Remarks.
1902.									
Mar. 25	5834	N.E.	2	LeB.	b-3	3.5			
" 25	5834	"	1	Ch.	b-3, c-3	3.5			
" 29	5838	"	2	LeB.	b-3	3.5			
Apr. 3	5843	"	1	Ch.	b-3, c-3	3.5			
" 6	5846	"	"	"	b-3, c-3	3.5			
" 16	5856	"	2	Ma.	b-5, c-2, e+6, k+10	3.3			
" 18	5858	"	3	"	b-8, c-4, e+5	3.5			
" 18	5858	"	1	Ch.	b-4, c-4	3.6			
" 23	5863	"	"	"	b-4, c-4	3.6			
" 24	5864	"	"	"	b-4, c-4	3.6			
" 24	5864	"	"	LeB.	b-3	3.5			
" 27	5867	"	"	Ch.	b-4, c-4	3.6			
" 28	5868	"	"	"	b-4, c-4	3.6			
" 30	5870	"	"	"	b-4, c-4	3.6			
May 2	5872	"	2	Ma.	b-6, c-2, e+1	3.5			
" 4	5874	"	"	"	b-6, c-5, k+20, =d	3.3			
Oct. 10	6033	"	1	Ch.	b-4, c-4	3.6			
" 21	6044	"	"	"	b-2, c+3	3.1			
Nov. 1	6055	"	"	"	b-4, =c	3.4			
" 2	6056	B.	2	Pe.	b-3, c+2, k+6	3.3			
" 3	6057	"	1	"	b-2, c-3, k+6	3.5			
" 4	6058	"	"	"	b-2, c-3, e+3	3.4			
" 8	6062	N.E.	"	Ch.	b-5, c-3	3.6			
" 9	6063	"	"	"	b-5, c-4	3.6			
" 12	6066	"	"	"	b-4, c-4	3.6			
Dec. 2	6086	"	"	"	b-4, c-4	3.6			
" 18	6102	"	"	"	b-4, c-4	3.6			
" 23	6107	"	"	Ma.	b-5, c-7, k+10	3.6			
" 24	6108	"	2	"	b-8, c-2, e+2	3.6			
1903.									
Jan. 28	6143	"	1	"	b-6, c-1, e+4	3.4			
" 28	6143	"	"	Oa.	b+3	2.9			
" 29	6144	"	"	Ma.	b-3, c-2, e+2	3.4			
Feb. 16	6162	"	"	Oa.	b-2	3.4			
" 17	6163	"	2	"	b-3	3.5			
" 18	6164	"	1	"	b-3	3.5			
" 21	6167	"	"	"	b-3	3.5			
" 23	6169	"	"	"	b-2.5	3.4			
" 23	6169	"	"	Ma.	b-3, c-1, e+6	3.2			
" 25	6171	"	2	Oa.	b-2	3.4			
Mar. 3	6177	"	"	"	b-3	3.5			
" 3	6177	"	1	Ma.	b-2, =c, e+7.5	3.1			
" 16	6190	"	"	"	b-1, =c, e+2	3.3			
" 16	6190	"	2	Oa.	b-3	...	3.5		
" 26	6200	"	"	"	b-2	...	3.4		
Dec. 29	6478	"	"	"	b-3	...	3.5		

(2213)  $\eta$  GEMINORUM—*continued*.

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deducted Mag.	Calc. Mag.	$\frac{C}{O}$	Remarks.
1904.									
Jan. 9	6489	N.E.	2	Oa.	b-5	...	3.7		
" 16	6496	"	1	Ma.	b-3, c-2, e+2.5	...	3.4		
" 16	6496	"	"	Oa.	b-5	...	3.7		
" 19	6499	"	"	Ma.	b-3, c-2, e+3	...	3.4		
Feb. 13	6524	"	3	"	b-4, c-2, e+3	...	3.4		
" 14	6525	"	2	"	b-8, c-2, e+2	...	3.6		
" 15	6526	"	1	"	b-5, c-2, e+2	...	3.5		
Mar. 10	6550	"	"	"	b-4, c-1, e+5	...	3.3		
" 10	6550	"	"	Oa.	b-5	...	3.7		
" 15	6555	"	2	"	b-7	...	3.9		
" 16	6556	"	"	"	b-5	...	3.7		
" 21	6561	"	1	"	b-5	...	3.7		
Apr. 3	6574	"	"	Ma.	b-5, c-2, e+3	...	3.4		
" 8	6579	"	"	Oa.	b-4	...	3.6		
" 9	6580	"	2	"	b-4	...	3.6		
" 9	6580	"	1	Ma.	b-6, c-8, e+2	...	3.7		
" 12	6583	"	"	"	b-5, c-2, e+3	...	3.4		
" 27	6598	B.	2	Oa.	b-4	...	3.6		
May 2	6603	N.E.	1	Ma.	b-5, c-3, =e	...	3.6		
" 7	6608	"	2	Oa.	b-4	...	3.6		
" 16	6617	B.	"	"	b-7	...	3.9		
Dec. 2	6817	"	1	Fd.	=b, =c	...	3.2		
" 4	6819	"	"	"	a-3, c-3	...	3.4		
" 5	6820	N.E.	"	"	b-5, c-6, a-4	...	3.6		
" 5	6820	"	"	Ma.	b-5, c-4, e+4	...	3.5		
" 5	6820	B.	"	Fd.	a+1, b-2, c-2	...	3.2		
" 7	6822	"	"	"	a-4, b-3, k+5, c-5	...	3.7		
" 13	6828	N.E.	"	"	b-5, c-10, k+3	...	3.9		
" 16	6831	"	2	"	b-5, c-4, k+2	...	3.7		



## (3493) R LEONIS.

## NOTE.

Data for mean curve:—Period, 313 d.  $M-m$ , 144 d. Variation, 5·8 m. to 9·8 m.

Chandler does not give the detail of the “inequality” for this star, as “definitive investigation has not yet been made. Present  $O-C = -20$  d.” Hence doubtless our large residuals.

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deducted Mag.	Calc. Mag.	O—C	Remarks.
1899.									
Mar. 13	4727	B.	I	Ma.	...	...	9·1	...	Invisible.
Apr. 3	4748	„	2	„	...	...	8·4	...	„
„ 8	4753	„	„	„	...	...	8·2	...	Suspected 7·5?
„ 30	4775	„	I	„	...	8·0±	7·3	+0·7	Much < k.
May 2	4777	„	„	„	m-2	7·4	7·2	+·2	Much < k.
„ 3	4778	„	2	„	k-2	6·8	7·2	-·4	
„ 4	4779	„	„	„	h-8, =k	6·9	7·2	-·3	
„ 5	4780	„	„	„	h-10, k-1	7·1	7·1	0	
„ 6	4781	„	3	„	k-2	6·8	7·1	-·3	
„ 7	4782	„	I	„	k-3, m+4	6·9	7·1	·2	
„ 8	4783	„	2	„	=k	6·6	7·0	·4	
„ 29	4804	„	3	„	f-3, h+3	6·1	6·2	-·1	
„ 30	4805	„	2	„	f-7, h+5	6·2	6·2	0	Ruddy.
„ 31	4806	„	„	„	f-7, h+5	6·2	6·2	0	
June 2	4808	„	„	„	f-6, h+3	6·3	6·1	+·2	
„ 3	4809	„	„	„	f-3, h+3	6·1	6·1	0	*
1900.									
Jan. 24	5044	„	I	Or.	...	7·0±	9·0	-2·0	Much < h.
Feb. 4	5055	„	3	„	h-3	6·7	8·6	1·9	
„ 6	5057	„	„	„	h-2	6·6	8·6	2·0	
„ 6	5057	T.28	„	Ma.	h-5	6·9	8·6	1·7	Ruddy.
„ 7	5058	B.	2	„	h-3	6·7	8·5	1·8	
„ 7	5058	T.38	2	Wl.	h-1	6·5	8·5	2·0	
„ 16	5067	B.	„	Or.	f-4, h+2	6·2	8·2	2·0	
„ 17	5068	T.76	3	Wl.	f-4, h+2	6·2	8·1	1·9	
„ 17	5068	B.	2	Ke.	h-4·5	6·9	8·1	1·2	
„ 20	5071	B. & T.30	I	Mi.	h+3	6·1	8·0	1·9	
„ 20	5071	B.	2	Or.	f-4, h+2	6·2	8·0	1·8	
„ 20	5071	„	„	Ma.	h-2, =k	6·6	8·0	1·4	
„ 22	5073	„	I	Or.	f-4, h+2	6·2	7·9	1·7	
„ 24	5075	B.	I	Ke.	h+1	6·3	7·9	1·6	
„ 25	5076	B.	2	Ma.	h-1	6·5	7·8	1·3	
Mar. 1	5080	„	I	„	h+1	6·3	7·7	1·4	
„ 1	5080	„	2	Or.	f-4, h+2	6·2	7·7	1·5	
„ 4	5083	„	I	Ma.	h+1	6·3	7·5	1·2	
„ 5	5084	T.28	3	„	f-1·5, h+4·5	6·0	7·5	1·5	Ruddy.
„ 9	5088	B.	„	„	=f	5·8	7·3	1·5	

(3495) R LEONIS—*continued*.

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deducted Mag.	Calc. Mag.	O-C	Remarks.
1900.									
Mar. 11	5090	B.	3	Ma.	f-2	6.0	7.2	1.2	
" 12	5091	"	2	"	f-1	5.9	7.2	1.3	
" 15	5094	"	"	"	=f	5.8	7.1	1.3	
" 16	5095	T.28	"	"	=f	5.8	7.1	1.3	
" 16	5095	B.	2	Ke.	=f	5.8	7.1	1.3	
" 17	5096	B.	3	Ma.	f+0.5	5.8	7.0	1.2	
" 17	5096	"	1	Or.	=f	5.8	7.0	1.2	
" 19	5098	"	"	"	f+2	5.6	6.9	1.3	Orange red.
" 19	5098	T.15	2	Ki.	f-2.5, h+5	6.0	6.9	.9	
" 20	5099	"	1	"	f+2, h+7, k+8	5.7	6.9	1.2	
" 20	5099	F.8	2	Wl.	f-1, h+3	6.0	6.9	.9	
" 20	5099	B.	1	Mi.	f+4	5.4	6.9	-1.5	
" 20	5099	...	1	Ke.	d-2.5, f+5	5.5	6.9	-1.4	
" 20	5099	B.	"	Or.	f+1	5.7	6.9	1.2	Red.
" 24	5103	F.8	"	Wl.	=f	5.8	6.7	.9	
" 26	5105	B.	"	Ma.	e+2, f+4	5.4	6.7	1.3	Ruddy.
" 26	5105	...	"	Ke.	d+2.5, f+10	5.0	6.7	1.7	Very ruddy.
" 26	5105	T.108	"	Kp.	f+3	5.5	6.7	1.2	" "
" 28	5107	"	2	"	f+4	5.4	6.6	1.2	" "
" 28	5107	T.15	1	Ki.	f+4, h+7, k+8	5.7	6.6	.9	
" 28	5107	B.	"	Mi.	f+5	5.3	6.6	1.3	
" 29	5108	F.8	"	Wl.	f-2, h+4	6.0	6.6	.6	*
" 29	5108	...	"	Ke.	=d	5.5	6.6	1.1	
" 29	5108	T.15	"	Ki.	f+5, h+9, k+11	5.5	6.6	1.1	
" 30	5109	"	2	"	f+6, h+10, k+11	5.4	6.5	1.1	
" 30	5109	B.	"	Ma.	=d, e+2, f+5	5.4	6.5	1.1	Warm orange.
" 31	5110	"	"	"	d-3, e+3, f+6	5.4	6.5	1.1	
" 31	5110	"	1	Mi.	f+6	5.2	6.5	1.3	Perhaps too high.
" 31	5110	...	2	Ke.	d+2, f+8.5	5.1	6.5	1.4	
" 31	5110	T.15	1	Ki.	f+7, h+10	5.3	6.5		
Apr. 1	5111	B.	2	Ma.	=d, e+4	5.3	6.4	1.1	
" 1	5111	T.15	1	Ki.	f+8, h+9, k+13	5.3	6.4	1.1	
" 1	5111	B.	"	Mi.	f+5	5.3	6.4	1.1	
" 2	5112	T.15	3	Ki.	f+7.5, h+11	5.2	6.4	1.2	
" 2	5112	F.8	1	Wl.	f+2	5.6	6.4	.8	
" 4	5114	T.15	2	Ki.	f+8, h+10, e+4.5	5.2	6.3	1.1	
" 4	5114	B.	"	Or.	b-3, d+2	5.2	6.3	1.1	Rich orange-red.
" 5	5115	"	"	"	b-2, d+2	5.2	6.3	1.1	Ruddy.
" 5	5115	T.15	"	Ki.	f+8, h+10	5.2	6.3	1.1	
" 7	5117	F.8	"	Wl.	f+3	5.5	6.2	.7	
" 11	5121	...	3	Ke.	=d	5.5	6.1	.6	
" 12	5122	...	2	"	d-1, f+7	5.3	6.1	.8	
" 13	5123	B.	"	Ma.	d+3, e+5, f+8	5.1	6.1	1.0	
" 13	5123	"	3	Or.	b-3, d+2	5.2	6.1	.9	Red.
" 15	5125	"	2	Ma.	d+3, e+5, f+8	5.1	6.0	.9	Ruddy.
" 15	5125	T.	1	Mi.	f+6	5.2	6.0	.8	
" 16	5126	B. & T.28	"	Ma.	d+3, e+7	5.0	6.0	1.0	Clear orange-red.
" 16	5126	...	2	Ke.	d-1	5.6	6.0	.4	Very ruddy.
" 17	5127	B.	1	Ma.	=d, e+7.5	5.2	6.0	.8	
" 17	5127	T.15	"	Ki.	f+5, h+9.5	5.4	6.0	.6	
" 17	5127	...	2	Ke.	d-2, f+6	5.4	6.0	.6	
" 17	5127	F.8	1	Wl.	f+2	5.6	6.0	.4	
" 18	5128	B.	2	Ma.	=d, e+4	5.3	6.0	.7	
" 19	5129	"	"	Or.	b-6, f+4	5.5	5.9	.4	Red.

(3495) R LEONIS—*continued.*

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deducted Mag.	Calc. Mag.	O—C	Remarks.
1900.									
Apr. 19	5129	F.8	1	Wl.	f+3	5.5	5.9	.4	
" 20	5130	"	"	"	f+3	5.5	5.9	.4	
" 20	5130	B.	"	Or.	b-4, d+2	5.3	5.9	.6	Yellowish-red.
" 21	5131	"	2	Ma.	d+1, e+4	5.3	5.9	.6	
" 21	5131	F.8	1	Wl.	f+3	5.5	5.9	.4	
" 22	5132	"	"	"	f+3	5.5	5.9	.4	
" 23	5133	B.	2	Ma.	d+3, e+7	5.0	5.9	-.9	
" 24	5134	"	"	Or.	f+3	5.5	5.9	.4	
" 25	5135	T.15	1	Ki.	f+7.5, h+11	5.2	5.9	.7	
" 25	5135	B. &	"	Mi.	f+5	5.3	5.9	.6	
" 26	5136	B.	"	Ma.	d-1, e+2	5.5	5.8	.3	
" 26	5136	"	"	Or.	f+3	5.5	5.8	-.3	Very red.
" 27	5137	T.108	"	Kp.	f-1	5.9	5.8	+.1	
" 28	5138	B.	2	Ma.	d-3, =e	5.7	5.8	-.1	
" 28	5138	"	1	Or.	d+1, f+3	5.4	5.8	.4	Very red.
" 30	5140	"	"	Ke.	d-2, f+2	5.6	5.8	.2	
May 1	5141	F.8	2	Wl.	f+3	5.5	5.8	.3	
" 2	5142	"	"	"	f+3	5.5	5.8	.3	
" 2	5142	T.15	"	Ki.	f+5, h+10	5.4	5.8	.4	
" 3	5143	"	"	"	f+7, h+10	5.3	5.8	-.5	
" 3	5143	B.	"	Ma.	f-1	5.9	5.8	+.1	
" 3	5143	"	"	Or.	=f	5.8	5.8	0	
" 5	5145	"	"	Ma.	f-1	5.9	5.8	+.1	
" 7	5147	"	3	"	f-1.5	6.0	5.8	.2	
" 7	5147	"	2	Ke.	f-3, h+3	6.1	5.8	+.3	
" 7	5147	"	"	Wl.	=f	5.8	5.8	0	
" 8	5148	"	3	Ma.	f-1.5	6.0	5.8	+.2	
" 10	5150	T.15	2	Ki.	f+7.5, h+10	5.3	5.9	-.6	Probably overrated.
" 13	5153	"	"	"	f+7, h+11	5.2	5.9	.7	
" 13	5153	B.	"	Mi.	f-2	6.0	5.9	+.1	
" 13	5153	"	"	Wl.	f-2, h+4	6.0	5.9	.1	Very ruddy.
" 14	5154	"	"	"	f-2, h+4	6.0	5.9	.1	
" 14	5154	"	3	Ma.	f-4, h+4	6.1	5.9	.2	
" 15	5155	"	"	"	f-3, h+5	6.0	5.9	+.1	
" 15	5155	T.15	2	Ki.	f+7, h+11	5.2	5.9	-.7	Probably overrated.
" 15	5155	B.	"	Ke.	h+2	6.2	5.9	+.3	
" 15	5155	"	"	Or.	f-2, h+4	6.0	5.9	+.1	Very red.
" 16	5156	"	"	Ma.	f-1, h+6	5.9	5.9	0	
" 16	5156	"	"	Ke.	h+0.5	6.4	5.9	+.5	
" 16	5156	"	"	Mi.	f-2, h+3	6.1	5.9	.2	
" 17	5157	T.28	3	Ma.	f-3, h+4	6.1	5.9	.2	
" 17	5157	B.	2	Ke.	=h	6.4	5.9	.5	
" 17	5157	"	3	Wl.	f-2, h+5	6.0	5.9	.1	
" 19	5159	"	2	Ma.	=h	6.4	6.0	+.4	
" 19	5159	T.15	"	Ki.	f-2, h+8, k+8	5.8	6.0	-.2	
" 20	5160	T.30	1	Ch.	f-4, h+3	6.2	6.0	+.2	Very red.
" 23	5163	T.15	3	Ki.	f-6, h+2	6.3	6.0	.3	
" 24	5164	"	2	"	f-5, h+4.5, k+6	6.1	6.0	.1	
" 25	5165	B.	"	Ma.	f-6, h+2	6.3	6.1	.2	
" 27	5167	"	1	"	h+1.5	6.3	6.1	.2	
" 28	5168	"	"	"	=h	6.4	6.1	.3	
" 28	5168	T.15	2	Ki.	f-6, h+3, k+4	6.3	6.1	.2	
" 28	5168	B.	"	Wl.	=h	6.4	6.1	.3	
" 29	5169	T.15	1	Ki.	f-6, h+2	6.3	6.1	+.2	

(3495) R LEONIS—*continued.*

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deducted Mag.	Calc. Mag.	O—C	Remarks.
1900. Sept. 24	5287	B.	I	Wl.	...	...	9.5	...	Invisible.
Oct. 18	5311	T.38	2	Wl.	u-2, y+4	9.2	9.8	-.6	Strikingly ruddy.
Dec. 18	5372	B.	...	Ke.	...	...	8.5	...	<8.0.
1901. Jan. 14	5399	"	I	Or.	h-3	6.7	7.4	.7	*
" 17	5402	B.	...	Ke.	h-5	6.9	7.3	.4	
" 24	5409	"	2	"	h-3.5	6.8	7.0	.2	
" 24	5409	"	"	Or.	=h	6.4	7.0	.6	
" 25	5410	"	...	Ke.	h-3	6.7	7.0	.3	
" 27	5412	"	2	Ma.	h-2.5	6.7	6.9	.2	
" 29	5414	"	"	Ke.	h-2	6.6	6.8	.2	
Feb. 5	5421	"	"	Ma.	f-1.5, h+4.5	6.0	6.5	.5	
" 11	5427	B. & T.	I	Or.	f-4, h+2	6.2	6.3	.1	Very red.
" 11	5427	T.30	"	Ch.	f-3, h+3	6.1	6.3	.2	Red.
" 12	5428	"	2	"	f-3, h+3	6.1	6.3	.2	
" 12	5428	T.28	"	Ma.	h+5	5.9	6.3	.4	Clear orange-red.
" 12	5428	B.	...	Ke.	f-2	6.0	6.3	-.3	Red.
" 13	5429	...	...	Mi.	...	6.3	6.3	0	
" 13	5429	T.30	I	Ch.	f-3, h+3	6.1	6.3	-.2	
" 14	5430	B.	2	Ma.	h-1.5	6.6	6.2	+.4	
" 15	5431	"	3	"	h-1	6.5	6.2	+.3	
" 15	5431	"	2	Or.	f-4, h+2	6.2	6.2	0	
" 15	5431	"	I	Wl.	f+2	5.6	6.2	-.6	
" 15	5431	...	...	Kp.	h+1	6.3	6.2	+.1	
" 16	5432	"	...	Ke.	=f	5.8	6.2	-.4	
" 17	5433	"	I	Wl.	f+3	5.5	6.1	.6	
" 19	5435	...	...	Kp.	f-1, h+3	6.0	6.1	.1	
" 20	5436	T.30	2	Ch.	f-2, h+4	6.0	6.1	-.1	
" 21	5437	"	"	"	f-3, h+3	6.1	6.0	+.1	
" 21	5437	B.	...	Ke.	=f	5.8	6.0	-.2	
" 23	5439	"	I	Ma.	f-4, h+2	6.2	6.0	+.2	
" 25	5441	T.	3	Or.	f-4, h+2	6.2	5.9	.3	Red.
" 25	5441	T.30	2	Ch.	f-3, h+3	6.1	5.9	.2	
Mar. 1	5445	B.	"	Ke.	=h	6.4	5.9	.5	
" 5	5449	"	I	Or.	f-4, h+2	6.2	5.8	.4	Red.
" 6	5450	"	3	Ma.	h-5	6.9	5.8	1.1	
" 6	5450	T.30	2	Ch.	h+1	6.3	5.8	.5	
" 8	5452	B.	"	Ke.	=h	6.4	5.8	.6	
" 8	5452	T.28	I	Ma.	=h	6.4	5.8	.6	Fine red.
" 9	5453	T.30	"	Ch.	h+3	6.1	5.8	.3	
" 10	5454	"	"	"	h+3	6.1	5.8	.3	
" 10	5454	B.	3	Or.	h+1	6.2	5.8	.4	
" 12	5456	T.28	"	Ma.	h-2	6.6	5.8	.8	Ruddy.
" 12	5456	B.	...	Ke.	h-2	6.6	5.8	.8	
" 14	5458	"	2	Ma.	h-5	6.9	5.8	1.1	
" 16	5460	"	"	"	h-5	6.9	5.8	1.1	*
" 18	5462	...	...	Ke.	...	6.8	5.8	1.0	
" 19	5463	B.	I	Ma.	h-5	6.9	5.9	1.0	
" 21	5465	T.30	"	Ch.	h-3	6.7	5.9	.8	
" 22	5466	T.28	"	Ma.	h-6	7.0	5.9	1.1	Ruby.

(3495) R LEONIS—*continued.*

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deduced Mag.	Calc. Mag.	C-O	Remarks.
1901.									
Mar. 22	5466	...	...	Ke.	...	6.9	5.9	+1.0	
" 23	5467	T.30	1	Ch.	h-5	6.9	5.9	+1.0	
" 24	5468	"	"	"	h-7	7.1	5.9	1.2	
" 24	5468	B.	2	Ma.	h-10	7.4	5.9	1.5	
" 24	5468	"	3	Or.	h-2	6.6	5.9	.7	
" 25	5469	T.30	2	Ch.	h-7, k-5	7.1	5.9	1.2	
" 26	5470	"	"	"	k-6	7.2	5.9	1.3	
" 26	5470	T.	3	Or.	h-2	6.6	5.9	.7	Fine crimson.
" 27	5471	T.30	"	Ch.	k-7, q+7	7.4	6.0	1.4	
" 28	5472	T.28	2	Ma.	h-5	6.9	6.0	.9	
" 28	5472	T.	"	Or.	h-10, q+10	7.3	6.0	1.3	Crimson.
" 28	5472	...	...	Kp.	h-2, u+8	7.4	6.0	1.4	*
" 31	5475	T.30	3	Cb.	k-7	7.3	6.0	1.3	
Apr.									
" 1	5476	"	2	"	k-7	7.3	6.0	1.3	
" 1	5476	B.	1	Or.	h-4	6.8	6.0	0.8	
" 3	5478	T.30	3	Ch.	q+4*	7.8	6.1	1.7	
" 5	5480	T.	1	Or.	h-14, q+4	7.8	6.1	1.7	*
" 5	5480	...	...	Ke.	...	7.9	6.1	1.8	
" 9	5484	T.30	2	Ch.	q+3, t+7	8.0	6.2	1.8	
" 10	5485	T.30	2	Ch.	q+3, t+7	8.0	6.2	1.8	
" 10	5485	T.	1	Or.	h-10, q+5	7.6	6.2	1.4	
" 12	5487	T.30	"	Ch.	q+2, t+6	8.1	6.3	1.8	
" 15	5490	T.	"	Or.	h-10, q+4	7.6	6.4	1.2	Vivid crimson.
" 18	5493	"	"	"	q-4, t+2	8.6	6.5	2.1	
" 18	5493	T.30	"	Ch.	q-3, t+5, y+8	8.6	6.5	2.1	
" 20	5495	"	"	"	q+2, t+6	8.1	6.5	1.6	
" 20	5495	T.	"	Or.	h-10, q+2	7.7	6.5	1.2	Red.
" 21	5496	"	"	"	q+3	7.9	6.5	1.4	
" 21	5496	T.30	"	Ch.	=q, t+3, u+5	8.3	6.5	1.8	
" 23	5498	"	"	"	q-2, u+4	8.5	6.6	1.9	
" 29	5504	T.28	3	Ma.	...	8.0±	6.8	1.2	Much < h. > u or y, ruddy.
May									
" 6	5511	T.30	1	Ch.	q-3, t+4, u+5	8.5	7.0	1.5	
" 11	5516	T.28	2	Ma.	u+7	8.3	7.2	1.1	Clear red.
" 13	5518	T.30	1	Ch.	u+3	8.7	7.2	1.5	
" 14	5519	"	"	"	t+6, u+4	8.4	7.3	1.1	
" 14	5519	T.28	2	Ma.	h-20, u+10	8.2	7.3	.9	
" 15	5520	"	"	"	q+1	8.1	7.3	.8	
" 16	5521	"	"	"	q+1.5	8.1	7.3	.8	Ruddy.
" 18	5523	"	"	"	q-3, t+3	8.5	7.4	1.1	
" 20	5525	"	3	"	=t, u+5	8.7	7.5	1.2	
" 22	5527	"	2	"	t+2.5	8.6	7.5	1.1	
" 25	5530	"	3	"	q-3, t+3	8.5	7.6	+.9	Ruddy.
Dec. 10									
" 10	5729	T.95	1	Ch.	f-3, h+3	6.1	6.7	-.6	Brilliant red.
1902.									
Jan. 4	5754	"	"	"	f+4, h+10	5.4	5.9	.5	Brilliant red.
" 6	5756	T.30	"	"	=f, h+6	5.8	5.9	.1	
" 6	5756	B.	"	Oa.	=f	5.8	5.9	-.1	"
" 15	5765	"	2	Wl.	f-2, h+5	6.0	5.8	+.2	Very ruddy
" 19	5769	"	"	"	f-3, h+5	6.0	5.8	.2	" "
" 21	5771	"	"	"	f-2, h+6	5.9	5.8	.1	" "
" 29	5779	T.30	1	Ch.	h-3	6.7	5.9	+.8	



(3495) R LEONIS—*continued.*

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deducted Mag.	Calc. Mag.	O—C.	Remarks.
1902.									
Jan. 30	5780	T.30	2	Ch.	h-4	6.8	5.9	+ .9	
" 31	5781	T.95	1	"	h-3	6.7	5.9	.8	Flame red.
Feb. 8	5789	B.	"	Wl.	k-2	6.8	6.0	.8	
" 9	5790	T.95	"	Ch.	h-13, u+13	7.7	6.1	1.6	Not so red.
" 10	5791	B.	"	Ma.	h-10	7.4	6.1	1.3	
" 10	5791	"	"	Wl.	k-3	6.9	6.1	.8	
" 11	5792	"	"	"	k-4	7.0	6.1	.9	
" 11	5792	T.95	"	Ch.	h-4	6.8	6.1	.7	Copper-coloured.
" 12	5793	B.	2	Wl.	k-5	7.1	6.2	.9	
" 27	5808	T.95	1	Ch.	h-13, u+13	7.7	6.5	1.2	Reddish copper.
Mar. 13	5822	B.	"	Ma.	...	...	6.9	...	Just glimpsed.
" 25	5834	T.95	"	Ch.	u+8, y+10	8.4	7.3	1.1	
" 28	5837	B.	2	Ma.	...	...	7.4	...	Invisible in Bin.
Apr. 3	5843	T.95	"	Ch.	q+2, u+6, y+10	8.3	7.7	.6	
" 13	5853	"	"	"	u+5, y+10	8.6	8.1	.5	
" 16	5856	T.28	3	Ma.	...	...	8.2	...	Doubtful obs. 8.0±
" 18	5858	"	"	"	u+1	8.9	8.2	.7	
" 18	5858	T.95	1	Ch.	u+4, y+9	8.7	8.2	.5	Red.
" 23	5863	"	"	"	u+4, y+9	8.7	8.4	.3	Very red.
" 24	5864	"	"	"	u+3, y+8	8.8	8.4	.4	
" 27	5867	"	"	"	u+2, y+4	9.0	8.5	.5	Very crimson.
May 2	5872	T.28	"	Ma.	u-4.5, y+1.5	9.5	8.6	.9	
" 5	5875	T.95	"	Ch.	u-4, y+3	9.4	8.7	.7	
" 7	5877	...	...	Co.	...	9.5	8.8	.7	
" 8	5878	"	"	Ch.	y-2, x+2	9.7	8.8	.9	
" 8	5878	T.28	3	Ma.	u-4.5, y+1.5	9.5	8.8	.7	
" 10	5880	"	1	"	x-2, y-3	9.9	8.9	1.0	
" 13	5883	"	3	"	x-2, y-3	9.9	8.9	1.0	
" 24	5894	"	2	"	y-4	10.0	9.2	.8	*
" 25	5895	T.67	"	"	y-3	9.9	9.2	.7	
" 26	5896	T.95	"	Ch.	=y	9.6	9.3	.3	
June	5908	...	...	Co.	...	10.0	9.5	+ .5	
Oct. 16	6039	...	...	"	...	6.5	6.8	- .3	
" 16	6039	B.	1	Ma.	h-5	6.9	6.8	+ .1	
Dec. 20	6104	...	...	Co.	...	7.5	6.1	+ 1.4	
" 30	6114	B.	1	Oa.	=f	5.8	6.3	- .5	
" 31	6115	"	2	"	=f	5.8	6.3	- .5	
1903.									
Jan. 2	6117	T.	3	Co.	...	8.0	6.4	+ 1.6	V. doubtful obs.
" 23	6138	"	2	"	u+7	8.3	7.0	1.3	
" 28	6143	T.28	1	Ma.	u+2	8.8	7.2	1.6	
Feb. 1	6147	T.	2	Co.	u+5	8.5	7.3	1.2	
" 13	6159	"	"	"	u+2	8.8	7.8	1.0	
" 21	6167	"	"	"	u+2	8.8	8.1	.7	
" 28	6174	"	"	"	=u	9.0	8.3	.7	
" 28	6174	T.28	1	Ma.	u-2, y+4	9.2	8.3	.9	
Mar. 3	6177	"	"	"	u-0.5	9.0	8.4	.6	

(3495) R LEONIS—*continued.*

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deducted Mag.	Calc. Mag.	O—C.	Remarks.
1903.									
Mar. 5	6179	T.	I	Co.	u-3, y+3	9.3	8.4	.9	
" 16	6190	"	2	"	x-1	9.8	8.8	1.0	
" 28	6202	"	"	"	y-4	10.0	9.1	+ .9	
Apr. 2	6207	T.	...	Co.	=x	9.7	9.2	+ .5	
" 11	6216	"	...	"	y-2	9.8	9.4	.4	
" 24	6229	"	I	"	x-2, z+2	9.9	9.6	+ .3	
May 15	6250	"	"	"	=y	9.6	9.8	- .2	
" 21	6256	B.	"	Ma.	...	...	9.8	...	Invisible.
" 23	6258	"	"	"	...	...	9.8	...	"
" 24	6259	T.	"	Co.	=u	9.0	9.7	- .7	
1904.									
Jan. 13	6493	"	...	"	u-3, y+3	9.3	8.5	+ .8	
" 14	6494	B.	I	Or.	...	...	8.5	...	Invisible < 8.5.
" 19	6499	T.28	"	Ma.	=u	9.0	8.7	+ .3	
" 22	6502	T.	...	Co.	y+1.5	9.5	8.6	.9	
Feb. 6	6517	"	...	"	y-2	9.7	9.0	.7	
" 6	6517	T.28	I	Ma.	y-5	10.1	9.0	1.1	Doubtful.
" 13	6524	"	2	"	x-2	9.9	9.3	.6	Doubtful obs.
" 15	6526	"	"	"	x-1.5	9.8	9.3	+ .5	
Mar. 10	6550	"	I	"	=y	9.6	9.7	- .1	
" 10	6550	T.	...	Co.	=y	9.6	9.7	.1	
" 15	6555	T.40	2	Br.	=u	9.0	9.7	.7	
" 21	6561	"	I	"	u+1	8.9	9.8	.9	
" 21	6561	T.	...	Co.	u-2, y+4	9.2	9.8	.6	
Apr. 3	6574	T.28	I	Ma.	u+2	8.8	9.7	.9	
" 6	6577	T.	...	Co.	u+5	8.5	9.7	1.2	
" 9	6580	T.28	I	Ma.	u+5	8.5	9.6	1.1	Ruddy.
" 9	6580	T.25	2	Br.	n-12, u+3	8.7	9.6	.9	
" 10	6581	"	I	"	=s	8.7	9.6	.9	
" 15	6586	"	"	"	=2	8.4	9.5	1.1	
" 19	6590	"	"	"	n-6, q+2	8.0	9.4	1.4	
" 25	6596	T.	...	Co.	h-12.5, u+12.5	7.7	9.3	1.6	
" 30	6601	"	2	Br.	m-0.5, n+2	7.3	9.2	1.9	Very reddishorange.
May 2	6603	"	I	"	=m	7.2	9.1	1.9	
" 2	6603	"	...	Co.	...	8.0	9.1	1.1	
" 2	6603	T.28	I	Ma.	=n	7.5	9.1	1.6	
" 13	6614	T.25	2	Br.	k-3, m+2	7.0	8.8	1.8	
" 15	6616	"	I	"	k-3, m+3	6.9	8.7	1.8	
" 18	6619	T.28	"	Ma.	n+1.5	7.3	8.6	1.3	Ruddy.
" 18	6619	T.	...	Co.	...	7.3	8.6	1.3	
" 27	6628	T.25	I	Br.	h-0.5, k+2	6.5	8.3	1.8	
June 3	6635	F.	...	Co.	...	7.0	8.0	1.0	
" 3	6635	T.28	I	Ma.	h+1.5	6.3	8.0	1.7	Ruddy.
" 3	6635	T.25	"	Br.	=h	6.4	8.0	1.6	
" 4	6636	T.28	"	Ma.	h+1	6.3	8.0	1.7	Ruddy.
" 5	6637	"	"	"	h-1	6.5	8.0	1.5	"
" 10	6642	T.25	2	Br.	f-4.5, h+1.5	6.3	7.7	1.4	
" 16	6648	"	"	"	f-1, h+5	5.9	7.5	1.6	
" 21	6653	"	"	"	f+1.5	5.7	7.3	-1.6	

## (3825) R URSÆ MAJORIS.

## NOTE.

Star D = D.M. + 69° 576, estimated 8.33 m.

,, M = ,, + 70° 641, 7.37 m. P.D.M.

,, P = ,, + 69° 574, 7.9 m. not in P.D.M.

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deduced Mag.	Calc. Mag.	O—C	Remarks.
1899.									
Apr. 3	4748	B.	3	Ma.	...	...	12.9	...	Invisible.
„ 8	4753	„	1	„	...	...	12.8	...	„
July 8	4844	„	2	„	...	...	7.8	...	„
„ 14	4850	T.28	„	„	5-2	8.4	7.5	+ .9	„
„ 27	4863	„	„	„	5+2	8.0	7.4	.6	„
„ 29	4865	„	„	„	5+2	8.0	7.4	.6	„
Aug. 2	4869	„	„	„	5+2	8.0	7.4	.6	„
„ 10	4877	„	„	„	=5	8.2	7.5	.7	„
„ 16	4883	„	3	„	=5	8.2	7.7	.5	„
„ 23	4890	„	2	„	=5	8.2	7.8	.4	„
„ 24	4891	„	„	„	5-1	8.3	7.8	.5	„
Sept. 2	4900	„	1	„	5-3	8.5	8.2	.3	„
„ 9	4907	„	„	„	5-5	8.7	8.4	.3	„
„ 12	4910	„	2	„	5-5	8.7	8.5	0.2	„
„ 30	4928	„	„	„	12#-3	10.4	9.2	1.2	„
Oct. 5	4933	„	1	„	7-5, 12+5	10.2	9.5	+ .7	„
„ 31	4959	„	3	„	...	...	10.6	...	Invisible.
1900.									
Mar. 16	5095	„	2	„	...	...	11.8	...	„
„ 30	5109	„	„	„	...	...	10.9	...	Probably seen, estimated 10.0 to 10.5.
Apr. 1	5111	T.	1	Mi.	=7	9.8	10.8	-1.0	„
„ 15	5125	B.	2	Ma.	...	...	9.5	...	Invisible.
„ 16	5126	T.28	1	„	5+2	8.0	9.4	1.4	„
„ 17	5127	B.	2	„	=5	8.2	9.2	1.0	„
„ 18	5128	T.28	„	„	5+4	7.8	9.1	1.3	„
„ 19	5129	B.	...	Ke.	5+2, 3-2	7.9	9.1	1.2	„
„ 20	5130	„	...	„	5+3, 3-2	7.9	9.0	1.1	„
„ 21	5131	T.28	2	Ma.	5+4	7.8	8.9	1.1	„
„ 26	5136	B.	„	„	=3	7.7	8.3	.6	„
„ 28	5138	„	„	„	4+1, 3-1	7.8	8.2	.4	„
„ 30	5140	„	...	Ke.	5+2, 3-2	7.9	8.1	-.2	„
May 5	5145	„	1	„	5+2.5, 3-1	7.9	7.9	0	„
„ 7	5147	„	„	„	3+2.5	7.5	7.8	-.3	„
„ 7	5147	„	3	Ma.	M+2.5	7.2	7.8	.6	„
„ 7	5147	T.30	2	Ch.	2-2	6.1	7.8	1.7	„
„ 10	5150	„	„	„	2-4	6.3	7.6	1.3	„
„ 15	5155	B.	„	Ke.	...	...	7.4	...	> 3 or 5.
„ 16	5156	„	1	„	3+4	7.3	7.4	.1	„

(3825) R URSÆ MAJORIS—*continued.*

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deducted Mag.	Calc. Mag.	O—C.	Remarks.
1900.									
May 17	5157	B.	2	Ke.	3+2	7.5	7.4	+ .1	
" 17	5157	"	3	Ma.	...	6.3	7.4	- 1.1	
" 19	5159	T.	1	Mi.	3+3	7.4	7.4	0	
" 23	5163	B.	"	Ke.	d-5, 3+3.5	7.3	7.3	0	
" 28	5168	T.30	2	Ch.	2-8	6.7	7.4	- .7	
" 29	5169	B.	1	Ke.	d-6	7.3	7.4	.1	
June 1	5172	"	"	"	d-6.5, 3+4	7.3	7.4	- .1	
" 25	5196	T <sup>a</sup> .28	2	Ma.	=5	8.2	7.9	+ .3	
" 26	5197	"	"	Ma.	5+2	8.0	7.9	+ .1	
July 2	5203	"	"	"	5+3	7.9	8.1	- .2	
" 29	5230	"	"	"	...	...	9.2	...	Invisible.
Aug. 14	5246	"	"	"	7-3	10.1	9.9	+ .2	Glimpsed.
" 22	5254	"	1	"	14+3	11.2	10.2	+ 1.0	
" 22	5254	T.30	1	Ch.	...	...	10.2	...	Invisible.
" 25	5257	T.28	"	Ma.	14+2	11.3	10.3	+ 1.0	Very difficult.
" 30	5262	"	2	"	...	...	10.5	...	Invisible.
1901.									
Jan. 14	5399	"	1	"	...	...	11.8	...	"
Feb. 12	5428	"	2	"	5-8, 7+8	9.0	10.6	- 1.6	< 3 or 4.
" 12	5428	T.30	"	Ch.	7+5	9.3	10.6	1.3	
" 13	5429	"	1	"	7+4	9.4	10.5	1.1	
" 14	5430	"	"	Ma.	5-4	8.6	9.4	.8	
" 15	5431	B.	2	"	...	...	9.3	...	Invisible in Bin.
" 17	5433	T.30	1	Ch.	5-8, 7+8	9.0	9.1	.1	
" 20	5436	"	"	"	5-5	8.7	8.8	- .1	
" 25	5441	"	3	"	5-3	8.5	8.4	+ .1	
Mar. 8	5452	B. & T.28	1	Ma.	P+2.5	7.7	7.7	0	
" 9	5453	T.30	"	Ch.	5+5, 3+1	7.6	7.6	0	
" 10	5454	"	"	"	5+6, 3+2	7.5	7.6	- .1	
" 12	5456	T.28	"	Ma.	P+1	7.8	7.5	+ .3	
" 14	5458	B.	2	"	D+2.5, 3+2.5, P+2.5	7.7	7.5	.2	
" 16	5460	T.28	"	"	D-2.5, P+2.5	8.1	7.5	.6	
" 18	5462	B.	1	"	D+5, 3+5, P+5	7.5	7.4	.1	
" 19	5463	T.28	"	"	D-2.5, P+2.5	8.1	7.4	.7	
" 21	5465	T.30	"	Ch.	5+6, 3+3	7.5	7.3	.2	
" 22	5466	T.28	"	Ma.	P+2	7.7	7.3	+ .4	
" 23	5467	T.30	"	Ch.	3+4	7.3	7.3	0	
" 25	5469	"	3	"	5+2, 3-2	7.9	7.4	+ .5	
" 26	5470	"	2	"	5+3, =3	7.8	7.4	.4	
" 27	5471	"	"	"	5+5, 3+2	7.6	7.4	.2	
" 28	5472	"	"	"	5+3, 3+2	7.7	7.4	.3	
" 28	5472	T.28	1	Ma.	P-2	8.1	7.4	.7	
" 31	5475	T.30	3	Ch.	5+4, 3+2	7.6	7.4	.2	
Apr. 1	5476	"	2	"	5+4, 3+2	7.6	7.4	.2	
" 4	5479	"	3	"	5+5	7.7	7.4	.3	
" 5	5480	"	2	"	5+4, 3-1	7.8	7.5	.3	
" 9	5484	"	"	"	5+4, =3	7.7	7.5	.2	
" 10	5485	"	1	"	5+3, 3-2	7.9	7.6	.3	

(3825) R URSÆ MAJORIS—*continued.*

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deducted Mag.	Calc. Mag.	O—C	Remarks.
1901.									
Apr. 12	5487	T.30	I	Ch.	5+3, 3-1	7.8	7.6	.2	
" 18	5493	"	"	"	5-2	8.4	7.7	.7	
" 19	5494	T.	"	Or.	5+2, 3-2	8.0	7.7	.3	
" 20	5495	T.30	"	Ch.	5-2	8.4	7.8	.6	
" 30	5505	"	3	"	5-5	8.7	8.1	.6	
May 6	5511	"	I	"	5-5	8.7	8.3	.4	
" 8	5513	"	"	"	5-5, 6+3	9.0	8.4	.6	
" 11	5516	T.28	2	Ma.	7+3	9.5	8.5	1.0	
" 12	5517	T.30	I	Ch.	6-2, =7	9.9	8.5	1.4	
" 13	5518	"	"	"	=6, 7+2	9.7	8.6	1.1	
" 14	5519	T.28	2	Ma.	7+2	9.6	8.6	1.0	
" 15	5520	"	"	"	7+1	9.7	8.7	1.0	
" 16	5521	"	"	"	7+2	9.6	8.7	.9	
" 16	5521	T.30	I	Ch.	=7	9.8	8.7	+1.1	
" 18	5523	T.28	2	Ma.	7+1	9.7	8.8	+ .9	
" 19	5524	T.30	I	Ch.	6-5, 10+3	10.3	8.8	1.5	
" 20	5525	"	"	"	=6, 10+6	9.9	8.8	1.1	
" 20	5525	T.28	3	Ma.	=7	9.8	8.8	1.0	
" 22	5527	"	2	"	7+1	9.7	8.9	.8	
" 24	5529	T.30	I	Ch.	6-2	10.1	9.0	1.1	
" 25	5530	T.28	3	Ma.	=7	9.8	9.0	.8	
" 31	5536	T.30	I	Ch.	6-5, 7-4	10.3	9.3	1.0	
June 5	5541	"	"	"	7-5, =10, 12+4	10.3	9.5	.8	
" 6	5542	"	"	"	7-5, =10, 12+4	10.3	9.5	.8	
" 10	5546	"	"	"	10-3, 13+2	10.8	9.7	1.1	
" 16	5552	"	"	"	10-4, 13+3, 14+4	10.9	10.0	.9	
" 23	5559	T.60	2	"	10-6, =13, 14+2	11.1	10.3	.8	
" 26	5562	"	3	"	...	...	10.4	...	<10.2.
" 27	5563	T.160	2	"	14+2	11.3	10.4	.9	
July 3	5569	T.28	3	Ma.	...	...	10.7	...	Invisible.
" 7	5573	T.160	2	Ch.	14-2, 18+5	11.6	10.8	.8	
" 8	5574	T.60	I	"	14-3, 18+4	11.7	10.9	.8	
" 15	5581	T.160	"	"	14-4, 18+3	11.8	11.2	.6	
" 15	5581	T.28	2	Ma.	...	...	11.2	...	Invisible.
" 18	5584	T.160	I	Ch.	14-5, 18+2	11.9	11.2	.7	
" 22	5588	T.60	"	"	=18	12.0	11.4	.6	
Aug. 6	5603	T.90	"	"	18-4, 23+6	12.7	11.9	.8	
" 6	5603	T.28	2	Ma.	...	...	11.9	...	Est. 11.0 ±. Faint point glimpsed.
" 7	5604	T.	I	Pe.	20-3	12.8	11.9	.9	Very difficult.
" 8	5605	T.28	2	Ma.	...	...	11.9	...	Invisible.
" 8	5605	T.90	I	Ch.	18-5, 23+4	12.3	11.9	.4	
" 8	5605	T.	"	Pe.	20-3	12.8	11.9	.9	Difficult.
" 13	5610	T.90	"	Ch.	18-7, 23+2	12.5	12.1	.4	Minute point.
" 17	5614	T.28	"	Ma.	...	...	12.2	...	Glimpsed, doubtful.
" 18	5615	T.90	2	Ch.	23-4, 29+3	12.9	12.2	.7	Nebulous-looking.
" 20	5617	"	I	"	23-4, 29+3	12.9	12.3	.6	
" 20	5617	T.28	"	Ma.	...	...	12.3	...	Invisible.
Sept. 9	5637	T.90	I	Ch.	29-4	13.5	12.7	.8	Just glimpsed.
" 15	5643	"	"	"	29-4	13.5	12.8	.7	" "



(3825) R URSÆ MAJORIS—*continued.*

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deducted Mag.	Calc. Mag.	O-C	Remarks.
1901.									
Oct. 3	5661	T.90	1	Ch.	...	...	12.8	...	Not seen. <13.1.
" 5	5663	"	"	"	=29	13.1	12.9	.2	About.
" 18	5676	T.160	2	"	...	...	12.6	...	Not seen.
Nov. 15	5704	T.90	3	"	23-6	13.1	11.7	1.4	Invisible.
" 16	5705	T.28	2	Ma.	...	...	11.6	...	
" 28	5717	T.60	"	Ch.	13+2, 14+4	11.0	10.9	+ .1	
Dec. 8	5727	"	1	"	6+3, 7+5	9.3	10.0	- .7	
" 18	5737	T.95	"	"	5-4, 6+7	8.4	9.0	.6	
" 18	5737	T.28	2	Ma.	5-2.5	8.4	9.0	.6	
" 25	5744	T.95	1	Ch.	5+6	7.6	8.3	.7	
1902.									
Jan. 4	5754	"	"	"	=3	7.7	7.8	- .1	Reddish.
" 4	5754	T.28	"	Ma.	5+5, 4-1	7.9	7.8	+ .1	
" 4	5754	T.20	"	LeB.	5+3	7.9	7.8	+ .1	
" 5	5755	"	"	"	5+4	7.8	7.7	+ .1	
" 5	5755	T.30	"	Ch.	3-2, 5+4	7.8	7.7	.1	
" 13	5763	T.20	2	LeB.	5+1	8.1	7.5	.6	
" 19	5769	"	3	"	5+2	8.0	7.3	.7	
" 29	5779	T.30	2	Ch.	4-4, 5-3	8.4	7.4	1.0	
" 31	5781	"	1	"	3-2, 5+4	7.8	7.4	.4	
Feb. 9	5790	T.95	"	"	5+2, 8+10	8.5	7.6	.9	Quite ruddy.
" 11	5792	"	"	"	4-2, 5+3	8.0	7.6	.4	
" 27	5808	"	2	"	5-2, 6+3, 7+5	9.1	8.1	1.0	"
" 28	5809	"	1	"	5-3, 6+2, 7+3	9.2	8.1	1.1	
Mar. 1	5810	T.	...	Co.	...	8.8	8.1	.7	
" 25	5834	T.95	1	Ch.	8-3=10, 12+2, 14+8, 18+10	10.6	9.0	1.6	
Apr. 3	5843	"	3	"	10-4, 12-3, 14+3	11.0	9.4	1.6	Invisible.
" 13	5853	"	2	"	14+5, 18+8	11.6	9.9	1.7	
" 16	5856	T.28	3	Ma.	...	...	10.0	...	
" 18	5858	T.160	2	Ch.	14+4, 18+9	11.1	10.1	1.0	
" 23	5863	T.95	1	"	14+3, 18+8	11.2	10.3	.9	
" 24	5864	T.160	"	"	14+2, 18+8	11.3	10.3	1.0	
" 27	5867	"	"	"	13-4, 14-2, 18+5	11.5	10.4	1.1	
May 5	5875	"	"	"	14-2, 18+5	11.6	10.8	.8	
" 8	5878	T.95	"	"	14-5, 18+2	11.9	10.9	1.0	
" 25	5895	"	2	"	18-6, 23+3	12.4	11.5	.9	
" 26	5896	"	"	"	18-2, 23+5	12.1	11.5	.6	
" 27	5897	"	1	"	18-5, 23+4	12.3	11.6	+ .7	
June 29	5930	"	3	"	=23	12.5	12.5	0	About.
July 6	5937	"	2	"	23-4	12.9	12.6	+ .3	Faintpoint glimpsed <11.0.
Aug. 9	5971	T.28	1	Ma.	...	...	12.8	...	
" 24	5986	T.	...	Co.	...	12.0	12.5	- .5	
" 25	5987	T.28	1	Ma.	...	...	12.4	...	Invisible.

(3825) R URSÆ MAJORIS—*continued.*

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deduced Mag.	Calc. Mag.	O—C	Remarks.
1902.									
Sept. 7	6000	T.	...	Co.	...	12.0	12.0	0	Invisible.
" 23	6016	"	...	"	...	11.0	11.2	-.2	
" 25	6018	T.28	I	Ma.	...	...	11.1	...	
" 29	6022	T.	...	Co.	...	10.0	10.8	.8	
Oct. 10	6033	T.95	I	Ch.	5-3	8.5	9.8	1.3	Ruddy.
" 14	6037	"	"	"	4-1, 5+4	8.0	9.4	1.4	
" 15	6038	T.	...	Co.	...	8.0	9.2	1.2	Ruddy.
" 21	6044	"	...	"	...	8.0	8.7	.7	
" 21	6044	T.95	I	Ch.	3-2, =4	7.9	8.7	.8	
" 21	6044	T.28	"	Ma.	3+3	7.4	8.7	1.3	
" 26	6049	"	"	"	3-2, 4+2	7.8	8.3	.5	
Nov. 1	6055	T.95	"	Ch.	3+4, 4+5	7.4	8.0	.6	Ruddy.
" 4	6058	T.28	"	Ma.	3+7	7.0	7.7	-.7	
" 7	6061	T.	...	Co.	...	7.8	7.6	+.2	
" 9	6063	T.28	I	Ma.	3+7.5	7.0	7.5	-.5	
" 10	6064	T.30	"	Ch.	3+3, 4+4	7.5	7.5	0	
" 21	6075	T.	...	Co.	...	8.2	7.3	+.9	
" 28	6082	"	...	"	...	8.2	7.4	.8	
" 28	6082	T.60	I	Ch.	=5	8.2	7.4	+.8	
Dec. 2	6086	T.60	I	Ch.	5+3	7.9	7.4	+.5	
" 4	6088	T.	...	Co.	...	8.5	7.5	1.0	
" 18	6102	T.28	I	Ma.	5-1.5	8.3	7.7	.6	
" 20	6104	T.	...	Co.	...	9.0	7.8	1.2	
" 21	6105	T.28	I	Ma.	5-2	8.4	7.8	.6	
" 24	6108	T.	...	Co.	...	9.0	7.9	1.1	
" 31	6115	"	...	"	...	9.3	8.2	1.1	
1903.									
Jan. 3	6118	T.28	I	Ma.	5-10, 7+5	9.2	8.3	.9	
" 23	6138	T.	"	Co.	=7	9.8	9.0	.8	
" 28	6143	T.28	"	Ma.	7-5, 10+6	10.1	9.3	.8	
Feb. 13	6159	T.	"	Co.	12-4, 14+4	11.1	10.0	1.1	
" 17	6163	T.28	"	Ma.	10-5	11.0	10.1	.9	
" 21	6167	T.	"	Co.	14+8	11.7	10.3	1.4	
" 28	6174	"	"	"	14+2	11.3	10.6	+.7	
" 28	6174	T.28	"	Ma.	...	10.3	10.6	-.3	
Mar. 3	6177	"	"	"	14+1	11.4	10.7	+.7	Invisible.
" 5	6179	T.	"	Co.	14+3	11.2	10.8	.4	
" 16	6190	"	"	"	23+5	12.0	11.2	.8	
" 16	6190	T.28	"	Ma.	...	...	11.2	...	
" 28	6202	T.	"	Co.	=23	12.5	11.6	.9	
Apr. 2	6207	"	"	"	=23	12.5	11.7	.8	Barely visible < 23 13.0±.
" 11	6216	"	"	"	23-1	12.6	12.0	+.6	
" 24	6229	"	...	"	...	...	12.4	...	
May 15	6250	"	...	"	23-3	12.8	12.8	0	*
" 24	6259	"	...	"	23-6	13.1	12.8	+.3	
June 21	6287	"	3	"	...	...	12.6	...	Invisible.

(3825) R URSÆ MAJORIS—*continued.*

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deduced Mag.	Calc. Mag.	U. O.	Remarks.
1903. July 23	6319	T.	...	Co.	14+2	11'3	11'3	0	
Aug. 25	6352	"	...	"	5-4	8'6	8'4	+ '2	
" 26	6353	T.28	I	Ma.	5+4, D-5	8'3	8'3	0	
Sept. 2	6360	T.	...	Co.	5+5	7'7	7'9	- '2	
" 5	6363	T.28	I	Ma.	5+4	7'8	7'7	+ '1	
" 11	6369	"	2	"	...	7'5	...	...	Not seen.
" 12	6370	T.	...	Co.	5+4	7'8	7'5	'3	
" 18	6376	"	...	"	3-2'5, 5+2'5	7'9	7'3	'6	
" 25	6383	"	...	"	...	8'3	7'4	'9	
Oct. 12	6400	T.28	I	Ma.	5-3	8'5	7'6	'9	
" 15	6403	T.	...	Co.	5-3	8'5	7'7	'8	
" 23	6411	T.28	I	Ma.	5-4	8'6	7'9	'7	
" 25	6413	T.	...	Co.	7+3	9'5	8'0	1'5	
" 30	6418	T.28	I	Ma.	7+5	9'3	8'1	1'2	
Nov. 6	6425	"	"	"	5-13, 7+1'5	9'0	8'4	'6	
" 14	6433	T.	...	Co.	12-1	10'8	8'7	2'1	
" 21	6440	T.28	I	Ma.	...	...	9'0	...	> 10'5.*
Dec. 11	6460	T.	...	Co.	=14	11'5	9'8	1'7	About.
1904. Jan. 10	6490	"	3	"	14-7	12'2	11'0	1'2	Doubtful obs.
" 13	6493	"	...	"	18-3, 23+3	12'3	11'1	1'2	
" 14	6494	T.28	I	Ma.	...	...	11'2	...	Invisible.
Feb. 6	6517	T.	...	Co.	...	...	11'9	...	" < 12'5.
Mar. 10	6550	T.	...	Co.	...	...	12'7	...	Invisible < 12'0.
" 21	6561	"	...	"	...	...	12'8	...	" < 12'0.
Apr. 6	6577	"	...	"	23-3, 29+3	12'8	12'8	0	
May 2	6603	T.28	I	Ma.	...	...	12'2	...	Invisible.
" 18	6619	"	"	"	10-3	10'8	11'5	- '7	
" 18	6619	T.	...	Co.	=12	10'7	11'5	'8	
June 3	6635	"	...	"	=5	8'2	10'4	2'2	
" 3	6635	T.28	I	Ma.	5+1	8'1	10'4	2'3	
" 5	6637	"	"	"	5+2	8'0	10'2	2'2	
" 7	6639	"	"	"	=4, 5+3	7'9	10'0	2'1	
" 22	6654	"	"	"	3+5, 5+7	7'3	8'5	1'2	
" 28	6660	"	"	"	3-1, 4+1, 5+7	7'7	8'1	'4	
July 3	6665	"	"	"	=3	7'7	7'8	'1	No colour.
" 5	6667	T.	...	Co.	5+7	7'5	7'7	- '2	
" 9	6671	T.28	I	Ma.	=3	7'7	7'5	+ '2	
" 12	6674	T.	...	Co.	5+5	7'7	7'5	'2	
" 15	6677	T.28	I	Ma.	3+2'5	7'5	7'4	'1	
" 20	6682	"	2	"	=3	7'7	7'3	'4	
Aug. 2	6695	"	I	"	5+2, D-6	8'5	7'6	'9	
" 2	6695	T.	...	Co.	=5	8'2	7'6	'6	

(3825) R URSÆ MAJORIS—*continued.*

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deducted Mag.	Calc. Mag.	$\frac{C}{O}$	Remarks.
1904.									
Aug. 8	6701	T.28	I	Ma.	5+2	8.0	7.6	.4	
" 11	6704	"	"	"	5-3	8.5	7.6	.9	
" 14	6707	"	...	Co.	5-3	8.5	7.7	.8	
" 17	6710	T.28	I	Ma.	5-1	8.3	7.8	.5	
" 18	6711	"	2	"	=5	8.2	7.8	.4	
" 20	6713	"	I	"	5-6	8.8	7.9	.9	
" 28	6721	"	"	"	7+2	9.6	8.1	1.5	
" 28	6721	T.	...	Co.	7+2	9.6	8.1	1.5	
Sept. 3	6727	T.28	I	Ma.	5-12, 7+4	8.8	8.3	.5	
" 15	6739	"	"	"	10+1	10.4	8.8	1.6	
" 27	6751	"	2	"	...	...	9.3	...	Invisible.
Oct. 3	6757	"	I	"	10-2	10.7	9.6	1.1	Just held.
" 3	6757	T.	...	Co.	14+6	10.9	9.6	1.3	
" 12	6766	T.28	I	Ma.	...	...	9.0	...	Invisible.
" 29	6783	T.	...	Co.	14-3, 18+3	11.8	10.7	+1.1	
Dec. 5	6820	"	3	"	...	...	11.9	...	Invisible.
" 5	6820	T.28	I	Ma.	...	...	11.9	...	"

## (4511) T URSÆ MAJORIS.

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deducted Mag.	Calc. Mag.	$\frac{C}{O}$	Remarks.
1899.									
July 29	4865	B.	2	Ma.	2+3	7.7	8.0	-.3	
" 31	4867	T.28	3	"	2+3	7.7	8.1	.4	
Aug. 2	4869	"	2	"	2+1, 4+3, 6+10	7.9	8.1	-.2	
" 9	4876	B.	I	"	...	9.0	8.3	+ .7	Intrinsic est. *
" 10	4877	T.28	2	"	2-6, 4+2, 6+4	8.4	8.3	.1	
" 16	4883	"	3	"	=6	8.8	8.6	+ .2	
" 23	4890	"	2	"	5+5, 6-3	8.7	8.8	-.1	
" 24	4891	"	"	"	5+1, =6	8.8	8.9	.1	
Sept. 2	4900	"	I	"	5+1, 2-6, 4-4, 9+8	8.8	9.3	.5	
" 9	4907	"	"	"	5-5, 9+5	9.3	9.7	.4	
" 12	4910	"	2	"	6-4, 9+3	9.4	9.8	.4	
" 30	4928	"	"	"	9-4	10.3	10.7	.4	
Oct. 5	4933	"	I	"	9-2	10.1	11.0	.9	
" 31	4959	"	2	"	...	...	12.1	...	Invisible.
1900.									
Jan. 29	5049	"	"	"	...	...	10.3	...	"
Feb. 6	5057	"	3	"	6+1	8.7	9.7	1.0	

## (4511) T URSÆ MAJORIS—continued.

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deducted Mag.	Calc. Mag.	O—C.	Remarks.
1900.									
Mar. 1	5080	T.28	I	Ma.	c+1	7.2	8.1	.9	
" 4	5083	"	"	"	=b	7.0	7.9	.9	
" 5	5084	T.28	3	"	2+7.5	7.3	7.9	.6	Warm orange.
" 16	5095	"	2	"	2+7.5, 4+7.5	8.2	7.7	+ .5	
" 17	5096	B.	"	"	...	8.0	7.7	+ .3	Intrinsic est.
" 26	5105	"	I	"	...	7.4	7.7	-.3	"
" 30	5109	T.28	2	"	2+10	7.0	7.8	-.8	
Apr. 1	5111	B.	"	"	...	8.0	7.9	+ .1	About.
" 16	5126	T.28	I	"	=2	8.0	8.2	-.2	
" 17	5127	B.	"	"	2-2, 4+2	8.2	8.2	0	
" 18	5128	"	2	"	2-1, 4+2	8.2	8.2	0	
" 21	5131	T.28	"	"	2-1, 6+3	8.3	8.3	0	
" 26	5136	"	"	"	4+2, 6-1	8.5	8.5	0	
" 28	5138	"	I	"	2-2, 4-3, 6+1	8.5	8.6	-.1	
June 26	5197	"	2	"	...	...	11.5	...	Invisible.
Sept. 29	5292	"	I	"	...	...	11.3	...	
Oct. 18	5311	"	2	"	9+2	9.7	9.8	.1	
" 26	5319	B.	"	Ke.	...	...	9.2	...	Faint.
Nov. 9	5333	"	I	"	b-5.5, 2+3.5	7.6	8.1	-.5	
" 9	5333	"	"	Ma.	2-2, 4+2	8.2	8.1	+ .1	
" 12	5336	"	2	Ke.	2+4	7.6	8.0	-.4	
" 13	5337	"	I	"	b-5, 2+5	7.5	8.0	.5	
" 17	5341	T.28	"	Ma.	2+5	7.5	7.8	.3	
" 22	5346	T.	2	Ke.	b-5, 2+5	7.5	7.7	-.2	About.
" 26	5350	B.	"	"	2+3	7.7	7.7	0	
Dec. 13	5367	"	I	"	2-4	8.4	7.8	+ .6	
" 19	5373	T.28	"	Ma.	2+2	7.8	7.9	-.1	
1901.									
Jan. 7	5392	"	"	"	6-1.5	9.0	8.5	+ .5	
" 14	5399	"	"	"	5+6.5, 6-2	8.6	8.8	-.2	
Feb. 12	5428	"	2	"	=11	10.3	10.2	+ .1	
" 12	5428	T.30	"	Ch.	...	...	10.2	...	Invisible.
" 14	5430	T.28	I	Ma.	=14	10.4	10.3	+ .1	
Mar. 8	5452	"	"	"	...	...	11.5	...	
" 9	5453	T.30	"	Ch.	6-3	9.1	11.5	-2.4	Invisible < 13 or 14.
May 19	5524	"	"	"	5-3, =8	9.2	12.3	3.1	
" 20	5525	"	"	"	=5, 7+3	8.8	12.3	3.5	
" 24	5529	"	"	"	5+3, 7+5	8.6	12.2	3.6	
June 6	5542	"	"	"	5+4, 7+5	8.5	11.6	3.1	
" 10	5546	"	"	"	3-6, 4-3, 5+2	8.7	11.4	2.7	
" 16	5552	"	"	"	=5	8.8	10.9	2.1	
" 23	5559	"	"	"	3-4, =5	8.7	10.4	1.7	
" 27	5563	"	2	"	5-2	9.0	10.1	-1.1	
July 3	5569	"	3	Ma.	...	...	9.6	...	Invisible.



(4511) T URSÆ MAJORIS—*continued.*

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deducted Mag.	Calc. Mag.	C. O.	Remarks.
1901.									
July 7	5573	T.30	2	Ch.	9-2, 13+3	10.3	9.2	+1.1	
" 8	5574	"	1	"	9-2	10.1	9.2	.9	
" 15	5581	"	"	"	5-2, =7	9.1	8.6	.5	
" 15	5581	T.28	2	Ma.	=5	8.8	8.6	.2	
" 18	5584	T.30	1	Ch.	7-2, 9+4	9.4	8.4	1.0	
" 22	5588	"	"	"	5+4, 6+5, 7+6	8.4	8.1	.3	
" 27	5593	"	2	"	3+4, 5+6	8.0	7.9	+ .1	
" 28	5594	"	"	"	3+6, 5+8	7.8	7.9	- .1	
Aug. 6	5603	"	1	"	=4	8.3	7.7	+ .6	
" 6	5603	T.28	2	Ma.	4+1	8.2	7.7	.5	Distinctly < 2.
" 6	5603	B. 1	1	Pe.	2-1	8.1	7.7	.4	
" 7	5604	"	"	"	4+1, 2-2	8.2	7.7	.5	
" 8	5605	F.	"	"	2-3, 4-1	8.4	7.7	.7	
" 8	5605	T.28	2	Ma.	=4	8.3	7.7	.6	About.
" 12	5609	B. 2	2	Pr.	...	...	7.7	...	Not seen.
" 13	5610	T.30	1	Ch.	4-2	8.5	7.7	.8	
" 14	5611	F. 1	1	Pe.	2-7, 4-4	8.7	7.7	1.0	
" 15	5612	"	"	"	2-7, 4-4	8.7	7.7	1.0	
" 17	5614	T.28	"	Ma.	4+1	8.2	7.7	.5	
" 18	5615	T.30	"	Ch.	3-3, 4-2	8.5	7.7	.8	
" 20	5617	F.	"	Pe.	2-6, 4-3	8.6	7.8	.8	
" 20	5617	T.28	"	Ma.	2-2, 4+2	8.2	7.8	.4	
" 22	5619	F.	"	Pe.	2-6	8.6	7.8	.8	
" 23	5620	T.28	3	Ma.	4+1.5	8.2	7.8	.4	
Sept. 3	5631	"	1	"	2-3	8.3	8.0	.3	
" 5	5633	T.	"	Pe.	4-2, 6+3	8.5	8.1	.4	
" 9	5637	T.30	"	Ch.	4-2, 5+3, 6+4	8.4	8.2	.2	
" 13	5641	T.	"	Pe.	4-2, 6+3	8.5	8.3	.2	
" 18	5646	"	"	"	4-4, 5+1	8.7	8.5	+ .2	
Oct. 2	5660	T.28	2	Ma.	(15+6)-1, 5+1	8.7	9.0	- .3	
" 5	5663	T.30	1	Ch.	5+2, =6, 7+4	8.7	9.2	.5	
" 18	5676	T.60	"	"	7-3.5, 9+3.5	9.5	9.8	.3	
" 18	5676	T.28	2	Ma.	5-5, 9+5	9.2	9.8	.6	
" 31	5689	T.60	"	Ch.	8-4, 9-3, -13	10.2	10.5	.3	
Nov. 16	5705	T.28	3	Ma.	...	...	11.3	...	Invisible.
Dec. 8	5727	T.160	2	Ch.	21-3	12.7	12.2	+ .5	
" 18	5737	T.95	2	Ch.	27+5	12.3	12.4	- .1	
1902.									
Jan. 4	5754	T.160	"	"	21-5, 27+3	12.7	12.6	+ .1	
" 4	5754	T.28	"	Ma.	...	...	12.6	...	Invisible.
" 6	5756	T.160	1	Ch.	20-6, 21-4, 27+5	12.7	12.6	.1	
" 31	5781	"	3	"	20-8	13.1	12.3	.8	
Feb. 9	5790	"	1	"	21-6, 29+4	12.8	12.0	.8	
" 11	5792	"	"	"	21-2, 20-3	12.6	11.9	.7	
" 27	5808	T.95	"	"	20+3, 21+5	11.9	10.9	1.0	
" 28	5809	"	"	"	14-8, 20+4, 21+6	11.6	10.8	+ .8	
Mar. 25	5834	"	3	"	4-2, =5	8.7	8.8	- .1	

(4511) T URSÆ MAJORIS—*continued.*

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deducted Mag.	Calc. Mag.	Q-O	Remarks.	
1902.										
Apr. 3	5843	T.95	2	Ch.	5+3, 6+4	8.5	8.2	+ .3	Doubtful obs. Warm hue.	
" 13	5853	"	"	"	2+2, 4+4	7.9	7.8	+ .1		
" 16	5856	T.23	3	Ma.	2+6	7.4	7.7	- .3		
" 18	5858	"	2	"	2+5	7.5	7.7	- .2		
" 18	5858	T.95	"	Ch.	2+3, 4+4	7.8	7.7	+ .1		
" 23	5863	"	"	"	2+6, 4+8	7.5	7.7	- .2		
May 4	5874	B.	2	Ma.	A+3.5	6.9	7.8	.9	A corresponds to star a in H.C.O. list of com- parison stars for S Ursæ Majoris.	
" 5	5875	T.95	"	Ch.	2+8, 4+10	7.3	7.8	.5		
" 7	5877	B.	1	Ma.	=c	7.3	7.8	.5		
" 8	5878	"	2	"	A-2, b+1	6.9	7.8	.9		
" 10	5880	"	1	"	=b	7.0	7.8	.8		
" 12	5882	T.95	3	Ch.	2+10	7.0	7.9	.9		
" 13	5883	B.	2	Ma.	A-2.5, b+0.5	6.9	7.9	1.0		
" 24	5894	"	3	"	b-1	7.1	8.2	1.1		
" 25	5895	T.30	1	Ch.	2+10, 4+12	7.1	8.2	1.1		
" 26	5896	"	2	"	2+8, $\frac{1}{2}$ +11	7.2	8.2	1.0		
" 26	5896	B.	"	Ma.	c-2	7.5	8.2	.7		
June 4	5905	T.28	"	"	2+6.5	7.4	8.6	1.2		
" 7	5908	T.	...	Co.	...	8.3	8.7	.4		
" 24	5925	T.28	2	Ma.	4-2, 11+3	9.3	9.4	.1		
" 28	5929	T.	...	Co.	...	8.5	9.6	1.1		
July 3	5934	T.28	2	Ma.	9+5, 5-5	9.3	9.9	.6		
" 6	5937	T.95	1	Ch.	4-4, 5+2, 7+6	8.6	10.0	1.4		
" 7	5938	T.28	2	Ma.	5-2.5, 9+7.5	9.1	10.1	1.0		
" 27	5958	"	"	"	9-5, 11+5	10.1	11.1	1.0		
Aug. 1.	5963	"	1	"	11-3, 17+7	10.6	11.4	.8	Invisible.	
" 9	5971	"	3	"	...	...	11.7	...		
" 24	5986	T.	...	Co.	...	11.8	12.6	.8		
Sept. 7	6000	"	...	"	...	12.0	12.6	.6		
" 23	6016	"	...	"	...	12.0	12.6	.6		
" 29	6022	"	...	"	...	12.0	12.6	.6		
Oct. 10	6033	T.95	1	Ch.	...	...	12.4	...	< 12.3.	
" 14	6037	"	"	"	...	...	12.3	...	< 10.4.	
" 21	6044	"	"	"	...	...	12.1	...	< 10.8.	
" 21	6044	T.	...	Co.	...	12.0	12.1	- .1		
Nov. 7	6061	"	...	"	...	12.0	11.2	+ .8		
" 20	6074	"	...	"	...	11.5	10.2	1.3		
" 28	6082	"	...	"	...	11.8	9.6	+ 2.2		
Dec. 4	6088	T.	...	Co.	...	10.5	9.0	+ 1.5		
" 20	6104	"	...	"	...	9.3	8.0	1.3		
" 21	6105	T.28	1	Ma.	2-1, 4+2	8.1	8.0	.1		
1903.										
Jan. 2	6117	T.	...	Co.	...	8.0	7.7	+ .3		
" 3	6118	T.28	1	Ma.	2+4	7.6	7.7	- .1		
" 23	6138	T.	"	Co.	4+1	8.2	7.8	+ .4		
" 28	6143	T.28	"	Ma.	=2	8.0	8.0	0		

(4511) T URSÆ MAJORIS—*continued*.

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deduced Mag.	Calc. Mag.	O—C	Remarks.
1903.									
Feb. 1	6147	T.	2	Co.	4-2, 5+2	8.6	8.1	+ .5	
" 13	6159	"	1	"	=4	8.3	8.4	- .1	
" 17	6163	T.28	"	Ma.	4-1.5, (6+15)+3	8.4	8.6	- .2	
" 21	6167	T.	"	Co.	5+0.5	8.7	8.7	0	
" 28	6174	T.28	"	Ma.	(6+15)-2, 5+2.5	8.7	9.0	- .3	
" 28	6174	T.	"	Co.	5+0.5	8.7	9.0	.3	
Mar. 3	6177	T.28	"	Ma.	4-3, 5+1.5	8.6	9.1	.5	
" 5	6179	T.	"	Co.	=5	8.8	9.3	.5	
" 16	6190	"	"	"	5-5, 9+5	9.3	9.9	.6	
" 16	6190	T.28	"	Ma.	5-2	9.0	9.9	.9	
" 28	6202	T.	"	Co.	9+1	9.8	10.4	.6	
Apr. 2	6207	"	"	"	=9	9.9	10.7	.8	
" 13	6218	"	"	"	14-2	10.6	11.3	- .7	
" 24	6229	"	...	"	20+4	11.9	11.8	+ .1	
May 15	6250	"	...	"	28-4	13.3	12.4	.9	
" 24	6259	"	...	"	28-7	13.6	12.6	1.0	Doubtful.
June 21	6287	"	...	"	...	...	12.5	...	Invisible < 12.0.
July 23	6319	"	...	"	=20	12.3	11.2	1.1	Very doubtful.
Aug. 25	6352	"	...	"	5-5, 9+5	9.1	8.5	.6	
Sept. 2	6360	"	...	"	5+1	8.7	8.1	.6	
" 12	6370	"	...	"	2-2, 4+2	8.2	7.7	.5	
" 18	6376	"	...	"	2-2, 4+2	8.2	7.7	.5	
" 25	6383	"	...	"	2-2, 4+2	8.2	7.7	.5	
Oct. 12	6400	T.28	2	Ma.	2-2, 4+2	8.2	7.9	.3	
" 15	6403	T.	...	Co.	2-2, 4+2	8.2	8.0	+ .2	
" 25	6413	"	...	"	4+0.5	8.3	8.3	0	
" 30	6418	T.28	1	Ma.	=4	8.3	8.5	- .2	
Nov. 6	6425	"	"	"	2-4, 5+4	8.3	8.8	.5	
" 15	6434	T.	...	Co.	5+1	8.7	9.2	.5	
" 21	6440	T.28	1	Ma.	=(15+6)	8.7	9.5	.8	
Dec. 11	6460	T.	...	Co.	9+2	9.7	10.5	.8	About.
1904.									
Jan. 10	6490	"	2	"	...	...	11.9	...	Invisible.
" 13	6493	"	"	"	20+5	11.8	12.1	- .3	
" 14	6494	T.28	2	Ma.	...	...	12.1	...	Invisible.
Feb. 6	6517	T.	...	Co.	28-4	13.3	12.6	+ .7	
Mar. 10	6550	"	2	"	...	...	12.4	...	Invisible.
" 21	6561	"	...	"	...	...	12.0	...	Invisible < 12.9.
Apr. 6	6577	"	...	"	=20	12.3	11.1	1.2	
" 9	6580	T.28	1	Ma.	...	...	10.8	...	Invisible.
May 18	6619	"	"	"	2-2, 4+1	8.2	8.0	+ .2	

(4511) T URSÆ MAJORIS—*continued*.

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deducted Mag.	Calc. Mag.	$\frac{C}{O}$	Remarks.
1904. May 18	6619	T.	...	Co.	= 2	8.0	8.0	0	
June 3	6635	"	...	"	= 2	8.0	7.7	+ .3	
" 3	6635	T.28	I	Ma.	2 + 6	7.4	7.7	- .3	
" 5	6637	"	"	"	2 + 3 = 3	8.0	7.7	+ .3	
" 7	6639	"	"	"	2 + 1	7.9	7.7	+ .2	
" 22	6654	"	"	"	2 + 2	7.8	7.9	- .1	
" 28	6660	"	"	"	2 - 1	8.1	8.0	+ .1	
July 3	6665	"	"	"	2 - 1, 4 + 2	8.1	8.1	0	
" 5	6667	T.	...	Co.	4 + 0.5	8.3	8.2	+ .1	
" 9	6671	T.28	I	Ma.	2 - 1	8.1	8.3	- .2	
" 12	6674	T.	...	Co.	4 + 0.5	8.3	8.4	.1	
" 15	6677	T.28	I	Ma.	2 - 3, 4 + 1	8.3	8.5	.2	
" 20	6682	"	2	"	4 - 2, 5 + 2	8.6	8.7	.1	
Aug. 2	6695	"	I	"	5 - 2	9.0	9.3	.3	
" 2	6695	T.	...	Co.	6 - 2	9.0	9.3	.3	
" 8	6701	T.28	I	Ma.	5 - 5, 9 + 5	9.3	9.6	.3	
" 11	6704	"	"	"	5 - 5, 9 + 5	9.3	9.8	.5	
" 11	6704	T.	...	Wm.	6 - 5, 7 + 5	9.0	9.8	.8	
" 14	6707	"	...	Co.	9 + 2	9.8	9.9	.1	
" 17	6710	T.28	I	Ma.	9 + 1	9.8	10.1	.3	
" 18	6711	"	2	"	9 + 1	9.8	10.1	.3	
" 28	6721	"	I	"	9 - 1	10.0	10.6	.6	
" 28	6721	T.	2	Co.	9 - 4.5, 13 + 4.5	10.3	10.6	.3	
" 29	6722	"	...	Wm.	9 - 3, 14 + 3	10.1	10.7	.6	
Sep. 3	6727	T.28	I	Ma.	= 11	10.3	11.0	.7	
" 4	6728	T.	...	Wm.	= 14	10.4	11.0	- .6	
" 15	6739	T.28	I	Ma.	...	...	11.6	...	Invisible.
" 29	6753	T.	...	Wm.	...	...	12.1	...	"
Oct. 13	6757	T.	2	Co.	...	...	12.2	...	" < 12.3.
" 29	6783	"	"	"	...	...	12.6	...	" < 12.3.
Dec. 5	6820	"	"	"	...	...	11.9	...	"

## (4557) S URSÆ MAJORIS.

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deducted Mag.	Calc. Mag.	$\frac{C}{O}$	Remarks.
1899. July 31	4867	T.28	3	Ma.	6 + 3	8.2	8.2	0	
Aug. 2	4869	"	2	"	6 + 3, 8 + 6	8.2	8.2	0	
" 9	4876	B.	I	"	...	...	8.4	...	Invisible.
" 10	4877	T.28	"	"	6 - 2, 8 + 2	8.7	8.5	+ .2	

(4557) S URSÆ MAJORIS—*continued.*

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deduced Mag.	Calc. Mag.	$\frac{C}{O}$	Remarks.
1899.									
Aug. 16	4883	T.28	3	Ma.	=8	8.8	8.7	.1	
" 23	4890	"	2	"	8-2.5	9.1	8.9	.2	
" 24	4891	"	"	"	8-4	9.2	9.0	.2	
Sept. 2	4900	"	1	"	14-2	10.5	9.3	1.2	*
" 9	4907	"	"	"	14-3, 19+3	10.6	9.7	.9	
" 12	4910	"	2	"	=19	10.9	9.8	+1.1	
" 30	4928	"	"	"	...	...	10.7	...	Invisible.
Oct. 5	4933	"	1	"	...	...	10.9	...	"
" 31	4959	"	2	"	...	...	11.5	...	"
1900.									
Jan. 25	5045	B.	1	"	...	...	8.1	...	Glimpsed 8.5±.
" 29	5049	T.28	2	"	5-6, 6+6	7.9	8.0	- .1	
Feb. 6	5057	"	3	"	5+1	7.2	7.9	.7	
" 17	5068	B.	...	Ke.	1-10	7.7	7.8	.1	
" 20	5071	"	1	Ma.	2-2, 5+2	7.2	7.9	.7	
" 22	5073	"	2	Or.	...	...	7.9	...	Faint.
" 24	5075	"	...	Ke.	1-10	7.7	7.9	.2	About.
Mar. 1	5080	"	2	Or.	5-3	7.6	7.9	- .3	About.
" 4	5083	"	"	"	...	8.0	8.0	0	
" 5	5084	T.28	2	"	5-7, 6+3	8.1	8.0	+ .1	
" 13	5092	T.38	"	Wl.	3-8, 6+2	8.3	8.2	+ .1	
" 14	5093	"	"	"	3-7, 6+3	8.2	8.3	- .1	
" 15	5094	"	3	"	3-7, 6+3	8.2	8.3	.1	
" 16	5095	T.28	2	Ma.	5-4, 6+2	8.0	8.3	- .3	
" 17	5096	B.	1	Or.	...	...	8.3	...	Invisible.
" 19	5098	"	"	"	...	...	8.4	...	
" 20	5099	"	"	"	...	...	8.5	...	Just glimpsed 8.5±.
" 20	5099	"	...	Ke.	...	...	8.5	...	Invisible.
" 26	5105	"	1	Ma.	...	...	8.6	...	"
" 30	5109	T.28	2	"	8-2.5	9.1	8.8	+ .3	
" 31	5110	B.	"	"	...	...	8.8	...	Invisible.
" 31	5110	T.	1	Mi.	8-2	9.0	8.8	.2	
Apr. 1	5111	"	"	"	=h	9.2	8.9	.3	
" 4	5114	"	...	Ke.	...	...	8.9	...	Invisible < 8.5±.
" 16	5126	T.28	1	Ma.	=14	10.3	9.5	.8	
" 18	5128	"	2	"	14-1	10.4	9.6	.8	
" 21	5131	"	"	"	14-3, 19+3	10.6	9.7	.9	
" 26	5136	"	"	"	16-1, =19	10.8	10.0	.8	
" 26	5136	B.	1	Or.	...	...	10.0	...	Invisible.
" 28	5138	T.28	2	Ma.	16-1, 19+1	10.8	10.1	+ .7	
June 26	5197	"	"	"	...	...	11.1	...	Invisible.
July 2	5203	"	3	"	...	...	10.8	...	Just suspected?
Aug. 14	5246	"	2	"	8+2	8.6	8.7	- .1	
" 22	5254	"	1	"	=8	8.8	8.4	+ .4	
" 25	5257	"	1	"	6-2, 8+2	8.7	8.3	+ .4	
" 30	5262	"	2	"	8+1	8.7	8.2	.5	



(4557) S URSÆ MAJORIS—*continued.*

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deduced Mag.	Calc. Mag.	O. C.	Remarks.
1900.									
Sept. 12	5275	T.28	3	Ma.	6+0.5	8.5	8.0	.5	
" 15	5278	"	2	"	6+2.5	8.3	7.9	.4	
" 29	5292	"	1	"	5-6, 6+6	7.9	7.8	+ .1	
Oct. 18	5311	"	"	"	5-3	7.6	8.2	- .6	
" 21	5314	B.	2	"	...	...	8.2	...	Suspected 8.0±.
Nov. 15	5339	"	1	"	...	...	9.0	...	Invisible.
" 17	5341	T.28	"	"	=8	8.8	9.1	.3	
Dec. 19	5373	"	"	"	...	...	10.6	...	Invisible.
1901.									
Feb. 12	5428	"	2	"	...	...	10.7	...	"
" 12	5428	T.30	"	Ch.	...	...	10.7	...	"
" 14	5430	T.28	1	Ma.	13-2	10.3	10.6	.3	
Mar. 8	5452	"	"	"	=8 <sup>a</sup>	8.8	9.4	.6	
" 9	5453	T.30	"	Ch.	8-3	9.1	9.3	.2	
" 10	5454	"	"	"	8-3	9.1	9.3	.2	
" 12	5456	T.28	"	Ma.	8-1	8.9	9.2	.3	
" 14	5458	B.	2	"	...	...	9.1	...	
" 16	5460	T.28	"	"	6-2, 8+2	8.7	9.0	- .3	Invisible.
" 21	5465	T.30	1	Ch.	8-3	9.1	8.8	+ .3	
" 22	5466	T.28	"	Ma.	6-2	8.7	8.8	- .1	
" 23	5467	T.30	"	Ch.	=6	8.5	8.7	- .2	
" 25	5469	"	3	"	=8	8.8	8.6	+ .2	
" 28	5472	"	2	"	8+2	8.6	8.5	.1	
" 28	5472	T.28	"	Ma.	6-2, 8+2	8.7	8.5	.2	
Apr. 1	5476	T.30	"	Ch.	8+3	8.5	8.4	.1	
" 5	5480	"	"	"	8+3	8.5	8.3	.2	
" 9	5484	"	"	"	6-3, 8+4	8.8	8.2	.6	
" 10	5485	"	1	"	6-3, 8+3	8.8	8.2	.6	
" 12	5487	"	"	"	6-2, 8+3	8.6	8.2	.4	
" 18	5493	"	"	"	6-2, 8+3	8.6	8.0	.6	
" 19	5494	T.	"	Or.	6+1, 8+4	8.4	8.0	.4	
" 20	5495	T.30	"	Ch.	6-2, 8+3	8.6	8.0	.6	
" 21	5496	"	"	"	6-1, 8+3	8.6	8.0	.6	
" 30	5505	"	2	"	6+3	8.2	7.9	.3	
May 6	5511	"	1	"	6+5, 8+8	8.0	7.9	+ .1	
" 8	5513	"	"	"	2-7.5, 6+7.5	7.8	7.9	- .1	
" 11	5516	B.	2	Ma.	...	...	7.8	...	Glimpsed much < b or c.
" 12	5517	T.30	1	Ch.	5-4, 6+8	7.7	7.8	- .1	
" 13	5518	"	"	"	5-4, 6+3	8.0	7.8	+ .2	
" 14	5519	"	"	"	5-4, 6+4	7.9	7.9	0	
" 14	5519	B.	2	Ma.	...	...	7.9	...	Glimpsed 8.0±.
" 15	5520	"	"	"	...	...	7.9	...	"
" 16	5521	"	"	"	...	...	7.9	...	Suspected.
" 16	5521	T.30	1	Ch.	5-3, 6+3	7.9	7.9	0	
" 18	5523	B.	2	Ma.	...	...	7.9	...	Suspected.
" 19	5524	T.30	1	Ch.	5-4, 6+3	8.0	7.9	+ .1	
" 20	5525	"	"	"	6+4, 8+6	8.2	7.9	+ .3	
" 20	5525	T.28	3	Ma.	5-6, 6+6	7.9	7.9	0	

## (4557) S URSÆ MAJORIS—continued.

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deducted Mag.	Calc. Mag.	O-C.	Remarks.
1901.									
May 24	5529	T.30	I	Ch.	6+3, 8+6	8.2	8.0	+ .2	Reddish.
" 25	5530	T.28	3	Ma.	2-9, 6+6	7.9	8.0	- .1	
June 4	5540	T.30	I	Ch.	5-4, 6+3, 8+7	8.0	8.2	.2	
" 6	5542	"	"	"	6+4, 8+7	8.1	8.3	.2	
" 10	5546	"	"	"	6+3, 8+6	8.2	8.4	.2	
" 16	5552	"	"	"	6+2, 8+5	8.3	8.6	.3	
" 23	5559	"	"	"	=6, 8+3	8.5	8.9	.4	
" 26	5562	"	2	"	6-4, 8-1	8.9	9.0	.1	
" 27	5563	"	"	"	6-2, 8+1	8.7	9.0	.3	
July 3	5569	T.28	3	Ma.	8-2.5	9.1	9.3	.2	
" 7	5573	T.60	2	Ch.	13+2, 14+3, 16+6	10.0	9.5	+ .5	
" 8	5574	"	I	"	13+2, 14+3, 16+8	9.9	9.5	.4	
" 15	5581	"	"	"	13-2, =14, 16+2	10.3	9.9	.4	
" 15	5581	T.28	2	Ma.	14-1	10.4	9.9	.5	
" 18	5584	T.60	I	Ch.	13-4, 14-3	10.5	10.0	.5	
" 22	5588	"	"	"	13-4, 16+3	10.4	10.2	+ .2	
" 27	5593	"	2	"	=16	10.7	11.4	- .7	
" 28	5594	"	"	"	=16	10.7	10.5	+ .2	
Aug. 6	5603	"	I	"	16-4, 22+5	10.8	10.9	- .1	Slightly red.* Glimpsed.
" 6	5603	T.	2	Pe.	19-3, 26+2	11.3	10.9	+ .4	
" 6	5603	T.28	2	Ma.	16-4	11.1	10.9	+ .2	
" 7	5604	T.	I	Pe.	26-2	11.8	10.9	.9	Suspected.
" 8	5605	"	"	"	26+1	11.5	10.9	+ .6	
" 8	5605	T.28	2	Ma.	...	...	10.9	...	
" 13	5610	T.60	I	Ch.	26+5	11.1	11.1	0	Invisible. Ill-defined.
" 14	5611	T.	2	Pe.	...	...	11.2	...	
" 15	5612	T.160	I	Ch.	22-4, 26+5	11.3	11.2	+ .1	
" 17	5614	T.28	"	Ma.	...	...	11.2	...	Invisible. Well-defined, v. red.
" 18	5615	T.90	"	Ch.	26+5	11.1	11.3	- .2	
" 20	5617	"	"	"	26+4, 28+6	11.3	11.3	0	
" 20	5617	T.	"	Pe.	26-5	12.1	11.3	+ .8	Invisible.
" 20	5617	T.28	"	Ma.	...	...	11.3	...	
Sept. 3	5631	"	"	"	...	...	11.4	...	"
" 5	5633	T.	"	Pe.	...	13.0	11.4	1.6	
" 9	5637	T.60	"	Ch.	=26, 28+3	11.6	11.4	.2	
" 15	5643	"	"	"	22-6, 26+3, 28+5	11.5	11.2	.3	
" 18	5646	T.	"	Pe.	...	12.0	11.0	1.0	
Oct. 2	5660	T.28	2	Ma.	16+3	10.4	10.3	+ .1	
" 3	5661	T.60	I	Ch.	=13, 14+3, 16+6	10.0	10.3	- .3	
" 18	5676	"	"	"	6-10, 13+5	9.5	9.4	+ .1	
" 18	5676	T.28	2	Ma.	8-2	9.0	9.4	- .4	
" 31	5689	T.60	"	Ch.	6-2, 8+3	8.6	8.8	- .2	
Nov. 16	5705	T.28	"	Ma.	6+1.5	8.4	8.3	+ .1	
" 28	5717	T.30	"	Ch.	6-2, 8+1	8.7	8.0	+ .7	
Dec. 8	5727	T.95	I	"	5-6, 6+6, 8+8	7.9	7.9	0	
" 18	5737	"	2	"	2-9, 5-6, 6+6, 8+9	7.9	7.8	+ .1	
" 27	5746	"	I	"	5-3, 6+4, 8+7	8.0	7.9	- .1	
1902.									
Jan. 4	5754	T.20	2	LeB.	6+3	8.2	8.0	+ .2	

(4557) S URSÆ MAJORIS—*continued.*

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deducted Mag.	Calc. Mag.	C. O.	Remarks.
1902.									
Jan. 4	5754	T.95	2	Ch.	5-3, 6+2	8.0	8.0	0	
" 4	5754	T.28	1	Ma.	2-11, 6+4	8.1	8.0	+ .1	
" 5	5755	T.95	"	Ch.	5-3, 6+2	8.0	8.0	0	
" 13	5763	T.20	2	LeB.	6-1	8.6	8.3	+ .3	
" 29	5779	T.30	1	Ch.	6-3, 8+2	8.7	8.8	- .1	
" 31	5781	T.95	"	"	6-3, 8+2	8.7	8.8	.1	Ruddy.
Feb. 9	5790	"	2	"	=8	8.8	9.2	.4	
" 11	5792	"	1	"	=8	8.8	9.3	- .5	Ruddy.
" 27	5808	"	"	"	13+2, =14, 16+6	10.1	10.1	0	"
" 28	5809	"	"	"	13+2, 14+3, 15+3, 16+6	10.0	10.1	- .1	"
Mar. 25	5834	"	"	"	16-5, 19-2, =21, 22+1	11.1	11.3	.2	
Apr. 3	5843	"	"	"	=21, 22+2, 26+4, 28+16	11.1	11.4	.3	
" 13	5853	"	3	"	22-3, =23, 26+2	11.4	11.5	- .1	
" 18	5858	"	"	"	26-3, =28	11.9	11.4	+ .5	
" 18	5858	T.28	2	Ma.	...	...	11.4	...	Invisible.
" 23	5863	T.95	3	Ch.	=26, 28+3	11.6	11.3	.3	
" 24	5864	"	1	"	=26, 28+3	11.6	11.2	.4	
" 27	5867	"	"	"	26-3, =28	11.9	11.1	.8	Red.
May 5	5875	"	2	"	21-3, 22-4	11.5	10.7	.8	
" 8	5878	"	1	"	=21, =22, 16-4	11.1	10.6	+ .5	
" 24	5894	T.28	2	Ma.	7-8, 8-5, 9+2, 12+2	9.5	9.7	- .2	
" 25	5895	T.95	1	Ch.	8-6, 13+8	9.9	9.6	+ .3	
" 25	5895	T.28	2	Ma.	8-3.5	9.4	9.6	- .2	
" 26	5896	T.95	1	Ch.	8-6, 13+8	9.4	9.5	.1	
June 4	5905	T.28	3	Ma.	8+1	8.7	9.1	- .4	
" 7	5908	T.	...	Co.	...	9.3	9.0	+ .3	
" 24	5925	T.28	2	Ma.	2-12, 6+3	8.2	8.3	- .1	
" 28	5929	T.	...	Co.	...	8.8	8.3	+ .5	
" 29	5930	T.95	1	Ch.	6+2, 8+5	8.3	8.2	+ .1	
July 3	5934	T.28	2	Ma.	5-6, 6+6	7.9	8.2	- .3	
" 6	5937	T.95	1	Ch.	6+3, 8+8	8.1	8.1	.0	
" 7	5938	T.28	2	Ma.	5-8, 6+4	8.1	8.1	0	
" 27	5958	"	1	"	5-6, 6+6	7.9	7.8	+ .1	
Aug. 1	5963	"	2	"	5-3, 6+9	7.7	7.8	- .1	
" 9	5971	"	"	"	5-8, 6+4	8.1	7.8	+ .3	
" 24	5986	T.	...	Co.	...	8.3	8.3	0	
" 25	5987	T.28	1	Ma.	2-11, 6+4	8.1	8.3	- .2	
Sept. 1	5994	T.	...	Co.	...	8.8	8.5	+ .3	
" 23	6016	"	"	"	...	9.3	9.3	0	
" 29	6022	"	"	"	...	9.3	9.6	- .3	
Oct. 10	6033	T.95	1	Ch.	13+2, 14+2	10.0	10.2	- .2	
" 14	6037	"	"	"	=13, 16+6	10.1	10.3	.2	
" 21	6044	"	"	"	13-4, 16+1	10.5	10.7	.2	

(4557) S URSÆ MAJORIS—*continued.*

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deducted Mag.	Calc. Mag.	O—C.	Remarks.
1902.									
Oct. 21	6044	T.28	I	Ma.	...	...	10.7	...	Invisible.
" 21	6044	T.	...	Co.	...	10.0	10.7	.7	
" 26	6049	T.28	I	Ma.	=16	10.7	10.9	-.2	
Nov. 7	6061	T.	...	Co.	...	11.5	11.3	+.2	Doubtful.
" 9	6063	T.28	I	Ma.	=21	11.2	11.3	-.1	
" 11	6065	T.	...	Co.	...	11.5	11.3	+.2	
" 28	6082	"	...	"	...	12.0	11.4	.6	
Dec. 4	6088	"	...	"	...	12.0	11.2	.8	
" 20	6104	"	...	"	...	11.0	10.4	+.6	
" 21	6105	T.28	I	Ma.	16+2.5, 13-2.5	10.4	10.4	.0	
" 31	6115	T.	...	Co.	...	10.0	9.8	+.2	
1903.									
Jan. 3	6118	T.28	I	Ma.	8-2	9.0	9.6	-.6	
" 23	6138	T.	"	Co.	6-1	8.6	8.7	-.1	
" 28	6143	T.28	"	Ma.	=8	8.8	8.5	+.3	
Feb. 1	6147	T.	2	Co.	6+5	8.0	8.4	-.4	
" 13	6159	"	I	"	6+3	8.2	8.1	+.1	
" 17	6163	T.28	"	Ma.	6+3	8.2	8.0	+.2	
" 21	6167	T.	"	Co.	6+5	8.0	8.0	.0	
" 28	6174	"	"	"	6+5	8.0	7.9	+.1	
" 28	6174	"	"	Ma.	2-7.5, 6+7.5	7.8	7.9	-.1	
Mar. 3	6177	T.28	"	"	5-6, 6+6	7.9	7.9	.0	
" 5	6179	T.	"	Co.	6+6	7.9	7.9	.0	
" 16	6190	"	"	"	6+6	7.9	7.9	.0	
" 16	6190	T.28	"	Ma.	5-6, 6+6	7.9	7.9	.0	
" 28	6202	T.	"	Co.	6+4	8.1	8.0	+.1	
Apr. 2	6207	"	"	"	6+5	8.0	8.2	-.2	
" 13	6218	"	"	"	6+4	8.1	8.5	.4	
" 24	6229	"	...	"	=8	8.8	8.9	-.1	
May 15	6250	"	...	"	16+3	10.4	9.8	+.6	
" 24	6259	"	...	"	=19	10.9	10.2	.7	
June 21	6287	"	...	"	22-3	11.4	11.3	.1	
July 23	6319	"	...	"	19-1	11.0	10.9	+.1	
Aug. 25	6352	"	...	"	8-2	9.0	9.1	-.1	
Sept. 2	6360	"	...	"	=6	8.5	8.8	-.3	
" 12	6370	"	...	"	=6	8.5	8.4	+.1	
" 18	6376	"	...	"	6-2, 8+2	8.7	8.3	+.4	
" 25	6383	"	...	"	5-6, 6+6	7.9	8.1	-.2	
Oct. 12	6400	B.	...	"	6+5	8.0	7.9	+.1	
" 12	6400	T.28	I	Ma.	=5	7.3	7.9	-.6	
" 15	6403	T.	...	Co.	6+5	8.0	7.9	+.1	
" 25	6413	"	...	"	6+5	8.0	7.9	.1	
" 30	6418	T.28	I	Ma.	5-8, 6+4	8.1	7.9	+.2	

(4557) S URSÆ MAJORIS—*continued.*

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deduced Mag.	Calc. Mag.	C-O	Remarks.
1903.									
Nov. 6	6425	T.28	I	Ma.	2-9, 6+6	7.9	8.0	- .1	
" 14	6433	T.	...	Co.	6+4	8.1	8.2	+ .1	
" 21	6440	T.28	I	Ma.	6+2	8.3	8.4	- .1	
Dec. 11	6460	T.	...	Co.	8-2	9.0	9.2	- .2	
1904.									
Jan. 3	6483	"	...	"	...	9.5	10.2	- .7	Doubtful.
" 10	6490	"	...	"	16-1.5, 20+1.5	10.8	10.6	+ .2	
" 13	6493	"	...	"	= 16	10.7	10.7	0	
" 14	6494	T.28	I	Ma.	...	...	10.7	...	Invisible.
" 22	6502	T.	...	Co.	16-1	10.8	11.1	- .3	
Feb. 6	6517	"	...	"	16-3	11.0	11.4	.4	
Mar. 10	6550	"	...	"	16+7	10.0	10.5	- .5	
" 10	6550	T.28	I	Ma.	16-1.19+1	10.8	10.5	+ .3	
" 21	6561	T.	...	Co.	8-5	9.3	9.9	- .6	*
Apr. 3	6574	T.28	I	Ma.	8-2	9.0	9.2	.2	
" 6	6577	T.	...	Co.	8+1	8.7	9.1	- .4	
" 9	6580	T.28	I	Ma.	8-2	9.0	9.0	0	
May 18	6619	"	"	"	5-4, 6+8	7.7	7.9	- .2	Ruddy.
" 18	6619	T.	...	Co.	6+5	8.0	7.9	+ .1	
June 3	6635	"	...	"	6-5	8.0	7.9	+ .1	
" 3	6635	T.28	I	Ma.	= 2	7.0	7.9	- .9	Ruddy.
" 5	6637	"	"	"	5+2	7.1	7.9	.8	
" 7	6639	"	"	"	5-4, 6+8	7.7	7.9	.2	
" 22	6654	"	"	"	5-4, 6+8	7.7	8.2	- .5	
" 28	6660	"	"	"	6+2	8.3	8.3	0	
July 3	6665	"	"	"	6+2	8.3	8.5	- .2	
" 5	6667	T.	...	Co.	= 6	8.5	8.6	- .1	
" 9	6671	T.28	I	Ma.	= 8	8.8	8.7	+ .1	
" 12	6674	T.	...	Co.	6-2, 8+2	8.7	8.8	- .1	
" 15	6677	T.28	I	Ma.	= 8	8.8	8.9	.1	
" 20	6682	"	2	"	6-3	8.8	9.1	- .3	
Aug. 2	6695	"	I	"	15+3	10.1	9.7	+ .4	
" 2	6695	T.	...	Co.	16+2	10.5	9.7	.8	
" 8	6701	T.28	I	Ma.	= 11	10.0	10.0	0	About, difficult.
" 11	6704	"	"	"	16+1	10.6	10.2	+ .4	
" 12	6705	T.	...	Wm.	= 19	10.9	10.2	.7	*
" 14	6707	"	...	Co.	16-2	10.9	10.3	.6	
" 17	6710	T.28	I	Ma.	16-1	10.8	10.4	.4	
" 18	6711	"	"	"	...	...	10.5	...	Invisible.
" 28	6721	T.	...	Co.	22-2	11.3	10.9	+ .4	
" 29	6722	"	...	Wm.	= 19	10.9	10.9	0	*
Sept. 4	6728	"	...	"	...	...	11.2	...	Just visible < 19.
Oct. 3	6757	T.28	I	Ma.	...	...	11.3	...	Invisible.
" 3	6757	T.	...	Co.	...	12.3	11.3	+ 1.0	V. faint
" 29	6783	"	...	"	16+3	10.4	10.0	+ .4	



(4557) S URSÆ MAJORIS—*continued*.

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deduced Mag.	Calc. Mag.	C-O	Remarks.
1904.									
Nov. 12	6797	T.	I	Co.	8-1	8.9	9.2	- .3	Poor obs.
" 14	6799	T.28	I	Ma.	8-5	9.3	9.1	+ .2	
Dec. 5	6820	T.	...	Co.	8-3	9.1	8.3	.8	
" 8	6823	"	"	Wm.	8-5	9.3	8.3	1.0	
" 14	6829	T.28	I	Ma.	8-3	9.1	8.1	+ 1.0	

## (4826) R HYDRÆ.

## NOTES.

Star F = S.D.M. -  $22^{\circ} 36.7$ , estimated 9.76 m.

" Z = S.D.M. -  $22^{\circ} 36.45$ , 6.40 m. P.D.M.

Data for mean curve:—Period, 425 d.  $M-m$ , 190 d. Variation, 4.5 m. to 9.7 m.

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deduced Mag.	Calc. Mag.	C-O	Remarks.
1899.									
April 30	4775	B.	2	Ma.	...	...	7.0	...	Invisible < 7.8
May 2	4777	"	1	"	2-7	8.5	6.9	+ 1.6	Just glimpsed.
" 7	4782	"	"	"	...	...	6.7	...	Invisible < 7.8.
" 27	4802	"	"	"	...	...	6.0	...	"
1901.									
May 11	5516	T.28	"	"	= F	9.8	9.7	+ .1	
" 16	5521	"	2	"	= F	9.8	9.7	+ .1	
1902.									
May 5	5875	B.	1	"	...	...	8.5	...	Invisible.
" 24	5894	"	3	"	...	...	9.2	...	"
" 25	5895	T.28	2	"	u + 2	8.8	9.2	- .4	
1903.									
Mar. 5	6179	T.	1	Co.	...	5.3	5.1	+ .2	Doubtful.
" 21	6195	...	...	Or.	= h	5.1	5.5	- .4	
" 28	6202	T.	...	Co.	...	6.5	5.7	+ .8	About.
April 11	6216	"	...	"	...	6.2	6.0	+ .2	Doubtful.
" 11	6216	B.	2	Ma.	h - 5	5.6	6.0	- .4	
" 24	6229	T.	...	Co.	...	7.0	6.4	+ .6	About.
May 15	6250	"	...	"	...	8.0	7.0	1.0	"

(4826) R HYDRÆ—*continued.*

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deducted Mag.	Calc. Mag.	O—C.	Remarks.
1904.									
April 6	6577	B.	2	Ma.	h - 20	7.1	4.8	2.3	Uncertain.
" 9	6580	T.	...	Co.	=h	5.1	4.8	.3	
" 10	6581	B.	1	Ma.	=h	5.1	4.8	+ .3	
" 12	6583	"	2	"	h + 3.5	4.7	4.8	- .1	
" 16	6587	T.	...	Co.	h + 3	4.8	4.9	- .1	
May 2	6603	N.E.	...	"	h - 1	5.2	5.2	0	Ruddy.
" 2	6603	B.	1	Ma.	h - 4	5.5	5.2	+ .3	
" 3	6604	"	"	"	h - 2.5	5.3	5.2	+ .1	
" 14	6615	...	"	Co.	h - 4	5.5	5.5	0	
" 18	6619	...	"	"	...	6.0	5.6	+ .4	
" 18	6619	B. & T.28	...	Ma	h - 10, Z + 1.5	6.2	5.6	.6	Warm, ruddy hue.
June 3	6635	...	...	Co.	...	7.0	6.1	.9	Poor obs.
" 4	6636	T.28	2	Ma.	h - 10, r + 10	6.5	6.1	.4	
" 5	6637	"	1	"	r + 12	6.6	6.1	+ .5	About. *

## (4847) S VIRGINIS.

## NOTE.

Data for mean curve:—Period, 377 d.  $M - m$ , 157 d. Variation, 6.9 m. to 12.5 m.

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deducted Mag.	Calc. Mag.	O—C.	Remarks.
1900.									
Apr. 18	5128	T.28	2	Ma.	...	...	11.0	...	Invisible.
" 20	5130	B.	"	Ke.	...	8.8	10.9	- 2.6	*
" 30	5140	"	"	"	...	8.0	10.4	- 2.4	*
June 17	5188	"	3	Ma.	...	...	7.6	...	Invisible.
" 25	5196	T.28	2	"	7 - 5, 8 - 5, 12 - 5	10.3	7.4	+ 2.9	
" 26	5197	"	"	"	...	10.0	7.3	+ 2.7	Suspected. 10.0?
1901.									
Mar. 25	5469	T.30	"	Ch.	= 14	10.0	12.2	- 2.2	
Apr. 22	5497	T.	"	Or.	...	...	11.3	...	Invisible < 9.5.
May 11	5516	T.28	"	Ma.	...	11.0 ±	10.5	+ .5	Just glimpsed.
" 14	5519	"	"	"	...	11.0 ±	10.3	+ .7	" "
" 15	5520	"	"	"	...	11.0 ±	10.3	+ .7	" "
" 16	5521	"	"	"	...	...	10.2	...	Just held < 9.8.
" 18	5523	"	"	"	...	...	10.1	...	Suspected.
" 20	5525	"	"	"	...	...	10.0	...	Invisible.
" 22	5527	"	"	"	7 - 3	9.9	9.9	0	Distinctly seen.

(4847) S VIRGINIS—*continued*.

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deduced Mag.	Calc. Mag.	$\frac{C}{O}$	Remarks.
1903. Mar. 18	6192	T.	...	Co.	...	...	12.5	...	Invisible < 13.0.
Apr. 9	6214	T. 28	I	Ma.	...	...	12.4	...	Invisible.
" 13	6218	T.	...	Co.	...	...	12.3	...	" < 13.0.
" 24	6229	T.	...	Co.	...	...	12.1	...	" < 13.0.
May 15	6250	"	...	"	...	...	11.3	...	" < 13.0.
" 24	6259	"	...	"	23-6	12.6	11.0	+ 1.6	Doubtful.
1904. Mar. 21	6561	"	...	"	...	...	12.4	...	Invisible < 10.0.
Apr. 6	6577	"	...	"	...	...	12.5	...	"
" 9	6580	T. 28	...	Ma.	...	...	12.5	...	"
May 18	6619	T.	...	Co.	...	...	11.6	...	"
June 3	6635	"	...	"	12-2	10.7	11.0	- .3	Invisible.
" 5	6637	T. 28	I	Ma.	...	...	11.0	...	
July 5	6667	T.	2	Co.	7-3	9.9	9.3	+ .6	

## (5237) R BOÖTIS.

## NOTES.

Star Z = D.M. + 26° 2575, 7.01 m. P.D.M.

Data for mean curve:—Period, 223 d.  $M-m$ , 102 d. Variation, 6.8 m.  
to 11.8 m.

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deduced Mag.	Calc. Mag.	$\frac{C}{O}$	Remarks.
1899. May 7	4782	B.	I	Ma.	...	...	6.9	...	Invisible.
" 8	4783	"	2	"	...	8.5±	6.9	+ 1.6	Just glimpsed.
" 27	4802	"	"	"	1-2, 2+10	7.3	6.8	.5	
" 28	4803	"	"	"	1-1, Z-3	7.2	6.8	+ .4	
" 29	4804	"	3	"	1+1	6.8	6.8	0	
" 30	4805	"	2	"	= 1	6.9	6.8	+ .1	
" 31	4806	"	"	"	1-1, Z-4	7.2	6.8	.4	
June 2	4808	"	"	"	1-7, Z-3, 2+5	7.6	6.8	.8	
" 3	4809	"	"	"	1-2, Z-2, 2+5	7.4	6.8	.6	
" 8	4814	"	"	"	1-2, Z-6.5	7.4	6.9	.5	
" 9	4815	"	"	"	1-2.5, Z-5	7.3	6.9	.4	

(5237) R BOÖTIS—*continued.*

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deducted Mag.	Calc. Mag.	O—C.	Remarks.
1899. July 8	4844	B.	2	Ma.	...	...	8.0	...	Invisible.
1900. June 25	5196	T.28	"	"	...	...	9.3	...	"
Aug. 25	5257	"	1	"	1-6.5, 2+6.5	7.7	6.8	.9	
" 30	5262	"	2	"	1-6.5, 2+6.5	7.7	6.9	.8	
Sept. 2	5265	"	"	"	2+3.5	8.1	6.9	1.2	
" 12	5275	"	"	"	2+2.5	8.2	7.2	1.0	
" 14	5277	"	1	"	2-3, 3+1	8.7	7.2	1.5	
" 28	5291	"	"	"	3-2, 4+2	9.0	7.8	1.2	
1901. Feb. 17	5433	B.	2	Or.	1-15	8.4	8.3	+ .1	Approximate.*
Mar. 12	5456	"	1	Ke.	a-5.5, 1+5.5	6.4	7.1	- .7	
" 21	5465	"	2	"	a-5.5, 1+5.5	6.4	6.9	- .5	
" 24	5468	"	3	Or.	=1	6.9	6.8	+ .1	About.
" 25	5469	"	1	Ch.	1+3	6.6	6.9	- .3	
" 26	5470	"	2	Ke.	a-6, 1+4	6.5	6.9	- .4	
" 27	5471	"	"	Ch.	1+4	6.5	6.8	- .3	
" 28	5472	T.30	"	"	1-2	7.1	6.8	+ .3	
" 28	5472	B.	"	Ke.	a-6.5, 1+3.5	6.5	6.8	- .3	
" 28	5472	"	3	Or.	1+2	6.7	6.8	- .1	
" 31	5475	"	2	Ke.	=1	6.9	6.8	+ .1	
" 31	5475	T.30	"	Ch.	=1	6.9	6.8	+ .1	
Apr. 1	5476	"	"	"	a-6, 1+2	6.6	6.8	- .2	
" 1	5476	T.	1	Or.	1+2	6.7	6.8	- .1	
" 5	5480	"	"	"	1-3	7.2	6.8	+ .4	
" 5	5480	B.	"	Ke.	1+3	6.6	6.8	- .2	
" 8	5483	"	"	Or.	=1	6.9	6.8	+ .1	About.
" 9	5484	"	"	Ke.	=1	6.9	6.9	0	"
" 9	5484	"	"	Ch.	a-5, b-2, 1+2	6.5	6.9	- .4	
" 10	5485	"	"	"	a-6, 1+2	6.6	6.9	- .3	
" 10	5485	"	"	Or.	=1	6.9	6.9	0	About.
" 14	5489	"	"	Ke.	1+0.5	6.9	6.9	0	
" 16	5491	"	2	"	1-1.5	7.1	7.0	+ .1	
" 18	5493	"	1	Ch.	1-4	7.3	7.0	.3	
" 18	5493	"	"	Or.	1-4	7.3	7.0	.3	About.
" 20	5495	"	"	Ch.	1-6, 3+5	7.9	7.1	.8	
" 21	5496	T.30	"	"	1-6, 3+6	7.8	7.1	.7	
" 22	5497	"	2	"	1-9.5, 3+9.5	7.8	7.1	+ .7	
" 23	5498	B.	2	Or.	1-11	8.0	7.1	+ .9	*
" 25	5500	T.30	1	Ch.	3+6	8.2	7.2	1.0	
May 6	5511	"	"	"	=3, 6+5	9.0	7.6	1.4	
" 8	5513	"	"	"	=3, 6+6	8.9	7.7	1.2	
" 11	5516	T.28	"	Ma.	=3	8.8	7.9	.9	Doubtful.
" 12	5517	T.30	"	Ch.	6+3	9.4	7.9	1.5	
" 13	5518	"	"	"	3-4, 6+4	9.2	8.0	1.2	
" 14	5519	T.28	2	Ma.	3-1, 4+1	9.0	8.0	1.0	
" 16	5521	"	"	"	=4	9.2	8.1	1.1	
" 16	5521	T.30	1	Ch.	6-3	10.0	8.1	1.9	
" 18	5523	T.28	2	Ma.	3-3.5	9.1	8.2	.9	

(5237) R BOÖTIS—*continued.*

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deduced Mag.	Calc. Mag.	O-C.	Remarks.
1901.									
May 19	5524	T.30	I	Ch.	=6	9.7	8.3	1.4	About.
" 20	5525	"	"	"	6-2, 7+2	9.9	8.4	1.5	
" 20	5525	T.28	2	Ma.	3-3.5, =4	9.2	8.4	.8	
" 22	5527	"	"	"	4-1.5	9.4	8.5	.9	
" 25	5530	"	3	"	4-4, 7+4	9.7	8.6	1.1	Rather doubtful.
July 6	5572	"	2	"	...	...	11.2	...	Invisible.
Aug. 23	5620	"	3	"	...	...	11.2	...	"
Sept. 3	5631	"	I	"	13+1	11.2	10.6	.6	About.
1902.									
May 10	5880	"	"	"	13+1.5	11.1	8.5	2.6	
" 13	5883	"	2	"	12+2.5	10.8	8.2	2.6	
" 24	5894	"	"	"	=2	8.4	7.6	.8	
" 25	5895	"	"	"	2-4, 3+3	8.7	7.5	1.2	
" 26	5896	B.	"	"	...	...	7.5	...	Invisible.
June 24	5925	T.28	"	"	1-5	7.4	6.8	.6	Warm tinge.
" 26	5927	"	"	"	1-6	7.5	6.8	.7	
" 27	5928	B.	"	"	1-8	7.7	6.8	.9	
" 28	5929	"	"	"	1-5	7.4	6.8	.6	
July 3	5934	T. & B.	I	"	1-10	7.9	6.9	1.0	
" 6	5937	"	2	"	1-12	8.1	6.9	1.2	About.
" 7	5938	T.28	"	"	1-7.5, 2+7.5	7.7	6.9	.8	
" 8	5939	B.	"	"	...	...	6.9	...	Faintly glimpsed.
" 11	5942	T.28	I	"	2+4	8.0	7.0	1.0	
" 27	5958	"	"	"	2-2, 3+2	8.6	7.5	1.1	
Aug. 1	5963	"	"	"	=3	8.8	7.8	1.0	
" 25	5987	"	"	"	=13	11.3	9.2	+2.1	
1903.									
Aug. 21	6348	B.	"	Or.	...	...	7.3	...	<6.9.
1904.									
Mar. 10	6550	"	"	Ma.	...	...	8.6	...	Invisible.
Apr. 6	6577	"	"	"	1-1	7.0	7.1	- .1	
" 6	6577	"	2	Or.	=1	6.9	7.1	- .2	
" 9	6580	"	I	Ma.	1-1	7.0	7.0	0	
" 10	6581	"	"	"	=1	6.9	7.0	- .1	
" 12	6583	"	"	"	1-2	7.1	7.0	+ .1	
" 20	6591	"	2	"	=1	6.9	6.9	0	
May 2	6603	"	"	"	1-1	7.0	6.8	+ .2	
" 18	6619	T.28	I	"	2+5	7.9	7.1	.8	
June 3	6635	"	"	"	=3	8.8	7.8	1.0	
" 5	6637	"	"	"	3+3	8.5	7.9	+ .6	
July 8	6670	T.28	I	"	...	...	9.9	...	Invisible.
" 12	6674	"	2	"	=13	11.3	10.1	+1.2	About, difficult.
Aug. 1	6694	"	I	"	...	...	11.2	...	Invisible.

## (5504) S CORONÆ.

## NOTES.

Star E unidentified. Estimated as 10.0 m. Rough position as compared with 5 of Hagen  $\Delta\alpha - 34^s$ ,  $\Delta\delta + 9'$ .

Data for mean curve:—Period, 361 d.  $M-m$ , 120 d. Variation, 7.0 m. to 12.2 m.

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deducted Mag.	Calc. Mag.	O-C.	Remarks.
1899.									
May 5	4780	B.	2	Ma.	...	8.0±	7.5	+ .5	Just glimpsed.
" 7	4782	"	1	"	...	...	7.5	...	< 8.0.
" 8	4783	"	2	"	...	...	7.5	...	Suspected.
" 27	4802	"	"	"	...	...	7.9	...	Invisible.
Aug. 23	4890	T.28	"	"	...	11.0	10.5	+ .5	
1900.									
April 17	5127	B.	1	"	...	8.0	7.2	.8	
" 26	5136	T.28	"	"	=4	7.8	7.4	.4	
" 28	5138	"	"	"	4+1	7.7	7.4	.3	
June 26	5197	"	2	"	=9	9.4	8.9	.5	
July 2	5203	"	"	"	10+5	9.8	9.1	.7	Much < k.
" 30	5231	"	1	"	=10	10.3	9.9	.4	
Aug. 17	5249	"	2	"	10-5	10.8	10.5	+ .3	Difficult.
" 22	5254	"	1	"	...	...	10.6	...	Just suspected.
" 24	5256	"	"	"	...	...	10.7	...	"
" 30	5262	"	2	"	...	...	10.8	...	Invisible."
1901.									
Feb. 21	5437	B.	"	Ke.	2-3	7.3	7.7	- .4	
Mar. 12	5456	"	1	"	2-1	7.1	7.1	0	
" 21	5465	"	2	"	2-2	7.2	7.0	+ .2	
" 22	5466	"	1	"	2-1	7.1	7.0	+ .1	
" 24	5468	"	3	Or.	=2	7.0	7.0	0	About.
" 25	5469	T.	2	"	=2	7.0	7.0	0	
" 26	5470	B.	"	Ke.	=2	7.0	7.0	0	About.
" 28	5472	"	"	"	=2	7.0	7.1	- .1	"
" 28	5472	T.	3	Or.	2+2	6.8	7.1	.3	
" 28	5472	T.30	2	Ch.	2+4	6.6	7.1	.5	
" 31	5475	B.	"	Ke.	=2	7.0	7.1	- .1	About.
April 1	5476	T.	1	Or.	2-1	7.1	7.1	0	
" 1	5476	T.30	2	Ch.	2-2	7.2	7.1	+ .1	
" 5	5480	"	"	"	2-3	7.3	7.1	+ .2	
" 5	5480	T.	1	Or.	=2	7.0	7.1	- .1	
" 5	5480	B.	1	Ke.	=2	7.0	7.1	.1	About.
" 8	5483	"	"	Or.	2+1	6.9	7.2	- .3	
" 9	5484	T.30	2	Ch.	2-4, 4+7	7.2	7.2	0	
" 9	5484	B.	1	Ke.	2-2	7.2	7.2	0	
" 10	5485	T.30	"	Ch.	2-3, 4+7	7.2	7.2	0	



## (5504) S CORONÆ—continued.

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deducted Mag.	Calc. Mag.	$\frac{C}{O}$	Remarks.
1901.									
Apr. 10	5485	T.	I	Or.	2-3, 4+4.5	7.3	7.2	+ .1	
" 12	5487	T.30	"	Ch.	2-4, 4+3	7.4	7.2	.2	
" 14	5489	"	"	"	2-4, 4+3	7.4	7.2	.2	
" 15	5490	T.	"	Or.	2-3	7.3	7.2	.1	Reddish.
" 17	5492	"	2	"	4-1.5, 5+1.5	8.1	7.3	.8	
" 18	5493	"	I	"	5+4, =h	8.1	7.3	.8	
" 18	5493	T.30	"	Ch.	2-6, 4-1	7.7	7.3	.4	
" 19	5494	B.	"	"	2-7, 4+2	7.6	7.3	.3	
" 19	5494	T.	I	Or.	2-5, =h, 5+4	7.9	7.3	.6	
" 19	5494	B.	"	Ke.	2-3.5	7.3	7.3	0	
" 20	5495	"	"	Ch.	4-3, h+4	7.9	7.3	.6	
" 20	5495	T.	"	Or.	2-4, 4+1, 5+3	7.8	7.3	.5	
" 21	5496	T.30	"	Ch.	4-3, h+4	7.9	7.4	+ .5	
" 22	5497	T.	2	Or.	2-5, 4+2, 5+4	7.4	7.4	+ .3	
" 23	5498	T.30	I	Ch.	=4, h+1	8.0	7.4	.6	
" 27	5502	T.	2	Or.	4+1, 5+4	7.9	7.5	.4	
" 30	5505	T.30	"	Ch.	5+3	8.2	7.5	.7	
May 6	5511	"	I	"	=5	8.5	7.6	.9	
" 8	5513	"	"	"	4-5, 5+2	8.3	7.7	.6	
" 11	5516	B.	I	Ke.	...	...	7.7	...	Barely visible.
" 12	5517	T.30	"	Ch.	5-2	8.7	7.8	.9	
" 13	5518	"	"	"	5-3	8.8	7.8	1.0	
" 14	5519	"	"	"	5-2, 7+2	8.8	7.8	1.0	
" 14	5519	T.28	2	Ma.	7+2.5	8.8	7.8	1.0	
" 15	5520	"	"	"	=7	9.1	7.8	1.3	
" 16	5521	"	"	"	5-2	8.7	7.9	.8	
" 16	5521	T.30	I	Ch.	5-4, 7+1, 9+3	9.0	7.9	1.1	
" 18	5523	T.28	2	Ma.	5-1.5	8.6	7.9	.7	
" 19	5524	T.30	I	Ch.	5-3, 7+2, 9+3	8.9	7.9	1.0	
" 20	5525	"	"	"	5-2, 7+3, 9+4	8.8	8.0	.8	
" 20	5525	T.28	3	Ma.	5-2, 7+2	8.8	8.0	.8	
" 22	5527	"	2	"	5-2, 7+2	8.8	8.0	.8	
" 24	5529	T.30	I	Ch.	5-4, =7, 9+2	9.0	8.1	.9	
" 25	5530	T.28	3	Ma.	7+1.5	8.9	8.1	.8	
June 6	5542	T.30	I	Ch.	-7, 9+3	9.1	8.4	.7	
" 10	5546	"	"	"	=9, 10+6	9.5	8.5	1.0	
" 23	5559	"	"	"	9-8, 10+6, =E	9.9	8.9	1.0	
July 6	5572	T.28	2	Ma.	10+1.5	10.1	9.3	+ .8	
" 7	5573	T.60	"	Ch.	10+4	9.9	9.4	.5	
" 15	5581	"	I	"	10+2	10.1	9.6	.5	
" 15	5581	T.28	2	Ma.	10-1.5	10.4	9.6	.8	
" 18	5584	"	3	"	10+2	10.1	9.7	.4	
" 18	5584	T.30	I	Ch.	10+3	10.0	9.7	.3	
" 22	5588	"	"	"	10+2	10.1	9.8	.3	
" 28	5594	T.160	2	"	10-3	10.6	10.0	.6	
Aug. 6	5603	T.60	I	"	10-4, 14+6	10.9	10.3	.6	
" 6	5603	T.28	2	Ma.	10-2.5	10.5	10.3	.2	
" 8	5605	"	"	"	10-2.5	10.5	10.4	.1	
" 10	5607	"	"	"	10-4.5	10.7	10.4	.3	
" 13	5610	T.60	I	Ch.	10-6, 14+4	11.1	10.5	.6	
" 17	5614	T.28	2	Ma.	10-5	10.8	10.6	.2	
" 18	5615	T.60	I	Ch.	=14	11.8	10.6	1.2	

## (5504) S CORONÆ—continued.

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deducted Mag.	Calc. Mag.	$\frac{C}{O}$	Remarks.
1901.									
Aug. 20	5617	T.28	I	Ma.	...	...	10.7	...	Glimpsed.
" 23	5620	"	3	"	...	...	10.8	...	Invisible.
Sept. 3	5631	"	I	"	...	...	11.0	...	Much < 10.
" 4	5632	T.60	"	Ch.	10-7, 13-5, 14-3, 18+4	11.4	11.0	.4	
" 9	5637	"	"	"	14-5, 18+2, 20+3	12.2	11.2	1.0	
" 15	5643	"	3	"	= 18, 20+5	12.1	11.3	.8	Difficult.
Oct. 2	5660	T.28	2	Ma.	...	...	11.7	...	Invisible.
" 3	5661	T.60	3	Ch.	= 20	12.4	11.7	.7	About, difficult.
" 7	5665	T.160	3	"	20-3	12.7	11.8	.9	" "
1902.									
Mar. 3	5812	T.95	2	"	2-4	7.4	7.2	.2	
Apr. 3	5843	"	3	"	2-6	7.6	7.1	+ .5	
" 13	5853	"	2	"	2-2	7.2	7.3	- .1	
" 18	5858	"	I	"	2-6, =4, 5+2	7.9	7.4	+ .5	
" 23	5863	"	2	"	2-5	7.5	7.5	0	
" 24	5864	"	I	"	2-8, 4+2, 5+4	7.8	7.5	+ .3	
" 27	5867	"	"	"	4+3, 5+6	7.7	7.5	.2	
May 3	5873	T.28	"	Ma.	4-2, 5+1	8.2	7.7	.5	Ruddy.
" 4	5874	B.	2	"	...	...	7.7	...	Just held.
" 5	5875	T.95	I	Ch.	4-2, 5+4	8.0	7.7	.3	
" 7	5877	B.	"	Ma.	.	...	7.7	...	Just glimpsed.
" 8	5878	T.28	2	"	5+3	8.2	7.8	.4	
" 10	5880	"	I	"	5+1.5	8.3	7.8	.5	
" 13	5883	"	2	"	5-1	8.6	7.9	.7	
" 24	5894	"	"	"	5-1	8.6	8.2	.4	
" 25	5895	"	"	"	5-1, 7+3	8.7	8.2	.5	
" 25	5895	T.95	I	Ch.	5-5	9.0	8.2	.8	
" 26	5896	"	"	"	5-4	8.9	8.2	.7	
June 24	5925	T.28	2	Ma.	=9	9.4	9.1	.3	
" 26	5927	"	"	"	9-1	9.5	9.2	.3	
" 29	5930	T.95	"	Ch.	5-10, 10+8	9.5	9.3	.2	
July 3	5934	T.28	I	Ma.	9-5	9.9	9.4	+ .5	
" 6	5937	T.95	3	Ch.	10+13	9.0	9.5	- .5	This seems an erroneous obs.—C <sub>1</sub> L. B.
" 7	5938	T.28	2	Ma.	10+4	9.9	9.5	+ .4	
" 11	5942	"	"	"	10+4.5	9.8	9.6	.2	
" 27	5958	"	I	"	10+1	10.2	10.1	+ .1	
Aug. 1	5963	"	2	"	10-2	10.5	10.2	+ .3	
" 25	5987	"	I	"	10-5	10.8	10.9	- .1	Approximate.
1903.									
Mar. 5	6179	T.	"	Co.	...	7.8	7.1	+ .7	
" 16	6190	"	"	"	=2	7.0	7.0	0	
" 28	6202	"	"	"	=2	7.0	7.1	- .1	
" 30	6204	"	"	"	=2	7.0	7.2	- .2	
Apr. 2	6207	"	"	"	2-2	7.2	7.2	0	
" 11	6216	"	"	"	2-2	7.2	7.3	- .1	
" 24	6229	"	"	"	3-4	7.9	7.6	+ .3	

(5504) S CORONÆ—*continued.*

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deduct. Mag.	Calc. Mag.	O—C	Remarks.
1903.									
May 15	6250	T.	...	Co.	10+10	9'3	8'1	1'2	
" 25	6260	"	...	"	5-6, 10+8	9'3	8'3	+1'0	
June 21	6287	"	...	"	6-1'5, 8+1'5	9'0	9'2	- '2	
July 23	6319	"	...	"	=10	10'3	10'1	+ '2	
Aug. 25	6352	"	...	"	14+4	11'4	11'0	'4	
Sept. 12	6370	"	...	"	14-5, 20+5	12'1	11'5	'6	
" 18	6376	"	...	"	14-5, 20+5	12'1	11'6	+ '5	
Oct. 15	6403	"	...	"	20+3	12'1	12'1	0	
Nov. 14	6433	"	...	"	20+2	12'2	12'1	+ '1	
1904.									
Mar. 21	6561	"	...	"	2+6	6'7	7'1	- '4	
Apr. 6	6577	"	...	"	2+1	6'9	7'3	'4	
" 6	6577	B.	I	Ma.	2+0'5	6'9	7'3	'4	
" 6	6577	"	2	Or.	=2	7'0	7'3	'3	
" 9	6580	"	"	Ma.	2-1'5	7'1	7'4	'3	
" 10	6581	"	"	"	=2	7'0	7'4	'4	
" 12	6583	"	"	"	2-1	7'1	7'4	'3	
" 16	6587	T.	...	Co.	2+1	6'9	7'5	- '6	
" 20	6591	T.28	2	Ma.	2-10	8'0	7'6	+ '4	
" 25	6596	T.	...	Co.	...	7'6	7'7	- '1	*
May 2	6603	B.	I	Ma.	2-10	8'0	7'8	+ '2	About.
" 3	6604	"	"	"	2-10	8'0	7'9	'1	
" 18	6619	T.28	"	"	5-1'5	8'6	8'3	+ '3	
" 18	6619	T.	...	Co.	2-9	7'9	8'3	- '4	
June 3	6635	"	...	"	2-7	7'7	8'7	-1'0	
July 5	6667	"	...	"	10+3	10'0	9'7	+ '3	
" 8	6670	T.28	I	Ma.	10+2	10'1	9'8	'3	
" 12	6674	"	"	"	10+2	10'1	10'0	'1	
" 12	6674	T.	...	Co.	10+0'5	10'2	10'0	+ '2	Doubtful.
Aug. 1	6694	T.28	I	Ma.	=10	10'3	10'5	- '2	
" 2	6695	T.	...	Co.	=10	10'3	10'6	'3	
" 12	6705	T.28	I	Ma.	10-4	10'7	10'8	'1	
" 14	6707	"	"	"	10-4'5	10'7	10'9	- '2	
" 14	6707	T.	...	Co.	10-8	11'1	10'9	+ '2	
" 17	6710	T.28	I	Ma.	10-2	10'5	11'0	- '5	
" 28	6721	"	"	"	10-5	10'8	11'2	- '4	About.
" 28	6721	T.	2	Co.	14+1	11'7	11'2	+ '5	
Sept. 3	6727	T.28	I	Ma.	...	...	11'4	...	Invisible.
Oct. 3	6757	T.	3	Co.	...	...	12'0	...	"
" 7	6761	"	2	"	20-2	12'6	12'0	+ '6	
" 29	6783	"	3	"	...	...	12'2	...	Invisible.

## (5667) R CORONÆ.

## NOTES.

Star L	= $\rho$ Coronæ	P.D.M.
" M	= D.M. + $30^{\circ}$ 2682	5'50 m.
" N	= " + $31^{\circ}$ 2742	6'57 "
" P	= " + $30^{\circ}$ 2692	6'35 "
" R	= $\theta$ Coronæ	7'61 "
" S	= o "	4'07 "
" T	= $\iota$ "	5'63 "
		4'73 "

This being an "irregular" variable, the 8th and 9th columns remain blank.

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deducted Mag.	Calc. Mag.	O-C.	Remarks.
1899.									
Apr. 30	4775	B.	I	Ma.	b-4, M+4, e+3	6'2			
May 2	4777	"	"	"	b-5, M+4, e+3	6'2			
" 3	4778	"	2	"	b-6, M+5, e+4	6'2			
" 4	4779	"	"	"	b-2, M+7, e+6	5'9			
" 5	4780	"	"	"	b-4, M+4, e+3	6'2			
" 6	4781	"	3	"	b-4, M+5, e+4	6'1			
" 7	4782	"	1	"	b-3, M+5, e+4	6'1			
" 8	4783	"	2	"	b-2, M+5, e+4	6'1			
" 27	4802	"	"	"	b-2, M+5, e+7	6'0			
" 28	4803	"	"	"	b-2, M+5, e+7	6'0			
" 29	4804	"	3	"	b-1, M+5, e+7	5'9			
" 30	4805	"	2	"	b-2, M+4, e+6	6'0			
" 31	4806	"	"	"	b-2, M+4, e+5	6'1			
June 2	4808	"	"	"	b-2, M+4, e+6	6'0			
" 3	4809	"	"	"	b-2, M+4, e+6	6'0			
" 8	4814	"	"	"	=b, M+5, e+7	5'9			
" 29	4835	"	"	"	b-2, M+5, e+7	6'0			
July 7	4843	"	3	"	b-1, M+6, e+8	5'9			
" 8	4844	"	2	"	b-2, M+5, e+5	6'0			
" 16	4852	"	"	"	b-2, M+5, e+7	6'0			
" 27	4863	"	"	"	b-3, M+4, e+8	6'0			
" 29	4865	"	1	"	b-4, M+4, e+7	6'1			
" 31	4867	"	2	"	b-4, M+3, e+4	6'2			
Aug. 23	4890	"	"	"	b-7, M+5, e+8	6'1			
" 24	4891	"	"	"	b-5, M+4, e+6	6'1			
" 31	4898	"	1	"	b-4, M+5, e+7	6'0			
Sept. 2	4900	"	"	"	b-4, M+4, e+6	6'1			
" 3	4901	"	"	"	b-2, M+5, e+8	5'9			
" 11	4909	"	"	"	b-4, M+5, e+6	6'1			
1900.									
Mar. 19	5098	"	"	Or.	b-5, M+3	6'2			
" 26	5105	"	"	Ma.	=b	5'6	...	...	Very bright.

(5667) R CORONÆ—*continued*.

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deducted Mag.	Calc. Mag.	O—C.	Remarks.
1900.									
Mar. 26	5105	B.	...	Ke.	b-1.5	5.7			
" 29	5108	"	...	"	b-1.5	5.7			
" 31	5110	"	...	"	b-1.5	5.7			
Apr. 16	5126	"	2	Ma.	b-4, M+5, e+5	6.1			
" 17	5127	"	1	"	b-3, M+5, e+7	6.0			
" 18	5128	"	2	"	b-2, M+5, e+4	6.1			
" 19	5129	"	...	Ke.	b-1.5	5.7			
" 19	5129	"	1	Wl.	b-1, d+3	5.8			
" 20	5130	"	"	"	b-1, d+3	5.8			
" 20	5130	"	"	Or.	b-5, M+5	6.1	...	...	Red.
" 21	5131	"	"	Wl.	b-1, d+3	5.8			
" 21	5131	"	2	Ma.	b-2, M+7, e+4	6.0			
" 22	5132	"	"	Wl.	b-1, d+3	5.8			
" 26	5136	"	1	Ma.	b-2, M+5, e+6	6.0			
" 28	5138	"	"	"	b-3, M+5, e+4	6.1			
" 30	5140	"	...	Ke.	b-1	5.7			
May 2	5142	"	1	Wl.	b-1, d+3	5.8			
" 7	5147	"	2	"	b-1, d+3	5.8			
" 13	5153	"	"	Mi.	=b	5.6			
" 16	5156	"	1	"	=b	5.6			
" 16	5156	"	...	Ke.	b-1	5.7			
" 17	5157	"	2	Wl.	c-4, b+1	5.9			
" 17	5157	"	3	Ma.	b-3, M+5, e+6	6.0			
" 19	5159	"	2	Mi.	=b	5.6			
" 26	5166	"	1	Wl.	b-2, d+2	5.9			
" 28	5168	"	2	"	b-1, d+3	5.8			
" 30	5170	"	"	"	=b	5.6			
June 17	5188	"	3	Ma.	b-3, M+4, e+5	6.1			
" 25	5196	"	2	"	d-4, M+7, e+6	6.0			
" 26	5197	"	1	Wl.	b-2, d+5	5.7			
July 2	5203	"	2	Ma.	b-5, M+6, e+7	6.0			
" 15	5216	"	"	Or.	b-5, M+5	6.1			
" 16	5217	"	1	"	b-6, M+4	6.2			
" 18	5219	"	"	"	b-5, M+5	6.1			
" 23	5224	"	"	"	b-5, M+5	6.1			
" 23	5224	"	"	Ma.	b-3, M+5, e+6	6.0			
" 24	5225	"	...	Ke.	b-2	5.8			
" 29	5230	"	1	Ma.	b-5, M+3, e+4	6.2			
" 30	5231	"	"	"	b-5, M+3, e+4	6.2			
" 30	5231	"	"	"	b-5, M+5	6.1			
Aug. 2	5234	"	"	Pe.	L-5, M+1	6.2			
" 3	5235	"	2	"	L-5, M+1	6.2			
" 4	5236	"	"	"	M+2	6.4			
" 5	5237	"	3	Ma.	b-10, M-1, e+2	6.6			
" 6	5238	"	2	Pe.	L-5, M+1	6.2			
" 9	5241	"	"	"	=M	6.6			
" 10	5242	"	"	"	M-1	6.7			
" 11	5243	"	"	"	...	...	...	...	Invisible < 6.6.
" 12	5244	"	"	"	...	...	...	...	" "
" 13	5245	"	"	"	N-2, P+3	6.9			
" 14	5246	"	"	"	N-2, P+3	6.9			

(5667) R CORONÆ—*continued*.

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deduced Mag.	Calc. Mag.	O. C.	Remarks.
1900.									
Aug. 15	5247	B.	I	Pe.	N-2, P+3	6.9			
" 16	5248	"	I	Wl.	f+1	7.1			
" 17	5249	"	2	Ma.	f-2	7.4			
" 18	5250	"	"	"	f-1.5	7.3			
" 18	5250	"	I	Wl.	=f	7.2			
" 19	5251	"	"	Pe.	N-3, P+2	7.0			
" 20	5252	T.36	"	Wl.	f+2	7.0			
" 22	5254	B.	"	"	=f	7.2			
" 22	5254	"	"	Ma.	f-1	7.3			
" 22	5254	"	"	Pe.	N-2, P+3	6.9			
" 24	5256	"	"	"	N-2, P+3	6.9			
" 24	5256	T.28	"	Ma.	f-2.5	7.4			
" 24	5256	B.	"	Or.	=f	7.2	...	...	About.
" 25	5257	"	"	Ma.	f-3	7.5			
" 26	5258	B.	I	Or.	f+2	7.0			
" 26	5258	"	"	Wl.	f-1	7.3			
" 30	5262	"	"	Ma.	f-1	7.3			
Sept. 2	5265	T.28	2	"	f+3	6.9			
" 2	5265	B.	I	Or.	f+3	6.9			
" 11	5274	B.	2	"	M+2	6.4			
" 12	5275	"	"	Pe.	f+4	6.8			
" 13	5276	"	I	"	M+2	6.4			
" 13	5276	T.36	"	Wl.	f+5	6.7			
" 14	5277	B.	3	"	M-2	6.8			
" 14	5277	"	I	Ma.	M+1, e+2	6.5			
" 14	5277	"	2	Pe.	M+3	6.3			
" 15	5278	"	I	"	M+3	6.3			
" 15	5278	"	2	Ma.	M+1, e+2	6.5			
" 19	5282	"	"	Wl.	d-2, M+2	6.4			
" 20	5283	"	"	"	d-2, M+2	6.4			
" 20	5283	"	I	Pe.	M+2	6.4			
" 21	5284	"	"	"	b-3, M+2	6.1			
" 21	5284	"	"	Wl.	b-8, d+1	6.2			
" 22	5285	"	3	Pe.	b-5, M+5	6.1			
" 23	5286	"	I	"	b-2, M+4	6.0			
" 23	5286	"	"	Or.	b-5, M+5	6.1			
" 27	5290	"	"	Ma.	b-8, M+5, e+6	6.2			
" 28	5291	"	"	"	b-5, M+4, e+6	6.1			
" 28	5291	"	"	Or.	b-5, M+5	6.1			
Oct. 2	5295	"	2	Wl.	b-3.5	5.9			
" 11	5304	"	I	Or.	b-5, M+5	6.1			
" 12	5305	"	I	Ma.	b-5, M+6, e+7	6.0			
" 14	5307	"	"	Wl.	b-3, M+5	6.0			
" 21	5314	"	"	"	b+2	5.4	...	...	Doubtful.
" 21	5314	"	"	Or.	b-5, M+5	6.1			
" 26	5319	"	"	"	b-5, M+5	6.1			
" 26	5319	"	"	Ma.	b-8, M+5, e+7	6.2			
" 27	5320	"	"	Wl.	b-3, d+6	5.7			
Nov. 9	5333	"	"	Ma.	b-6, M+5, e+7	6.1	...	...	Date doubtful.
" 11	5335	"	2	Wl.	b-4, M+4	6.1			
" 13	5337	"	"	Ma.	b-7.5, M+5, e+7	6.1			
" 15	5339	"	"	Wl.	b-5, M+3	6.2			



(5667) R CORONÆ—*continued.*

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deducted Mag.	Calc. Mag.	O—C	Remarks.
1901.									
Jan. 13	5398	B.	2	Wl.	b-4, M+3	6.1			
Feb. 21	5437	"	...	Ke.	b-1	5.7			
Mar. 3	5447	T.	2	Or.	...	6.0	...	...	Normal.
" 12	5456	B.	...	Ke.	b-1	5.7	...	...	Normal.
" 21	5465	"	...	"	b-1	5.7	...	...	"
" 28	5472	"	...	"	b-1	5.7			
Apr. 1	5476	"	1	Or.	b-4	6.0			
" 5	5480	"	...	Ke.	b-1	5.7	...	...	Normal.
" 8	5483	"	"	Or.	b-4, M+4	6.1			
" 9	5484	"	...	Ke.	b-1	5.7	...	...	Normal.
" 10	5485	"	1	Or.	b-4, M+4	6.1			
" 10	5485	B.	1	Ch.	b-4, M+3	6.1			
" 14	5489	"	"	"	b-3, M+3	6.1			
" 14	5489	"	...	Ke.	b-1	5.7			
" 15	5490	"	1	Or.	b-4, M+4	6.1			
" 16	5491	"	...	Ke.	b-1	5.7			
" 18	5493	"	1	Ch.	M+3	6.3			
" 19	5494	"	"	"	M+3	6.3			
" 19	5494	"	...	Ke.	b-1	5.7			
" 19	5494	"	1	Or.	b-4, M+4	6.1			
" 20	5495	"	"	"	b-4, M+4	6.1			
" 23	5498	"	2	"	b-5, M+3	6.2			
May 6	5511	"	"	"	b-4, M+4	6.1			
" 11	5516	"	"	Ke.	b-1	5.7			
" 11	5516	"	1	Ma.	b-2, M+5, e+7	6.0			
" 14	5519	"	2	"	b-1, M+7, e+8	5.8			
" 14	5519	"	1	Or.	b-4, M+4	6.1			
" 16	5521	"	2	Ma.	b-1.5, M+7, e+8	5.8			
" 18	5523	"	"	"	b-1.5, M+5, e+7	5.9			
" 19	5524	"	1	Ch.	M+3	6.3			
" 20	5525	"	2	Ma.	b-1.5, M+6, e+7	5.9			
" 21	5526	"	1	"	b-1, M+6, e+8	5.9			
" 22	5527	"	...	Ke.	b-1	5.7			
" 23	5528	"	1	Ch.	M+4	6.2			
" 25	5530	"	2	Ma.	b-2.5, M+6, e+8	5.9			
June 10	5546	"	1	Ch.	M+4	6.2			
" 17	5553	"	...	Ke.	b-1	5.7			
" 23	5559	"	1	Ch.	M+5	6.1			
" 27	5563	"	2	"	M+5	6.1			
July 3	5569	"	3	Ma.	b-2.5, M+6, e+8	5.9			
" 7	5573	"	...	Ke.	b-1	5.7			
" 7	5573	"	2	Ch.	M+5	6.1			
" 15	5581	"	"	Ma.	b-4, M+4, e+6	6.1			
" 16	5582	"	"	"	b-3, M+6, e+8	5.9			
" 16	5582	"	1	Ch.	M+5	6.1			
" 18	5584	"	3	Ma.	b-3, M+6, e+8	5.9			
" 21	5587	"	1	"	b-3	5.9			
" 25	5591	"	2	Pe.	M+3	6.3			
" 26	5592	"	"	"	b-7, M+4	6.2			
" 28	5594	"	"	Ch.	M+5	6.1			

(5667) R CORONÆ—*continued*.

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deducted Mag.	Calc. Mag.	O-C.	Remarks.
1901.									
Aug. 2	5599	B.	2	Ma.	b-3, M+5, e+8	6.0			
" 2	5599	"	"	Pe.	b-1, M+7	5.8			
" 3	5600	"	"	"	b-5, M+3	6.2			
" 4	5601	"	I	"	b+1	5.5			
" 4	5601	"	3	Ma.	b-3, M+5, e+8	6.0			
" 5	5602	"	I	Pe.	R-9, b+1	5.2			
" 6	5603	"	"	"	R-8, b+2	5.1			
" 6	5603	"	"	Ch.	M+5	6.1			
" 7	5604	"	"	Pe.	S-1, b+3	5.5			
" 8	5605	"	I	Pe.	b+2	5.4			
" 8	5605	"	2	Ma.	b-2.5, M+6, e+7	5.9			
" 10	5607	"	"	Pe.	b+2	5.4			
" 11	5608	"	"	"	b+2	5.4			
" 12	5609	"	"	"	b+1	5.5			
" 12	5609	"	...	Ke.	b-1	5.7			
" 13	5610	"	I	Pe.	b+2	5.4			
" 14	5611	"	2	"	b+3	5.3			
" 14	5611	"	...	Ke.	b-1	5.7			
" 15	5612	"	I	Pe.	b+3	5.3			
" 17	5614	"	"	"	b-2	5.8			
" 17	5614	"	2	Ma.	b-2, M+7, e+9	5.8			
" 18	5615	"	I	Pe.	b-1	5.7			
" 19	5616	"	2	"	b+1	5.5			
" 19	5616	"	3	Ma.	b-2, M+9, e+10	5.7			
" 19	5616	"	...	Ke.	b-1	5.7			
" 20	5617	"	...	"	b-1	5.7			
" 20	5617	"	2	Pe.	b+2	5.4	...	...	Pale orange.
" 20	5617	"	I	Ma.	b-4, M+7, e+8	5.9			
" 21	5618	"	"	Ch.	M+5	6.1			
" 21	5618	"	...	Ke.	b-1	5.7			
" 21	5618	"	I	Pe.	b+2	5.4			
" 22	5619	"	2	"	b+2	5.4			
" 22	5619	"	...	Ke.	b-1	5.7			
" 23	5620	"	...	"	b-1	5.7			
" 23	5620	"	3	Ma.	b-2.5, M+7, e+8	5.9			
" 24	5621	"	...	Ke.	b-1	5.7			
" 25	5622	"	2	Pe.	b+1	5.5			
" 27	5624	"	"	"	b-1	5.7			
" 28	5625	"	"	"	b-2	5.8			
" 29	5626	"	"	"	b-1	5.7			
" 30	5627	"	"	"	b-2	5.8			
Sept. 1	5629	"	...	Ke.	b-1	5.7			
" 2	5630	"	2	Pe.	b-3	5.9			
" 3	5631	"	"	Ma.	b-5, M+8, e+9	5.9			
" 4	5632	"	"	Pe.	b-3, M+6	5.9			
" 5	5633	"	"	"	b-2, M+7	5.8			
" 5	5633	"	"	Ma.	b-3, M+7, e+8	5.9			
" 6	5634	"	...	Ke.	b-1	5.7			
" 7	5635	"	I	Pe.	b+2	5.4			
" 9	5637	"	"	Ch.	M+5	6.1			
" 13	5641	"	2	Pe.	b-1	5.7			
" 14	5642	"	I	"	b-2	5.8			
" 14	5642	N.E.	...	Ry.	=b	5.6			
" 15	5643	B.	I	Ch.	M+5	6.1			
" 16	5644	"	...	Ke.	b-1	5.7			

(5667) R CORONÆ—*continued.*

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deducted Mag.	Calc. Mag.	O-C	Remarks.
1901.									
Sept. 18	5646	B.	1	Pe.	b+2	5.4			
" 18	5646	N.E.	...	Ry.	b+2	5.4			
" 19	5647	B.	1	Pe.	b+2	5.4			
" 21	5649		2		b+2	5.4			
" 21	5649	N.E.	...	Ry.	b+2	5.4			
" 22	5650	B.	2	Pe.	b+3	5.3			
" 24	5652	"	"	"	b+2	5.4			
Oct. 2	5660	"	1	Ma.	b-6, M+5, e+6	6.1			
" 2	5660	"	...	Ke.	b-1	5.7			
" 4	5662	T.	...	Ry.	=b	5.6			
" 9	5667	B.	...	Ke.	b-1	5.7			
" 18	5676	"	...	"	b-1	5.7			
" 18	5676	"	2	Ma.	b-6, M+7, e+8	6.0			
" 31	5689	"	...	Ke.	b-1	5.7			
Nov. 1	5690	"	...	"	b-1	5.7			
1902.									
Feb. 11	5792	N.E.	1	Ry.	b-2	5.8			
Mar. 21	5830	"	2	"	b-2	5.8			
Apr. 1	5841	"	1	"	=b	5.6			
" 1	5841	B.	"	Oa.	T-10	5.7			
" 3	5843	"	2	"	T-10, =b	5.6			
" 3	5843	"	"	Ch.	b-4, M+4	6.1			
" 6	5846	"	1	"	b-5, M+4	6.1			
" 8	5848	"	2	Oa.	T-10, b-2	5.7			
" 8	5848	N.E.	1	Ry.	=b	5.6			
" 10	5850	"	"	"	b-0.5	5.6			
" 10	5850	B.	2	Oa.	T-9.5, b-1	5.7			
" 18	5858	"	"	Ch.	b-5, M+3	6.2			
" 23	5863	"	1	"	b-4, M+5	6.0			
" 24	5864	"	"	"	b-5, M+4	6.1			
" 27	5867	"	"	"	b-4, M+4	6.1			
" 28	5868	"	"	"	b-3, M+5	6.0			
" 30	5870	"	"	"	b-3, M+5	6.0			
May 2	5872	"	"	Ma.	=b, M+7, e+8	5.8			
" 2	5872	"	"	Wl.	b-4, e+10	5.8			
" 3	5873	"	"	"	b-4, M+4	6.1			
" 3	5873	N.E.	"	Ry.	b+1	5.5			
" 3	5873	B.	"	Ma.	b-1, M+7, e+8	5.8			
" 4	5874	"	"	"	=b, M+9, e+10	5.7			
" 4	5874	"	2	Wl.	b-4, M+6	6.0			
" 5	5875	"	1	"	b-5, M+3	6.2			
" 5	5875	"	"	Ch.	b-3, M+5	6.0			
" 6	5876	"	"	Wl.	b-4, M+5	6.0			
" 7	5877	"	"	"	b-5, M+3	6.2			
" 7	5877	"	"	Ch.	b-2, M+5	5.9			
" 7	5877	"	"	Ma.	=b, M+9, e+10	5.7			
" 8	5878	"	2	"	=b, M+9, e+10	5.7			
" 8	5878	"	"	Ch.	b-3, M+5	6.0			
" 8	5878	"	1	Wl.	b-4, M+6	6.0			
" 9	5879	"	"	"	b-5, M+6	6.0			

(5667) R CORONÆ—*continued.*

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deducted Mag.	Calc. Mag.	O-C.	Remarks.
1902.									
May 10	5880	B.	I	Wl.	b-5, M+5	6.1			
" 10	5880	"	"	Ma.	=b, M+10, e+9	5.7			
" 11	5881	"	"	Wl.	b-5, M+5	6.1			
" 12	5882	"	"	"	b-4, M+3	6.1			
" 12	5882	"	"	Ch.	b-3, M+5	6.0			
" 13	5883	"	3	Ma.	b-1.5, M+8, e-10	5.7			
" 13	5883	"	1	Wl.	b-5, M+4	6.1			
" 14	5884	"	2	"	b-3, M+6	5.9			
" 15	5885	"	"	"	b-4, M+4	6.1			
" 17	5887	"	"	"	b-4, M+3	6.1			
" 23	5893	"	"	"	b-5, M+5	6.1			
" 24	5894	"	2	Ma.	b-2, M+8, e+10	5.8			
" 25	5895	"	3	Ch.	b-2, M+3	6.0			
" 25	5895	"	2	Wl.	b-6, M+4	6.2			
" 26	5896	"	"	"	b-6, M+4	6.2			
" 26	5896	"	1	Ch.	b-3, M+4	6.0			
" 26	5896	"	"	Ma.	=b, M+8, e+10	5.7			
" 27	5897	"	"	Ch.	b-3, M+4	6.0			
" 27	5897	N.E.	"	Ry.	b-1	5.7			
" 27	5897	B.	"	Wl.	b-4, M+6	6.0			
" 28	5898	"	"	"	b-5, M+4	6.1			
" 31	5901	"	"	"	b-5, M+2	6.2			
June 1	5902	N.E.	...	Ry.	=b	5.6			
" 4	5905	B.	1	Ma.	=b, M+8, e+10	5.7			
" 24	5925	"	2	"	b-2, M+8, e+9	5.8			
" 26	5927	"	1	"	b-2, M+8, e+10	5.8			
" 26	5927	"	"	Ch.	b-3, M+4	6.0			
" 29	5930	"	"	"	b-3, M+4	6.0			
July 1	5932	"	"	Oa.	b-1	5.7			
" 2	5933	"	"	Ch.	b-3, M+5	6.0			
" 3	5934	"	"	Ma.	b-2, M+7, e+8	5.9			
" 6	5937	"	"	"	b-2, M+8, e+9	5.8			
" 7	5938	N.E.	"	Ry.	=b	5.6			
" 8	5939	B.	2	Oa.	=b	5.6			
" 9	5940	"	"	Ma.	b-2	5.8			
" 11	5942	"	1	"	b-2, M+8, e+9	5.8			
" 11	5942	"	2	Oa.	b-1.5	5.7			
" 18	5949	"	3	Ma.	b-2, M+8, e+10	5.8			
" 27	5958	"	1	"	=b, M+7, e+9	5.8			
" 28	5959	"	"	Pe.	b+2	5.4			
" 29	5960	"	"	"	b+1	5.5			
Aug. 1	5963	"	"	Ma.	b-1, M+8, e+9	5.8			
" 14	5976	"	2	"	b-3.5, M+8, e+8	5.9			
" 19	5981	"	"	"	b-1	5.7			
" 25	5987	"	1	"	b-2, M+7, e+9	5.8			
" 25	5987	"	2	Oa.	b+1.5	5.4			
" 29	5991	"	"	"	b+0.5	5.6			
Sept. 1	5994	"	"	"	b+1.5	5.4			
" 6	5999	"	1	Pe.	L-3, b+1	5.6			
" 23	6016	"	3	Ma.	...	...	...	...	Much < 5.6.
" 25	6018	"	1	"	b-2, M+7, e+8	5.9			
" 26	6019	"	"	"	b-2, M+7, e+8	5.9			

(5667) R CORONÆ—*continued.*

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deducted Mag.	Calc. Mag.	O—C.	Remarks.
1902.									
Oct. 7	6030	B.	2	Ma.	b-2, M+7, e+8	5.9			
" 25	6048	"	"	"	b-2	5.8			
" 26	6049	"	"	"	b-1, M+8, e+9	5.8			
Nov. 4	6058	"	1	"	b-2.5, M+8, e+8	5.8			
" 18	6072	"	2	"	b-2	5.8			
1903.									
Mar. 16	6190	"	...	Co.	...	...	...	...	Faint.
" 22	6196	"	...	"	...	...	...	...	"
" 28	6202	T.	...	"	f-8	8.0			
" 30	6204	B.	...	"	...	...	...	...	Invisible < 8.0.
Apr. 2	6207	T.	...	"	f-6	7.8			
" 8	6213	"	"	"	=f	7.2			
" 11	6216	"	...	"	f+4	6.8			
" 11	6216	B.	1	Ma.	f+1.5	7.0			
" 14	6219	"	"	Pe.	...	...	...	...	Invisible.
" 23	6228	"	"	Wl.	e-5, f+3	7.1			
" 24	6229	T.	...	Co.	=f	7.2			
" 29	6234	B.	1	Pe.	...	...	...	...	Invisible.
May 2	6237	T.	"	"	f+2	7.0			
" 2	6237	B.	"	Wl.	f-2, h+5	7.4			
" 3	6238	"	"	"	f-2, h+5	7.4			
" 15	6250	T.	...	Co.	...	7.0			
" 20	6255	B.	1	Ma.	f+7.5	6.4			
" 21	6256	"	"	"	f+4.5	6.7			
" 23	6258	"	"	"	M-8, f+6	7.0			
" 24	6259	"	"	"	f+5	6.7			
" 24	6259	"	"	Or.	M-5, f+5	6.9			
" 24	6259	T.	...	Co.	...	6.5			
" 24	6259	B.	1	Pe.	M-7, f+4	7.0			
" 25	6260	"	"	Or.	M-5, f+5	6.9			
" 30	6265	"	"	Wl.	f-2, h+4	7.5			
" 31	6266	"	"	"	M-5, f+2	7.0			
" 31	6266	"	"	Ma.	f+1	7.1			
" 31	6266	T.	2	Or.	=f	7.2	...	...	About.
June 3	6269	B.	1	Ma.	f+3	6.9			
" 4	6270	"	"	"	f+1	7.1			
" 13	6279	"	"	Wl.	f-4, h+2	7.7			
" 14	6280	"	"	"	f-4, h+2	7.7			
" 16	6282	"	"	"	f-5, h+2	7.7			
" 17	6283	"	"	"	h-3	8.2			
" 20	6286	"	"	"	h-5	8.4			
" 21	6287	T.	...	Co.	...	6.5	...	...	*
" 23	6289	B.	1	Wl.	h-6	8.5			
" 27	6293	"	"	Ma.	f-10	8.2			
" 30	6296	"	2	Or.	f-6	7.8	...	...	*
July 1	6297	"	"	Ma.	f-10	8.2			
" 13	6309	B.	1	"	f+1.5	7.0			
" 18	6314	"	"	"	f+1	7.1			
" 23	6319	T.	...	Co.	...	6.0	...	...	*
" 24	6320	B.	2	Ma.	f+3.5	6.8			

## (5667) R CORONÆ—continued.

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deducted Mag.	Calc. Mag.	O—C	Remarks.
1903.									
July 26	6322	B.	1	Ma.	M - 10, f + 2	7.3			
Aug. 10	6337	"	2	Pe.	...	...	...	...	Invisible < 6.6.
" 11	6338	"	"	"	= M	6.6			
" 13	6340	"	1	"	M + 2	6.4			
" 14	6341	"	"	Or.	= M	6.6			
" 18	6345	"	"	Ma.	M - 3, e + 1	6.7			
" 21	6348	"	"	"	M - 3, e - 2	6.9			
" 21	6348	"	"	Or.	= M	6.6			
" 25	6352	T.	...	Co.	..	6.5			
Sept. 11	6369	B.	1	Ma.	M - 5, e - 2	7.0			
" 12	6270	T.	...	Co.	...	6.5			
" 18	6376	"	"	"	f + 4	6.8			
" 26	6384	B.	1	Or.	= M	6.6			
Oct. 12	6400	T.	...	Co.	M - 2	6.8			
" 12	6400	B.	1	Ma.	M + 2, = e	6.5			
" 21	6409	"	"	"	= M, e + 1	6.6			
" 30	6418	"	2	"	= M, = e	6.6			
Nov. 14	6433	"	1	"	b - 7.5, M + 6, e + 6	6.1			
" 14	6433	T.	...	Co.	...	6.5			
1904.									
Mar. 10	6550	B.	1	Ma.	b - 6, M - 1, e + 1	6.5			
" 21	6561	T.	...	Co.	...	6.3			
Apr. 6	6577	B.	1	Ma.	b - 6, M + 5, e + 4	6.2			
" 6	6577	"	2	Or.	...	6.0	..	...	Normal.
" 8	6579	"	1	Oa.	b - 3	5.9			
" 9	6580	"	"	"	b - 5	6.1			
" 9	6580	"	1	Ma.	b - 6, M + 3, e + 4	6.3			
" 15	6586	"	"	Or.	...	6.0	...	...	Normal.
" 20	6591	"	2	Ma.	b - 3, M + 5, e + 7	6.0			
May 2	6603	"	"	"	b - 4, M + 7, e + 8	5.9			
" 2	6603	"	1	Oa.	= b	5.6			
" 7	6608	"	"	Ch.	b - 3, M + 7	5.9			
" 8	6609	"	"	"	b - 5, M + 5	6.1			
" 16	6617	"	2	Oa.	b - 2	5.8			
" 18	6619	"	1	Ma.	b - 5, M + 6, e + 9	6.0			
" 18	6619	"	2	Oa.	b + 1	5.5			
" 19	6620	"	"	"	b + 1	5.5			
June 3	6635	"	1	"	b + 1	5.5			
" 5	6637	"	"	Ma.	b - 3, M + 6, e + 8	5.9			
" 17	6649	"	"	Oa.	b - 5	6.1			
" 20	6652	"	"	"	b - 5.5	6.1			
" 22	6654	"	2	Ma.	b - 4, M + 8, e + 10	5.8			
" 29	6661	"	1	Oa.	b - 9	6.5			
July 1	6663	"	"	Or.	b - 5, M + 5	6.1			
" 3	6665	"	2	Ma.	b - 5, M + 5, e + 5	6.1			
" 8	6670	"	1	"	b - 5, M + 5, e + 8	6.0			
" 8	6670	B.	1	Oa.	b - 8	6.4			



(5667) R CORONÆ—*continued*.

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deducted Mag.	Calc. Mag.	O-C.	Remarks.
1904.									
July 12	6674	B.	I	Ma.	b-10, M+4, e+6	6.3			
" 13	6675	"	"	"	b-7, M+6, e+8	6.1			
" 15	6677	"	"	"	b-6, M+5, e+7	6.1			
" 16	6678	"	"	"	b-7.5, M+4, e+7	6.2			
" 16	6678	"	2	Or.	b-5, M+5	6.1			
" 20	6682	"	I	"	b-5, M+5	6.1			
" 28	6690	"	3	Oa.	b-2	5.8			
Aug. 1	6694	"	I	"	b-4.5	6.0			
" 1	6694	"	"	Ma.	b-7.5, M+6, e+8	6.1			
" 2	6695	"	"	Or.	b-5, M+5	6.1			
" 6	6699	"	2	"	b-5, M+5	6.1			
" 9	6702	"	"	Ma.	M+5, e+7	6.0			
" 11	6704	"	"	Oa.	b-7	6.3			
" 12	6705	"	I	Ma.	b-5, M+8, e+9	5.9			
" 12	6705	"	"	Oa.	b-4	6.0			
" 14	6707	"	"	Ma.	b-6, M+6, e+8	6.0			
" 15	6708	"	"	Oa.	b-7	6.3			
" 17	6710	"	"	Ma.	b-7, M+6, e+7	6.1			
" 27	6720	"	"	Ch.	b-8, M+2	6.4			
" 28	6721	"	2	Ma.	b-5, M+6, e+7	6.0			
" 28	6721	"	"	Co.	...	6.0			
" 29	6722	"	I	Ma.	b-6, M+5, e+6	6.1			
" 30	6723	"	"	"	b-7.5, M+6, e+7	6.1			
Sept. 3	6727	"	"	"	b-8, M+5, e+6	6.2			
" 3	6727	"	"	Or.	b-5, M+3	6.2			
" 3	6727	T.	...	Co.	...	6.0			
" 6	6730	B.	I	Ch.	b-8, M+2	6.4			
" 14	6738	"	"	Ma.	b-10, M+4, e+5	6.3			
" 16	6740	"	2	"	b-14, M+4, e+5	6.5			
" 29	6753	"	"	"	=M	6.6			
Oct. 3	6757	"	"	"	M-2.5, e-2.5	6.9			
" 3	6757	T.	"	Co.	...	6.3			
" 7	6761	"	I	"	...	7.0			
" 11	6765	B.	"	Ma.	M-5, e-6, f+2	7.1			
" 13	6767	"	"	"	f+1.5	7.0			
" 14	6768	"	2	"	f+2.5	6.9			
" 29	6783	"	I	"	M-1	6.7			
" 29	6783	T.	...	Co.	...	6.5			
Nov. 3	6788	B.	2	Ma.	b-10, M+4.5, e+4.5	6.3			
" 12	6797	"	"	"	b-7.5, M+5, e+5	6.2			
" 12	6797	"	I	Or.	b-5, M+5	6.1			
" 13	6798	"	2	"	b-5, M+5	6.1			
" 14	6799	"	I	Ma.	b-7, M+4, e+5	6.2			

## (5677) R SERPENTIS.

## NOTES.

Star F =  $\nu$  Serpentis, 5.74 m. P.D.M." N =  $\phi$  " 5.74 " "

" C = D.M. + 16° 2840, 6.14 " "

" 6 and 8 of Hagen, combined 8.50 " (say).

Data for mean curve:—Period, 357 d.  $M-m$ , 15.1 d. Variation, 6.5 m. to 13.

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deducted Mag.	Calc. Mag.	O-C	Remarks.
1899. July 14	4850	B.	2	Ma.	...	...	8.8	...	Invisible.
Aug. 10	4877	T.28	1	"	...	9.3	7.5	+1.8	Estimated.
1900. Apr. 28	5138	"	"	"	...	...	12.7	...	Invisible.
June 26	5197	"	2	"	...	10.5	9.4	1.1	About.
July 2	5203	"	"	"	9-2	10.2	9.1	+1.1	About.
" 24	5225	B.	1	Or.	=4	7.5	7.9	- .4	
" 25	5226	"	"	"	=3	7.4	7.8	.4	
" 27	5228	"	2	"	=3	7.4	7.7	.3	
" 28	5229	"	1	"	C-6, 3+6	6.8	7.7	.9	
" 30	5231	"	"	"	C-6, 3+6	6.8	7.6	.8	
" 30	5231	"	"	Ma.	C-2	6.3	7.6	1.3	
Aug. 1	5233	"	"	Or.	C-2	6.3	7.5	1.2	Yellowish white.
" 4	5236	"	2	"	C+2	5.9	7.4	1.5	
" 5	5237	"	1	"	F-2, C+2	5.9	7.3	1.4	
" 13	5245	"	3	Ma.	N-3	6.0	7.1	1.1	
" 15	5247	"	1	"	N-2.5, C+8	5.7	7.0	1.3	
" 15	5247	"	2	Or.	F-1, C+3	5.8	7.0	1.2	
" 17	5249	"	2	Ma.	N-2	5.9	6.9	1.0	
" 18	5250	"	1	"	N-2, C+7	5.7	6.9	1.2	
" 18	5250	"	2	Or.	F-2, C+2	5.9	6.9	1.0	
" 22	5254	"	"	"	F-2, C+2	5.9	6.8	.9	
" 22	5254	"	1	Ma.	N-2, C+2	5.9	6.8	.9	
" 24	5256	"	"	"	N-2, C+3	5.9	6.7	.8	
" 24	5256	"	"	Or.	F-2, C+2	5.9	6.7	.8	
" 25	5257	"	"	Ma.	N-3, C+4	5.9	6.7	.8	
" 26	5258	"	"	"	N-3, C+3	5.9	6.7	.8	
" 30	5262	"	2	"	N-3, C+3	5.9	6.6	.7	
Sept. 2	5265	"	"	"	N-6, =C	6.2	6.6	.4	
" 2	5265	"	"	Or.	=C	6.1	6.6	.5	
" 4	5267	"	3	"	F-3, C+1	6.0	6.5	.5	
" 11	5274	"	2	"	C-3	6.4	6.5	.1	
" 12	5275	"	"	Ma.	C-3	6.4	6.5	-.1	
" 14	5277	"	1	"	C-4, 3+4	6.8	6.5	+ .3	
" 28	5291	T.28	"	"	3-3	7.7	6.7	1.0	
Oct. 11	5304	B.	"	Or.	...	...	6.8	...	Invisible.

(5677) R SERPENTIS—*continued.*

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deducted Mag.	Calc. Mag.	$\frac{C}{O}$	Remarks.
1900.									
Oct. 12	5305	B.	1	Ma.	...	...	6.9	...	Glimpsed.
" 21	5314	T.	"	Or.	=4	7.5	7.0	.5	Doubtful obs.
1901.									
May 22	5527	T.28	2	Ma.	...	...	11.5	...	Invisible.
July 3	5569	"	3	"	5-5, 10-5	9.8	8.7	1.1	*
" 15	5581	"	2	"	(6+8)+2	8.3	8.0	+ .3	
" 16	5582	"	"	"	3-5	7.9	8.0	- .1	
" 18	5584	"	3	"	3-3	7.7	7.9	.2	
" 21	5587	B.	1	"	=4	7.5	7.8	.3	
Aug. 2	5599	T.28	2	"	4+4.5	7.0	7.2	- .2	
" 4	5601	B.	3	"	3+1	7.3	7.2	+ .1	
" 6	5603	T.28	2	"	4+4	7.1	7.1	0	
" 7	5604	T.30	1	Ch.	3+4	7.0	7.1	- .1	
" 8	5605	"	"	"	3+5	6.9	7.1	- .2	
" 8	5605	T.28	2	Ma.	4+3.5	7.1	7.1	0	
" 10	5607	"	"	"	4+5	7.0	7.0	0	
" 12	5609	B.	...	Ke.	C-6, 3+4, 4+4	7.0	6.9	+ .1	
" 13	5610	T.30	1	Ch.	3+5	6.9	6.9	0	
" 14	5611	B.	...	Ke.	C-5, 3+4	6.8	6.9	- .1	
" 17	5614	T.28	1	Ma.	3+2.5	7.2	6.8	+ .4	
" 17	5614	T.30	"	Ch.	3+4	7.0	6.8	.2	
" 19	5616	B.	...	Ke.	C-6, 3+6	6.8	6.7	.1	
" 20	5617	"	"	"	C-6, 3+6	6.8	6.7	.1	
" 20	5617	T.28	1	Ma.	3+4	7.0	6.7	+ .3	
" 21	5618	B.	...	Ke.	C-5, 3+7	6.7	6.7	0	
" 22	5619	"	"	"	C-5, 3+7	6.7	6.7	0	
" 23	5620	"	"	"	C-7, 3+5	6.9	6.7	+ .2	
" 23	5620	T.28	3	Ma.	3+2.5	7.2	6.7	+ .5	
" 24	5621	B.	...	Ke.	C-5	6.6	6.6	0	
Sept. 3	5631	T.28	3	Ma.	3+2, 4+1	7.3	6.5	.8	
" 4	5632	B.	...	Ke.	C-7.5, =3	7.2	6.5	.7	
" 5	5633	T.30	2	Ch.	=3, 4+1	7.4	6.5	.9	
" 16	5644	B.	...	Ke.	3-2, 4+2	7.5	6.6	.9	
" 18	5646	T.30	1	Ch.	3-4, 4-6	8.0	6.6	1.4	
" 20	5648	B.	...	Ke.	4+2	7.3	6.6	.7	
Oct. 2	5660	T.28	2	Ma.	3-6, 5+3	8.1	6.8	1.3	
" 3	5661	T.60	2	Ch.	3-8, 5+4, 6+10	8.0	6.8	1.2	Very red.
" 4	5662	B.	...	Ke.	3-6, 4-2	7.9	6.8	1.1	
" 5	5663	"	"	"	...	...	6.8	...	Glimpsed.
" 7	5665	T.30	2	Ch.	5+3, 6+5	8.3	6.9	1.4	
" 9	5667	B.	...	Ke.	...	...	6.9	...	Invisible.
1902.									
Apr. 18	5858	T.95	3	Ch.	...	...	12.7	...	< 12.1.
" 27	5867	"	"	"	20-6, 22+3	12.6	12.4	+ .2	
May 3	5873	T.28	1	Ma.	...	...	12.2	...	< 11.6. Invisible.
" 7	5877	T.	...	Co.	...	...	12.0	...	Invisible.
" 8	5878	T.95	1	Ch.	15-3, 17-1, =18	11.8	12.0	- .2	
" 10	5880	T.28	"	Ma.	...	...	11.8	...	Invisible.
" 24	5894	"	2	"	13+1.5	10.7	10.9	.2	

(5677) R SERPENTIS—*continued.*

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deducted Mag.	Calc. Mag.	O-C	Remarks.
1902.									
May 25	5895	T.28	2	Ma.	10-1	10.4	10.9	.5	
" 25	5895	T.95	1	Ch.	=7, 9+3	9.5	10.9	1.4	
" 27	5897	"	"	"	5-4, 12+3, 9+2	9.7	10.7	1.0	
June 7	5908	T.	...	Co.	...	9.5	9.9	.4	
" 24	5925	T.28	2	Ma.	5+3, (6+8)+2	8.2	8.9	.7	
" 26	5927	"	"	"	5+2, (6+8)+1	8.3	8.8	.5	
" 28	5929	T.	...	Co.	...	7.8	8.7	.9	
July 3	5934	T.28	1	Ma.	3-4	7.8	8.8	1.0	
" 6	5937	B.	2	"	3+1	7.3	8.2	.9	
" 7	5938	"	"	"	3+2.5	7.2	8.1	.9	
" 11	5942	"	"	"	3+4.5	7.0	7.9	.9	
" 18	5949	"	1	"	3+6.5	6.8	7.6	.8	
" 23	5954	"	3	"	C-1	6.2	7.4	1.2	
" 27	5958	"	1	"	C+1.5	6.0	7.3	1.3	
Aug. 1	5963	"	"	"	C-2	6.3	7.1	-.8	
" 14	5976	"	2	"	C-1	6.2	6.7	-.5	
" 24	5986	T.	...	Co.	...	7.0	6.5	+.5	
" 25	5987	T.28	2	Ma.	C-3	6.4	6.5	-.1	
Sept. 7	6000	T.	...	Co.	...	8.0	6.6	+1.4	
" 21	6014	"	...	"	...	7.5	6.7	.8	
Oct. 21	6044	"	...	"	...	8.8	7.3	1.5	
Nov. 7	6061	"	...	"	...	9.0	7.7	1.3	
1903.									
Mar. 5	6179	"	...	"	...	...	12.7	...	Invis. < 13.0 Mag.
" 28	6202	"	...	"	...	...	13.0	...	" "
Apr. 11	6216	"	...	"	...	13.0?	12.8	.2	Perhaps just seen.
" 24	6229	"	...	"	...	...	12.4	...	Invisible.
May 15	6250	"	...	"	...	11.5	11.2	.3	Doubtful.
" 24	6259	"	...	"	...	11.8	10.6	1.2	"
June 21	6287	"	...	"	10-5	10.8	8.8	+2.0	
" 27	6293	T.	...	Or.	...	...	8.4	...	Invisible < 9.0 Mag.
July 18	6314	B.	1	Ma.	...	...	7.4	...	Invisible.
" 23	6319	"	...	Co.	3+3	7.1	7.2	-.1	
" 24	6320	B.	"	Ma.	4-2	7.7	7.2	+.5	
" 26	6322	"	"	"	4-2.5	7.7	7.1	.6	
Aug. 21	6348	"	"	"	...	...	6.5	...	Suspected.
" 21	6348	T.	"	Or.	3-5, 5+5	7.9	6.5	1.4	
" 25	6352	T.28	"	Ma.	3-3.5, 5+7	7.7	6.5	1.2	
" 25	6352	T.	...	Co.	3+3	7.1	6.5	.6	
Sept. 11	6369	B.	1	Ma.	...	...	6.6	...	Invisible.
" 12	6370	T.	...	Co.	3-4	7.8	6.7	1.1	
" 18	6376	"	...	"	3-7	8.1	6.8	1.3	
" 25	6383	"	...	"	3-7	8.1	6.8	1.3	

(5677) R SERPENTIS—*continued.*

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deducted Mag.	Calc. Mag.	O—C.	Remarks.
1903. Nov. 14	6433	T.	3	Co.	...	10.0	8.1	+1.9	Doubtful.
1904. Apr. 6	6577	"	...	"	...	...	12.7	...	Invisible.
May 2	6603	T.28	I	Ma.	...	...	11.7	...	"
" 18	6619	"	"	"	5-6, 7+2	9.0	10.6	-1.6	
" 18	6619	T.	...	Co.	3-2	7.6	10.6	3.0	
June 3	6635	T.28	I	Ma.	= (6+8)	8.5	9.5	1.0	
" 5	6637	"	"	"	5+2	8.2	9.4	1.2	
" 6	6638	T.	...	Co.	3+3	7.1	9.3	2.2	
" 7	6639	T.28	I	Ma.	(6+8)+5	8.0	9.2	1.2	
" 22	6654	"	"	"	3+7	6.7	8.8	2.1	
" 28	6660	B.	"	"	C+2	5.9	8.0	2.1	
July 1	6663	"	"	Or.	C+3	5.8	7.9	2.1	
" 5	6667	T.	...	Co.	=C	6.1	7.7	1.6	
" 8	6670	B.	I	Ma.	C+2	5.9	7.6	1.7	
" 11	6673	"	"	Or.	C-4	6.5	7.5	1.0	
" 12	6674	T.	...	Co.	C+3	5.8	7.4	1.6	
" 12	6674	B.	I	Ma.	N-3, C+1	6.0	7.4	1.4	
" 13	6675	"	"	"	N-5, C+2	6.1	7.4	1.3	
" 15	6677	"	"	"	N-4, C+3	6.0	7.3	1.3	
" 16	6678	"	"	"	N-4.5, C+2	6.1	7.3	1.2	
" 16	6678	"	"	Or.	C+4	5.7	7.3	-1.6	
" 20	6682	"	"	Ma.	N-5, C+2.5	6.1	7.1	-1.0	
Aug. 1	6694	"	"	"	N-7, C+2	6.2	6.8	.6	
" 2	6695	T.	...	Co.	C-3	6.4	6.7	.3	
" 2	6695	B.	I	Or.	C+3	5.8	6.7	.9	
" 6	6699	"	"	"	C-3	6.4	6.7	.3	
" 6	6699	"	"	Ma.	N-7, C+3	6.1	6.7	.6	
" 8	6701	"	"	"	=C	6.1	6.6	.5	
" 12	6705	"	"	"	C-1	6.2	6.6	.4	
" 14	6707	"	"	"	N-7.5, C-1	6.4	6.5	-	
" 14	6707	T.	...	Co.	C-5	6.6	6.5	+ .1	
" 15	6708	B.	I	Ma.	C-4, 3+4	6.8	6.5	+ .3	
" 17	6710	"	"	"	C-2	6.3	6.5	- .2	
" 18	6711	"	2	"	C-2.5	6.4	6.5	- .1	
" 28	6721	T.28	I	"	4+2.5	7.2	6.6	+ .6	
" 28	6721	T.	2	Co.	4+3	7.2	6.6	+ .6	
" 28	6721	B.	2	Or.	C-3	6.4	6.6	- .2	
" 29	6722	T.28	I	Ma.	4+2	7.3	6.6	+ .7	
" 30	6723	"	"	"	4+2.5	7.2	6.6	.6	
Sept. 3	6727	"	"	"	4+1	7.4	6.6	.8	
" 14	6738	"	"	"	3-3, 5+6	7.8	6.8	1.0	
" 16	6740	"	"	"	3-9, (6+8)+3	8.3	6.8	1.5	
Oct. 7	6761	T.	2	Co.	5-6, 8+6	9.1	7.2	1.9	
" 29	6783	"	"	"	7-2	9.5	7.8	1.7	
" 29	6783	T.28	I	Ma.	7-2	9.5	7.8	+1.7	

## (5758) X HERCULIS.

## NOTES.

Star <i>a</i> = D.M.	+ 47° 2288	P.D.M.	7.40 m.
„ <i>b</i> = „	+ 47° 2300		6.58 „
„ <i>c</i> = „	+ 47° 2313		7.66 „
„ <i>d</i> = „	+ 50° 2257		6.96 „
„ <i>e</i> = „	+ 49° 2469		7.50 „
„ <i>f</i> = „	+ 49° 2461		7.61 „

The “Deduced Mag.” column and two following ones have not been completed as the observations of the Section when taken together, and employed in comparison with (1) stars *a* and *b* combined, (2) with *a* alone, and (3) with *b* alone, do not support the light curve derived from the data of Chandler and H.C.O., viz.:—Period, 93.5 d.; *M*—*m*, 60 d.; and Variation, 5.9 m. to 7.2 m.

The observations of the Director, when taken alone (using star *a* only), possibly indicate a tendency to a period of some such length for 1899; but this is not apparent in the other seasons.

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deduced Mag.	Calc. Mag.	O—C.	Remarks.
1899.									
Apr. 30	4775	.	I	Ma.	a + 7, b - 1				
May 2	4777	„	„	„	a + 7, b - 2				
„ 3	4778	„	„	„	a + 7, b - 2				
„ 4	4779	„	I	„	a + 8, b - 1				
„ 5	4780	„	„	„	a + 8, b - 2				
„ 6	4781	„	3	„	a + 6, b - 3				
„ 7	4782	„	I	„	a + 7, b - 2.5				
„ 8	4783	„	2	„	a + 6, b - 3				
„ 27	4802	„	„	„	a + 3, b - 7				
„ 28	4803	„	„	„	a + 1.5, b - 6				
„ 29	4804	„	3	„	a + 2, b - 6				
„ 30	4805	„	2	„	a + 2, b - 6				
„ 31	4806	„	„	„	a + 3, b - 6				
June 2	4808	„	„	„	a + 2, b - 7				
„ 3	4809	„	„	„	a + 2, b - 6				
„ 8	4814	„	„	„	a + 4, b - 5				
„ 9	4815	„	„	„	a + 4, b - 4				
„ 29	4835	„	„	„	a + 7, b + 3				
July 8	4844	„	„	„	a + 8, b + 2				
„ 14	4850	„	„	„	a + 8, b + 4				
„ 16	4852	„	„	„	a + 8, b + 3				
„ 27	4863	„	„	„	a + 9, b + 6				
„ 29	4865	„	I	„	a + 8, b + 6				
„ 31	4867	„	„	„	a + 6, b + 4				
Aug. 2	4869	„	„	„	a + 8, b + 4				
„ 10	4877	„	„	„	a + 6, b + 4				
„ 23	4890	„	2	„	a + 6, b + 3				



(5758) X HERCULIS—*continued.*

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deducted Mag.	Calc. Mag.	$\frac{C}{O}$	Remarks.
1899.									
Aug. 24	4891	B.	2	Ma.	a+5, b+3				
" 31	4898	"	1	"	a+3, b+1				
Sept. 2	4900	"	"	"	a+1, b-3				
" 3	4901	"	"	"	a+1, b-2				
" 4	4902	"	"	"	a+1, b-3				
" 11	4909	"	"	"	a+1, b-4				
Oct. 31	4959	"	2	"	a+3, b+5				
1900.									
Mar. 20	5099	T.15	1	Ki.	a+5, b-5	...	...	...	Rather doubtful.
" 28	5107	"	"	"	a+2.5, b-3	...	...	...	Orange.
" 29	5108	"	2	"	a+3.5, b-5				
" 29	5108	B.	1	Ke.	a+2, b-3				
" 31	5110	"	"	"	a+2, b-3				
Apr. 2	5112	"	2	"	a+2				
" 5	5115	"	1	"	a+4, b-4	...	...	...	Reddish.
" 7	5117	"	"	"	a+4, b-4	...	...	...	"
" 11	5121	"	"	"	a+4, b-4	...	...	...	"
" 16	5126	"	2	Ma.	a+5, b-5				
" 17	5127	"	1	"	a+5, b-5				
" 17	5127	T.15	2	Ki.	a+7, b+2	...	...	...	Yellow.
" 18	5128	B.	"	Ma.	a+5, b-5				
" 19	5129	"	1	Ke.	a+3, b-2	...	...	...	Reddish.
" 19	5129	F.	"	Wl.	b+1				
" 20	5130	"	"	"	b+2 <sup>0</sup>				
" 20	5130	B.	"	Or.	...	...	...	...	Much > a or b about 6 <sup>0</sup> .
" 21	5131	F.	"	Wl.	b+2				
" 21	5131	B.	3	Ma.	a+4, b-5				
" 25	5135	T.15	1	Ki.	a+9, b+4.5				
" 26	5136	B.	"	Ma.	a+6, b-4	...	...	...	Much > a, decidedly 7 b.
" 26	5136	"	"	Or.	...	...	...	...	> 6 <sup>0</sup> .
" 28	5138	"	"	Ma.	a+6, b-3				
" 30	5140	"	"	Ke.	a+3.5, b-1.5	...	...	...	Reddish.
May 2	5142	T.15	1	Ki.	a+10, b+5.5				
" 2	5142	B.	"	Wl.	b+2				
" 3	5143	"	2	Or.	...	...	...	...	6 <sup>0</sup> ±.
" 3	5143	T.15	"	Ki.	a+11, b+5				
" 7	5147	B.	"	Ke.	a+4, b-1				
" 7	5147	B.	2	Wl.	b+3				
" 10	5150	T.15	"	Ki.	a+11.5, b+6.5	...	...	...	Full yellow.
" 13	5153	"	"	"	a+12, b+6	...	...	...	" "
" 15	5155	B.	"	Or.	...	...	...	...	6 <sup>0</sup> ±.
" 15	5155	"	"	Ke.	a+3, b-2				
" 16	5156	"	"	"	a+3.5, b-1.5				
" 17	5157	"	3	Ma.	a+6, b-4				
" 17	5157	"	2	Wl.	b+3				
" 18	5158	"	"	Ke.	a+3, b-2				
" 19	5159	T.15	1	Ki.	a+11, b+5				
" 20	5160	"	3	"	a+12, b+5				
" 23	5163	B.	1	Ke.	a+3, b-2				

(5758) X HERCULIS—*continued.*

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deducted Mag.	Calc. Mag.	C.	Remarks.
1900.									
May 26	5166	B.	I	Wl.	a+4, b-1				
" 28	5168	"	2	"	b+1				
" 29	5169	"	1	Ke.	a+3, b-2				
" 30	5170	"	2	Wl.	b+1				
June 1	5172	"	1	Ke.	a+3, b-2				
" 3	5174	"	2	"	a+3, b-2				
" 26	5197	"	"	"	a+2.5, b-2.5				
" 26	5197	"	1	Wl.	b+2				
" 26	5197	"	2	Ma.	a+5, b-1				
July 2	5203	"	"	"	a+4, b-3				
" 3	5204	"	"	"	a+6, b+2				
" 6	5207	"	1	Ke.	a+6, b+2				
" 7	5208	"	"	"	a+6, b+2				
" 16	5217	"	2	"	a+6.5, b+2.5				
" 17	5218	"	1	Or.	...	...	...	...	6.0±.
" 18	5219	"	"	"	...	...	...	...	5.8.
" 18	5219	T. 15	2	Ki.	a+9.5, b+6				
" 23	5224	B.	1	Or.	...	...	...	...	5.8.
" 24	5225	"	"	"	...	...	...	...	5.8.
" 24	5225	"	"	Ke.	a+5.5, b+4	...	...	...	Ruddy.
" 25	5226	"	"	Or.	...	...	...	...	5.8.
" 26	5227	"	"	Ke.	a+5, b+3½				
" 28	5229	"	"	Or.	...	...	...	...	5.8.
" 29	5230	"	"	Ke.	a+5½, b+4	...	...	...	Slightly yellow
" 29	5230	"	"	Ma.	a+8, b+4				
" 30	5231	"	"	"	a+8, b+4				
" 30	5231	"	"	Or.	...	...	...	...	5.8.
Aug. 1	5233	"	2	Ke.	a+6, b+5	...	...	...	Slightly yellow.
" 4	5236	"	3	Or.	...	...	...	...	>6.5.
" 5	5237	"	1	"	...	...	...	...	>6.0.
" 13	5245	"	2	Ma.	a+9, b+4				
" 16	5248	"	1	Wl.	b+4				
" 17	5249	"	2	Ma.	a+7, b+2				
" 18	5250	"	1	"	a+8, b+4				
" 18	5250	"	"	Wl.	b+4				
" 18	5250	"	2	Or.	...	...	...	...	>6.5.
" 19	5251	"	"	Ke.	a+4.5, b+4.5	...	...	...	Slightly ruddy.
" 20	5252	"	1	Wl.	b+5				
" 22	5254	"	"	"	b+5				
" 22	5254	"	"	Or.	...	...	...	...	5.5±.
" 22	5254	"	"	Ma.	a+8, b+4				
" 24	5256	"	"	"	a+8, b+5				
" 24	5256	"	"	Or.	...	...	...	...	5.5?
" 26	5258	"	"	Ma.	a+8, b+5				
" 26	5258	"	"	Wl.	b+5				
" 28	5260	"	2	Ke.	a+5.5, b+4	...	...	...	Ruddy.
" 30	5262	"	1	Ma.	a+8, b+4				
" 30	5262	"	"	Pe.	b+1				
Sept. 2	5265	"	"	Or.	...	...	...	...	5.5±.
" 2	5265	"	2	Ma.	a+8, b+5				
" 4	5267	"	"	"	a+9, b+5				
" 11	5274	T. 25	"	Pe.	a+4, b-1				

(5758) X HERCULIS—*continued*.

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deduced Mag.	Calc. Mag.	O—C.	Remarks.
1900.									
Sept. 12	5275	T.25	2	Pe.	a+4, b-1				
" 13	5276	B.	"	"	b+1				
" 14	5277	"	"	"	b+0.5				
" 14	5277	"	1	Ma.	a+7, b+2				
" 15	5278	"	"	Pe.	b+1				
" 18	5281	"	2	Ke.	a+4, b+2				
" 20	5283	"	1	Pe.	b+2				
" 21	5284	"	"	"	b+2				
" 22	5285	"	2	"	b-1				
" 23	5286	"	"	"	b-1				
" 26	5289	"	"	"	=b	...	...	...	About, difficult obs.
" 28	5291	"	1	Wl.	b+5				
" 28	5291	"	"	Ma.	a+6, b+2				
" 28	5291	"	"	"					
Oct. 12	5305	"	"	"	a+4, b+2				
" 13	5306	"	"	Ke.	a+2, =b				
" 14	5307	"	"	Wl.	b+3				
" 21	5314	"	"	"	b+4				
" 22	5315	"	2	Ke.	a+2, b-1				
" 27	5320	"	1	Wl.	b+2				
Nov. 9	5333	"	"	Ke.	a+3, b+2				
" 15	5339	"	"	Wl.	b+4				
" 22	5346	"	2	Ke.	a+2.5, b-2.5				
Dec. 9	5363	"	2	"	a+5, b+3				
" 15	5369	"	"	"	a+7, b+3.5	...	...	...	Reddish. Distinctly reddish.
" 16	5370	"	1	"	a+8, b+5	...	...	...	
" 21	5375	"	2	"	a+8, b+5				
" 22	5376	"	"	"	a+6, b+3				
1901.									
Jan. 13	5298	"	"	Wl.	a+4, b-3				
" 19	5404	"	"	Ke.	a+2, b-4				
" 22	5407	"	"	"	a+2, b-8				
Feb. 12	5428	"	"	"	a+2, b-8				
" 21	5437	"	"	"	a+2, b-8				
Mar. 22	5466	"	"	"	a+2, b-8				
" 25	5469	"	2	Ch.	b-2				
Apr. 9	5484	"	1	"	a+4, b-2				
" 10	5485	"	"	"	a+4, b-2				
" 12	5487	"	"	"	a+3, b-2				
" 13	5488	"	2	"	a+4, b-2				
" 14	5489	"	1	"	a+3, b-3				
" 16	5491	"	2	Ke.	a+3, b-7				
" 18	5493	"	1	Ch.	a+4 b-3				
" 18	5493	"	"	Or.	...	...	...	...	7.0.
" 19	5494	"	"	"	a+4, b+2				
" 19	5494	"	"	Ch.	a+3, b-4				
" 20	5495	"	"	Or.	=b	...	...	...	Yellow.
" 21	5496	"	"	"	a+5, b+1				
" 21	5496	"	2	Ke.	a+4, b-3	...	...	...	Slightly red.
" 23	5498	"	1	"	a+4, b-4				

(5758) X HERCULIS—*continued.*

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deducted Mag.	Calc. Mag.	O-O	Remarks.
1901.									
Apr. 23	5498	B.	1	Ch.	a + 4, b - 3				
May 6	5511	T.30	"	"	a + 4, b - 3				
" 6	5511	B.	2	Or.	...	...	...	...	6.4.
" 11	5516	"	1	Ma.	a + 3, b - 5				
" 13	5518	T.30	"	Ch.	a + 4, b - 2				
" 14	5519	B.	"	Ma.	a + 3, b - 7				
" 15	5520	"	2	"	a + 2.5, b - 8				
" 16	5521	"	"	"	a + 2, b - 8				
" 18	5523	"	"	"	a + 2.5, b - 9				
" 19	5524	T.30	1	Ch.	a + 3, b - 3				
" 20	5525	B.	2	Ma.	a + 3, b - 6				
" 21	5526	"	1	"	a + 3, b - 6				
" 22	5527	"	2	"	a + 3, b - 7				
" 25	5530	"	"	"	a + 2, b - 7				
" 25	5530	"	1	Ke.	a + 3, b - 6				
June 10	5546	T.30	"	Ch.	a + 3, b - 3				
" 23	5559	"	"	"	a + 3, b - 3				
July 7	5573	B.	2	Ke.	a + 4, = b	...	...	...	Reddish.
" 15	5581	"	1	Ch.	a + 8, b + 3				
" 15	5581	"	2	Ma.	a + 4, b + 1				
" 16	5582	"	"	"	a + 5, = b				
" 18	5584	"	3	"	a + 5, b + 2				
" 18	5584	"	1	Ch.	a + 3, b - 3				
Aug. 2	5599	"	2	Ma.	a + 6, b + 2				
" 4	5601	"	3	"	a + 4, b + 2				
" 4	5601	"	2	Pe.	b - 1				
" 5	5602	"	1	"	a + 4, b - 1				
" 6	5603	"	"	"	b + 1				
" 6	5603	"	2	Ke.	a + 1, b + 1				
" 7	5604	"	1	Pe.	b + 3				
" 8	5605	"	"	"	b + 3				
" 8	5605	"	"	Ch.	a + 3, b - 3				
" 8	5605	"	3	Ma.	a + 2, b - 4				
" 10	5607	"	2	"	a + 4, b - 1.5				
" 10	5607	"	"	Pe.	b + 4				
" 11	5608	"	"	"	b + 4				
" 12	5609	"	"	"	b + 4				
" 12	5609	"	"	Ke.	a + 1, = b				
" 13	5610	"	1	Pe.	b + 5				
" 14	5611	"	2	"	b + 4				
" 15	5612	"	1	"	b + 6				
" 17	5614	"	"	"	b + 4				
" 17	5614	"	"	Ma.	a + 5, b - 1				
" 18	5615	"	"	Pe.	b + 5				
" 18	5615	"	"	Ch.	b + 6				
" 19	5616	"	2	Ma.	a + 4, = b	...	...	...	Bright red.
" 20	5617	"	1	"	a + 3, = b				
" 20	5617	"	"	Pe.	b + 4				
" 21	5618	"	"	"	b - 2				
" 22	5619	"	2	"	b - 1				
" 23	5620	"	3	Ma.	a + 3, b + 1				
" 23	5620	"	2	Ke.	a + 1, = b				

(5758) X HERCULIS—*continued*.

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deducted Mag.	Calc. Mag.	O—C	Remarks.
1901. Aug. 28	5625	B.	2	Pe.	b+5				
Sept. 3	5631	"	3	Ma.	a+5, b+1				
" 4	5632	"	2	Pe.	b+6				
" 4	5632	"	"	Ke.	a+1.5, b+1.5				
" 5	5633	"	1	Ma.	a+5, b+3				
" 5	5633	"	2	Pe.	b+5				
" 7	5635	"	1	"	b+5				
" 9	5637	F.	"	Ch.	a+8, b+3				
" 14	5642	B.	"	Pe.	b+5				
" 15	5643	"	2	Ke.	a+1, b-1				
" 16	5644	"	1	Pe.	b+4				
" 18	5646	"	"	"	b-2				
" 18	5646	F.	"	Ch.	b+4				
" 19	5647	B.	"	Pe.	b-3				
" 20	5648	"	2	Ke.	a+1, b-1				
Oct. 2	5660	"	1	Ma.	a+2, b-2				
" 4	5662	"	2	Ke.	a+1, =b				
" 5	5663	"	"	"	a+1, =b				
" 5	5663	"	1	Pe.	b-4				
" 9	5667	"	2	Ke.	a+1, =b				
" 18	5676	"	"	"	a+2, =b				
" 18	5676	"	"	Ma.	a+3, b-1.5				
" 19	5677	"	1	"	a+4, b+1				
Nov. 14	5703	"	2	Ke.	a+3, b+3				
" 30	5719	"	"	"	a+5, b+3				
Dec. 4	5723	"	"	"	a+5, b+3				
" 10	5729	"	"	"	a+5, b+3				
" 18	5737	"	"	"	a+5, b+3				
1902.									
Feb. 11	5792	F.	1	Ch.	a+4, =b				
" 27	5808	T.30	2	"	a+4, b-4				
" 28	5809	F.	1	"	a+5, =b				
Apr. 3	5843	"	"	"	a+4, b-6				
" 6	5846	"	"	"	a+3, b-4				
" 13	5853	"	2	"	a+5, b-3				
" 15	5855	"	1	"	a+8, b+4				
" 23	5863	"	2	"	b+4				
" 24	5864	"	1	"	a+11, b+3				
" 27	5867	"	"	"	a+6, =b				
" 28	5868	"	3	"	a+6, =b				
" 30	5870	"	1	"	a+9, b+3				
May 2	5872	B.	"	Wl.	a+4, b-4				
" 2	5872	"	"	Ma.	a+1, b-7.5				
" 3	5873	"	"	"	=a, b-7.5				
" 3	5873	"	"	Wl.	a+4, b-4				
" 4	5874	"	"	Ma.	a+2, b-8				
" 6	5876	"	"	Wl.	a+4, b-2				
" 7	5877	"	"	"	a+3, b-5				
" 7	5877	"	"	Ma.	a+1, b-7				

(5758) X HERCULIS—*continued*.

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deducted Mag.	Calc. Mag.	O—C	Remarks.
1902.									
May 7	5877	B.	I	Ch.	a + 6, b + 3				
" 8	5878	"	"	"	a + 10, b + 4				
" 8	5878	2	"	Ma.	a + 1.5, b - 7				
" 9	5879	I	I	Wl.	a + 5, b - 3				
" 10	5880	"	"	"	a + 5, b - 3				
" 10	5880	"	"	Ma.	a + 3, b - 7				
" 12	5882	"	"	Wl.	a + 6, b - 2				
" 12	5882	T.30	"	Ch.	a + 13, b + 4				
" 13	5883	B.	"	Wl.	a + 4, b - 4				
" 13	5883	"	3	Ma.	a + 3, b - 7				
" 14	5884	"	2	Wl.	a + 6, b - 3				
" 23	5893	"	"	"	b + 3				
" 24	5894	"	"	Ma.	a + 5, b - 6				
" 25	5895	"	"	"	a + 4, b - 6				
" 25	5895	T.30	I	Ch.	a + 12, b + 8				
" 25	5895	B.	2	Wl.	b + 3				
" 26	5896	"	"	Ma.	a + 5, b - 6				
" 26	5896	T.30	I	Ch.	a + 2, b - 4				
" 27	5897	"	"	"	a + 14, b + 6	...	...	...	Very bright.
" 28	5898	B.	"	Wl.	b + 2				
" 31	5901	"	"	"	b + 2				
June 24	5925	"	2	Ma.	a + 7, b + 4	...	...	...	Date doubtful.
" 26	5927	"	"	"	a + 5, b + 2				
" 26	5927	T.30	I	Ch.	a + 5, b - 3				
" 29	5930	"	"	"	a + 7, b + 2				
July 2	5933	"	"	"	a + 9, b + 3				
" 3	5934	B.	2	Ma.	a + 6, b + 3				
" 6	5937	"	"	"	a + 6, b + 3				
" 11	5942	"	"	"	a + 7, b + 4				
" 23	5954	"	3	"	a + 5, b + 2				
" 27	5958	"	2	"	a + 5, b + 2				
Aug. 1	5963	"	"	"	a + 6, b + 2				
" 14	5976	"	"	"	a + 5, b + 2	...	...	...	Difficult.
" 25	5987	"	I	"	a + 4, b - 1				
Sept. 26	6019	"	"	"	a + 8, b + 5				
Oct. 8	6031	F.	"	Ch.	a + 4, b + 4				
" 10	6033	B.	3	"	b + 4				
" 14	6037	F.	I	"	a + 11, b + 4				
" 21	6044	B.	2	Ma.	a + 2, = b				
" 26	6049	"	I	"	a + 3, b - 2				
" 27	6050	"	2	"	a + 1, b - 2.5				
Nov. 4	6058	"	I	"	a + 5, b + 3				
" 12	6066	"	"	Ch.	a + 4, b - 5				
" 28	6082	"	3	"	a + 12, b + 4				
1903.									
May 2	6237	"	I	Wl.	a + 3, b - 3				
" 30	6265	"	"	"	a + 4, b - 3				
" 31	6266	"	"	"	a + 4, b - 3				
" 31	6266	"	"	Ma.	a + 1, b - 6.5				



(5758) X HERCULIS—*continued.*

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deducted Mag.	Calc. Mag.	O-C.	Remarks.
1903.									
June 2	6268	B.	2	Wl.	a+3, b-5				
" 16	6282	"	1	"	a+5, b-2				
" 17	6283	"	"	"	a+5, b-3				
" 20	6286	"	"	"	a+5, b-3				
" 23	6289	"	"	"	a+5, b-3				
" 25	6291	"	"	"	b+2				
July 26	6322	"	"	Ma.	a+5, b+1				
Aug. 21	6348	"	"	"	a+1, b-3				
1904.									
Jan. 15.	6495	F.9	...	B.	=a, b-5, e+2				
Apr. 6	6577	B.	1	Ma.	a+2, b-10				
" 15	6586	F.9	...	B.	a+3, b-9, f+1, e+1				
May 2	6603	B.	1	Ma.	a+7, b-3				
" 3	6604	F.9	...	B.	a+3, =b, d+5, f+2, e+2				
" 10	6611	"	...	B.	a+4, =b, d+9, e+2, f+1				
" 18	6619	B.	1	Ma.	a+6, b-3				
June 5	6637	"	2	"	a+8, b-3				
" 16	6648	F.9	...	B.	a+8, b-1				
July 6	6668	"	...	"	a+4, b-4, e+2, f+1				
" 8	6670	B.	2	Ma.	a+3, b-1				
" 12	6674	"	1	"	a+2, b-2				
" 16	6678	"	"	"	a+2, b-1.5				
" 20	6682	"	2	"	a+2, b-5				
Aug. 3	6696	"	1	"	a+2, b-2				
" 12	6705	"	3	"	a+3, b+1				
" 12	6705	F.9	...	B.	a+4, b-3, e+1, f+2				
" 14	6707	B.	1	Ma.	a+3, b+1				
" 17	6710	"	"	"	a+5, =b				
" 28	6721	"	"	"	a+7, b+5				
" 29	6722	"	"	"	a+7, b+5				
" 30	6723	"	"	"	a+6, b+4				
Sept. 3	6727	"	"	"	a+6, b+4				
" 14	6738	"	"	"	a+5, b+4				
" 16	6740	"	3	"	a+5, b+4				
" 29	6753	"	2	"	a+5, b+1				
Oct. 7	6761	"	"	"	a+7, b+5				
" 11	6765	"	1	"	a+5, b+2				
" 29	6783	"	"	"	a+6, b+4				
Nov. 7	6792	F.9	...	B.	a+7, b+1, e+2, f+1, e+1				
Dec. 2	6817	"	...	"	{ a+8, b-2 } { a+9, b-1 }	...	...	...	{ Obs. made with powers 9 and 80.
" 14	6829	T.80	...	"	a+8, b-2				
" 18	6833	F.9	...	"	a+10, b-2, c+2, f+1, e+1				

## (5955) R DRACONIS.

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deducted Mag.	Calc. Mag.	O-C.	Remarks.
1900.									
Apr. 28	5138	T.28	I	Ma.	=19	11.0	10.1	+ .9	
May 17	5157	"	3	"	...	...	10.5	...	Invisible < 10.9.
Aug. 5	5237	"	"	"	...	...	11.4	...	" < 10.9.
Sept. 14	5277	"	I	"	4-2.5	8.5	9.0	- .5	
" 21	5284	T.25	"	Pe.	1-6, 4+3, 9+8	7.9	8.6	.7	
" 28	5291	T.28	"	Ma.	2-5	7.9	8.2	.3	
Oct. 2	5295	T.	2	Or.	=2	7.4	8.1	.7	About.
" 12	5305	B.	"	"	=2	7.4	7.8	.4	"
" 12	5305	"	I	Ma.	1-3, 2+3	7.2	7.8	.6	
" 15	5308	...	...	Or.	1-3, 2+3	7.2	7.7	.5	Warm tint.
" 18	5311	B.	I	Ma.	=2	7.4	7.7	.3	
" 21	5314	T.	"	Or.	2+1	7.3	7.7	.4	
" 26	5319	B.	"	Ma.	1-3, 2+3	7.2	7.7	.5	
" 27	5320	T.	"	Or.	2+1	7.3	7.7	.4	
Nov. 17	5341	T.28	"	Ma.	4+6.5	7.6	8.2	.6	
Dec. 15	5369	T.	2	Or.	9-1, 12+2	9.2	9.3	.1	
" 19	5373	T.28	I	Ma.	9-2, 12+2	9.2	9.5	-.3	
1901.									
Jan. 14	5399	"	"	"	16-5	10.7	10.7	0	
" 15	5400	B.	"	Or.	...	...	10.8	...	Invisible.
Feb. 11	5427	T.	"	"	...	...	11.8	...	Invisible < 11.6.
May 14	5519	T.28	"	Ma.	12-5, 16+2.5	9.9	9.2	+ .7	
" 16	5521	"	"	"	12-6, 18+6	10.0	9.1	.9	
" 18	5523	"	2	"	12-2	9.6	9.0	.6	
" 20	5525	"	"	"	=9	9.1	8.9	.2	
" 22	5527	"	"	"	9+1, 12+2	9.1	8.8	.3	
" 25	5530	"	"	"	9+3	8.8	8.6	+ .2	
July 10	5576	"	3	"	4+5	7.8	7.9	-.1	
" 15	5581	"	2	"	4+4	7.9	8.0	.1	
" 18	5584	"	3	"	4+3	8.0	8.1	.1	
" 28	5594	T.30	2	Ch.	3+3, 4+6	7.7	8.4	.7	
Aug. 2	5599	T.28	"	Ma.	4+2	8.1	8.7	.6	
" 6	5603	T.30	I	Ch.	4+3	8.0	8.9	.9	
" 8	5605	T.28	2	Ma.	4-5	8.8	8.9	.1	
" 8	5605	T.	I	Pe.	4-5, 9+6, 12+8	8.6	8.9	.3	
" 10	5607	T.28	"	Ma.	4-3	8.6	9.0	-.4	
" 13	5610	T.30	"	Ch.	=10	9.2	9.1	+ .1	Reddish.
" 14	5611	T.	2	Pe.	4-6, 12+3	9.0	9.2	-.2	
" 15	5612	"	I	"	4-7, 12+2	9.1	9.2	.1	
" 17	5614	T.28	"	Ma.	4-7.5, 12+2	9.1	9.3	.2	
" 17	5614	T.30	"	Ch.	9+5, 10+2, 12+8	8.7	9.3	.6	
" 20	5617	T.28	"	Ma.	9+1	9.0	9.5	.5	
" 20	5617	T.	"	Pe.	4-6, 12+2	9.0	9.5	.5	

(5955) R DRACONIS—*continued.*

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deducted Mag.	Calc. Mag.	O—C	Remarks.
1901.									
Aug. 22	5619	T.	2	Pe.	4-8, 12+4	9.0	9.6	.6	
" 23	5620	T.28	3	Ma.	9-2, 12+2	9.2	9.6	.4	
Sept. 3	5631	"	"	"	9-8, 16+4	9.8	10.2	.4	
" 4	5632	T.30	1	Ch.	12-5, 13-4, 16-2, 17+2, 18+6	10.1	10.2	.1	Red.
" 5	5633	T.	1	Pe.	16-2	10.4	10.7	.3	
" 7	5635	"	"	"	16-4	10.6	10.8	.2	
" 9	5637	T.30	1	Ch.	16-3, =17, 18+3	10.4	10.4	0	Red.
" 13	5641	T.	"	Pe.	16-6	10.8	10.6	+.2	
" 15	5643	T.30	"	Ch.	17-2, =18, 19+3	10.6	10.7	-.1	
" 18	5646	T.	"	Pe.	22-4	12.0	10.8	+1.2	About.
Oct. 2	5660	T.28	2	Ma.	...	...	11.4	...	Invisible < 10.2.
" 3	5661	T.60	1	Ch.	=17, 18+2, 20+3	10.6	11.5	-.9	
" 18	5676	T.90	3	"	27+5	11.5	11.9	-.4	
Dec. 8	5727	T.95	1	"	=27	12.0	11.5	+.5	
" 16	5735	T.160	"	"	17-5, 22+2, 27+5	11.3	11.1	.2	
" 26	5745	"	"	"	17-5, 18-5, 19-3, =20	11.1	10.5	.6	
" 27	5746	T.95	"	"	17-6, 19-3, 20+2, 22+4	11.1	10.5	.6	
1902.									
Jan. 4	5754	"	"	"	16-4, 17-3, 18-2, 19+1	10.7	9.9	.8	
" 5	5755	"	"	"	16-4, 17-2, 18-1, =19	10.7	9.9	.8	
" 31	5781	"	"	"	4-3, 9+5, 12+8	8.6	8.3	+.3	
Feb. 9	5790	"	"	"	2-4, 4+3	7.9	8.0	-.1	Yellowish white.
" 27	5808	"	2	"	2-3	7.7	7.7	0	
" 28	5809	"	3	"	2-6	8.0	7.7	+.3	
Mar. 25	5834	"	2	"	4+4	7.9	8.2	-.3	
Apr. 3	5843	"	3	"	4+4	7.9	8.6	.7	
" 13	5853	"	2	"	4-4, 9+4, 12+8	8.6	9.0	.4	
" 18	5858	"	1	"	4-6, 9+3, 12+5	8.8	9.2	.4	
" 23	5863	"	"	"	4-4, 9+4, 12+5	8.7	9.5	.8	
" 27	5867	"	"	"	10+3, 12+4, 13+5	9.0	9.7	.7	
May 5	5875	"	"	"	=9, 12+4, 16+6	9.2	10.1	.9	
" 8	5878	"	"	"	9-4, =12, 16+3	9.6	10.2	.6	
" 8	5878	T.28	"	Ma.	12-6, 16+2	10.0	10.2	.2	
" 10	5880	"	"	"	12-4, 16+4	9.8	10.3	.5	
" 13	5883	"	2	"	12-4, 16+4	9.8	10.4	.6	
" 24	5894	"	"	"	=18	10.6	10.9	.3	About.
" 25	5895	T.95	1	Ch.	16-2, =17	10.4	11.0	.6	
" 27	5897	"	"	"	17-3, 18-2	10.8	11.1	.3	
June 24	5925	T.28	2	Ma.	...	...	12.0	...	Invisible < 9.4.
July 3	5934	"	1	"	...	...	12.1	...	"
" 6	5937	T.95	"	Ch.	=22, 27+4	11.6	12.2	-.6	

(5955) R DRACONIS—*continued.*

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deducted Mag.	Calc. Mag.	O—C.	Remarks.
1902. Aug. 25	5987	T.95	I	Ch.	=19	11'0	10'8	+ '2	
Sept. 4	5997	T.	...	Co.	...	9'8	10'1	- '3	
" 21	6014	"	...	"	...	9'5	9'0	+ '5	
" 28	6021	"	...	"	...	8'8	8'6	'2	
Oct. 4	6027	"	...	"	...	8'5	8'3	+ '2	
" 8	6031	T.95	I	Ch.	4+6	7'7	8'1	- '4	
" 10	6033	"	"	"	4+8	7'5	8'1	'6	
" 14	6037	"	"	"	=2	7'4	7'9	'5	
" 21	6044	"	"	"	1-4, 2+3	7'2	7'7	'5	
" 21	6044	T.28	"	Ma.	1-3, 2+1	7'3	7'7	- '4	Bright, warm tint.
" 21	6044	T.	...	Co.	...	7'8	7'7	+ '1	
" 26	6049	T.28	I	Ma.	2+1	7'3	7'7	- '4	
" 30	6053	T.	...	Co.	...	7'6	7'7	- '1	
Nov. 1.	6055	T.95	I	Ch.	1-2, b+1	7'1	7'7	- '6	
" 7	6061	T.	...	Co.	...	7'5	7'8	'3	
" 15	6069	"	...	"	...	7'6	7'9	'3	
" 21	6075	"	...	"	...	8'0	8'1	'1	
" 28	6082	"	...	"	...	7'8	8'3	'5	
Dec. 24	6108	"	...	"	...	8'5	9'4	'9	
" 31	6115	"	...	"	...	9'5	9'8	'3	
1903. Jan. 23	6138	"	I	"	=18	10'6	10'8	'2	Doubtful.
Feb. 1	6147	"	2	"	18-4	11'0	11'2	'2	"
" 13	6159	"	I	"	=19	11'0	11'7	'7	
" 17	6163	T.28	I	Ma.	...	...	11'8	...	Invisible.
" 21	6167	T.	2	Co.	20-3	11'5	11'9	'4	
" 28	6174	"	"	"	20-3	11'5	12'1	'6	
Mar. 3	6177	T.28	I	Ma.	...	..	12'1	...	Invisible.
" 16	6190	T.	...	Co.	20-6	11'8	12'2	- '4	
" 28	6202	"	...	"	33+1	12'8	12'1	+ '7	
Apr. 2	6207	"	...	"	33+1	12'8	11'9	+ '9	
" 11	6216	"	...	"	20-3	11'5	11'6	- '1	
" 24	6229	"	...	"	19+1	10'9	11'0	- '1	
May 15	6250	"	...	"	16-3	10'5	9'6	+ '9	Doubtful obs.
" 24	6259	"	...	"	=12	9'4	9'1	+ '3	
June 21	6287	"	...	"	...	7'0	7'8	- '8	Approximate.
July 2	6298	"	...	"	...	6'8	7'7	'9	"
" 23	6319	"	...	"	...	7'5	8'1	'6	"
Aug. 25	6352	"	...	"	9-1'5, 12+1'5	9'2	9'4	'2	
" 25	6352	T.28	I	Ma.	9+2	8'9	9'4	'5	
Sept. 2	6360	T.	...	Co.	9-1'5, 12+1'5	9'2	9'8	- '6	
" 12	6370	"	...	"	19+1	10'9	10'2	+ '7	
" 18	6376	"	...	"	18-2, 19+2	10'8	10'5	'3	

(5955) R DRACONIS—*continued.*

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deducted Mag.	Calc. Mag.	O—O	Remarks.
1903.									
Sept. 20	6378	T.	I	Or.	...	...	10.6	...	Invisible < 9.8.
" 25	6383	"	...	Co.	19-2	11.2	10.8	.4	
Oct. 15	6403	"	...	"	33-3	13.2	11.6	1.6	
" 25	6413	"	...	"	33-3	13.2	11.9	1.3	
Nov. 6	6425	T.28	I	Ma.	...	...	12.1	...	Invisible < 9.4.
" 14	6433	T.	...	Co.	...	...	12.2	...	" < 13.5.
1904.									
Jan. 10	6490	"	...	"	...	...	10.0	...	" < 11.2.
" 13	6493	"	...	"	...	12.5	9.8	2.7	
" 14	6494	T.28	I	Ma.	...	...	9.7	...	Invisible < 10.2.
" 22	6502	T.	...	Co.	...	...	9.2	...	"
Feb. 6	6517	"	...	"	18-1.5, 19+1.5	10.8	8.3	2.5	
" 13	6524	T.28	I	Ma.	12-5, 16+2.5	9.9	8.1	1.8	
Mar. 10	6550	T.	...	Co.	9-2, 12+2	9.2	7.7	1.5	
" 21	6561	"	...	"	9-1	9.2	8.0	1.2	
Apr. 6	6577	"	...	"	12-4, 16+4	9.8	8.4	1.4	
" 10	6581	T.28	I	Ma.	12-5, 16+2.5	9.9	8.6	1.3	
" 12	6583	"	"	"	16-2, 18+2	10.4	8.7	1.7	
" 20	6591	"	2	"	=16	10.2	9.1	1.1	
" 25	6596	T.	...	Co.	16-2, 18+2	10.4	9.3	1.1	
May 3	6604	T.28	I	Ma.	18-3	10.9	9.7	+1.2	
" 18	6619	"	"	"	...	...	10.4	...	Glimpsed < 10.5.
" 18	6619	T.	...	Co.	20-3	11.5	10.4	+1.1	
June 3	6635	"	...	"	...	...	11.1	...	Invisible.
" 3	6635	T.28	I	Ma.	...	...	11.1	...	" < 10.6.
July 5	6667	T.	...	Co.	...	...	12.1	...	" < 13.2.
Aug. 28	6721	"	...	"	...	...	11.0	...	" < 13.2.
Sept. 3	6727	T.28	I	Ma.	...	...	10.6	...	"
" 3	6727	T.	...	Co.	33+7	12.2	10.6	1.6	
" 14	6738	T.28	I	Ma.	16-5	10.7	9.9	.8	
" 15	6739	"	"	"	=18	10.6	9.8	.8	
" 16	6740	"	2	"	16-2, 18+2	10.4	9.7	.7	
Oct. 3	6757	T.	...	Co.	12-3	9.7	8.6	1.1	
" 11	6765	T.28	I	Ma.	4-7, 12+3.5	9.0	8.2	.8	
" 29	6783	"	"	"	4-2, 6+5	8.1	7.7	.4	
" 29	6783	T.	...	Co.	...	7.8	7.7	.1	Very doubtful obs.
Nov. 12	6797	"	"	"	4-4, 9+4	8.7	7.8	.9	
" 14	6799	T.28	I	Ma.	4-5.5, 12+5.5	8.8	7.8	1.0	
Dec. 5	6820	T.	...	Co.	9+2	8.9	8.4	+ .5	

## (6044) S HERCULIS.

## NOTE.

Data for mean curve:—Period, 308 d.  $M-m$ , 152 d. Variation, 6·7 m. to 12·3 m.

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deducted Mag.	Calc. Mag.	C-O	Remarks.
1899. Sept. 11	4909	B.	I	Ma.	...	7·0	6·8	+ ·2	Estimated.
1900. July 3	5204	T.28	2	„	=6	8·8	6·9	1·9	
„ 15	5216	B.	„	Or.	...	6·7	...	...	Invisible < 7·0.
„ 18	5219	T.15	„	Ki.	2-9, 5+5, 4+3	7·8	6·7	1·1	
„ 23	5224	B.	I	Or.	=2	6·9	6·7	·2	About.
„ 24	5225	„	„	„	=2	6·9	6·8	·1	„
„ 24	5225	„	„	Ma.	=2	6·9	6·8	·1	
„ 28	5229	„	„	Or.	=2	6·9	6·8	+ ·1	About.
„ 29	5230	„	„	Ma.	1-3, 2+2	6·7	6·8	- ·1	
„ 29	5231	T.28	2	„	=2	6·9	6·8	+ ·1	Ruddy.
„ 30	5231	T.	I	Or.	=2	6·9	6·8	+ ·1	
Aug. 5	5237	T.28	3	Ma.	1-2·5, c+3	6·5	6·9	- ·4	Ruddy.
„ 5	5237	B.	I	Or.	1-3, 2+3	6·7	6·9	·2	
„ 12	5244	T.15	2	Ki.	1-4, 2+3·5, c+5	6·5	7·1	·6	
„ 13	5245	„	„	„	1-4, 2+4, 3+9	6·7	7·1	·4	
„ 13	5245	T.B.	„	Ma.	1-5	6·9	7·1	·2	
„ 14	5246	T.28	„	„	1-2·5	6·7	7·1	·4	Ruddy.
„ 15	5247	B.	„	„	1-3·5	6·8	7·1	·3	
„ 15	5247	T.15	2	Ki.	1-5·5, 2+6	6·6	7·1	·5	
„ 17	5249	T.28	I	Ma.	1-4	6·8	7·2	·4	Slightly ruddy.
„ 18	5250	B.	2	„	1-3·5	6·8	7·2	·4	
„ 21	5253	T.15	I	Ki.	1-6·5, 2+3, 3+10	6·6	7·3	·7	
„ 22	5254	T.28	„	Ma.	1-5, 2+2	6·8	7·3	·5	
„ 22	5254	B.	„	Or.	1-3	6·7	7·3	·6	About.
„ 23	5255	T.28	„	Ma.	=2	6·9	7·3	·4	
„ 24	5256	„	„	„	2-1·5	7·1	7·4	·3	
„ 25	5257	„	„	„	=2, 3+2	7·2	7·4	·2	
„ 26	5258	B.	„	„	=2	6·9	7·4	·5	
„ 30	5262	T.28	„	„	2-2·5	7·2	7·6	·4	
Sept. 2	5265	„	2	„	2-2·5, 3-1	7·4	7·6	·2	
„ 2	5265	B.	I	Or.	1-7	7·1	7·6	- ·5	About.
„ 12	5275	T.28	2	Ma.	5-1, 4+2	8·2	8·0	+ ·2	
„ 14	5277	„	I	„	3-7, 4+1	8·1	8·1	0	
„ 23	5286	T.33	„	Or.	...	8·6	...	...	Invisible.
„ 28	5291	T.28	„	Ma.	6-1	8·9	8·8	+ ·1	
Oct. 18	5311	„	2	„	10+2	10·3	9·9	·4	
„ 27	5320	„	I	„	=10	10·5	10·4	+ ·1	
1901. Mar. 25	5469	T.30	2	Ch.	1-4	6·8	8·6	- 1·8	
Apr. 21	5496	„	I	„	6-1	8·9	7·4	+ 1·5	
„ 21	5496	T.	„	Or.	6-3	9·1	7·4	1·7	About.



## (6044) S HERCULIS—continued.

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deducted Mag.	Calc. Mag.	O—C.	Remarks.
1901.									
May 12	5517	T.28	2	Ma.	=3	7.6	6.8	.8	
" 15	5520	"	"	"	=3, 4+5	7.6	6.8	.8	
" 16	5521	"	"	"	5+1	8.2	6.8	1.4	
" 20	5525	"	"	"	3+1.5	7.5	6.7	.8	
" 22	5527	"	1	"	2-3.5, 3+3.5	7.3	6.7	.6	
" 25	5530	"	2	"	4+1	8.0	6.8	1.2	
June 8	5544	T.30	1	Ch.	e-3, 3+3	7.2	7.0	.2	
July 15	5581	T.28	2	Ma.	6-1	8.9	8.2	.7	
" 16	5582	T.30	1	Ch.	=5, 4-3	8.4	8.2	+ .2	
" 18	5584	"	"	"	5-2, 6+3	8.5	8.2	+ .2	
" 18	5584	T.28	3	Ma.	6-2	9.0	8.3	.7	
" 22	5588	T.30	1	Ch.	5-4, 7+3	8.6	8.5	+ .1	
" 27	5593	"	2	"	5-3, 1+3	8.7	8.8	- .1	
Aug. 2	5599	T.28	"	Ma.	=6	8.8	9.1	.3	
" 6	5603	"	"	"	6-3	9.1	9.3	- .2	
" 6	5603	T.30	1	Ch.	6-4, =m	9.3	9.3	0	
" 8	5605	"	"	"	=m	9.4	9.4	0	
" 8	5605	T.28	2	Ma.	7-3	9.2	9.4	- .2	
" 10	5607	"	1	"	6-5, 9+5	9.4	9.5	.1	
" 13	5610	T.30	"	Ch.	7-4, 8+3, 10+6	9.6	9.7	.1	Brilliant red.
" 17	5614	T.28	2	Ma.	6-5, 9+5	9.4	9.8	- .4	
" 18	5615	T.30	1	Ch.	=8, 9+2	10.0	9.9	+ .1	
" 20	5617	T.120	"	Ma.	10+2	10.3	10.1	+ .2	
" 23	5620	T.28	3	"	6-14, 10+3.5	10.2	10.2	0	
Sept. 3	5631	T.120	3	"	=10	10.5	10.8	- .3	
" 4	5632	T.60	1	Ch.	8-2, 9-2, 10+3, 12+4, 14+2	10.2	10.9	.7	
" 9	5637	"	"	"	9-3, 10+3, 11+3, 13+3, 15+4, 16+5	10.4	11.1	.7	
" 13	5641	T.28	3	Ma.	=10	10.5	11.3	.8	
" 15	5643	T.60	1	Ch.	10-1, 13+2, 15+4, 16+5	10.6	11.3	.7	
Oct. 2	5660	T.28	"	Ma.	...	...	12.0	...	Invisible < 10.5.
" 3	5661	T.60	"	Ch.	10-4, 13-4, 17-2, =18	11.2	12.0	.8	
" 7	5665	"	"	"	10-8, 18-3, =20, 22+2	11.5	12.1	- .6	
" 19	5677	T.90	2	"	...	...	12.3	...	< 11.8.
1902.									
Apr. 18	5858	T.95	"	"	5+4, 4+2	7.9	7.2	+ .7	
" 23	5863	"	1	"	4-4, 5-2, 7+4	8.5	7.4	1.1	
" 27	5867	"	2	"	4-3, 5+2	8.3	7.5	.8	Red.
May 8	5878	"	1	"	=5, 6+2, 7+5	8.4	7.9	.5	
" 10	5880	T.28	"	Ma.	6+1.5	8.6	8.0	.6	
" 25	5895	"	"	"	6-3	9.1	8.7	.4	
" 25	5895	T.95	"	Ch.	5-5, 6-2, =7	8.9	8.7	.2	
" 26	5896	"	"	"	6-3, 7+2	8.9	8.7	+ .2	
June 26	5927	T.28	3	Ma.	10+1	10.4	10.4	0	

(6044) S HERCULIS—*continued.*

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deducted Mag.	Calc. Mag.	$\frac{C}{O}$	Remarks.
1902.									
July 3	5934	T.28	I	Ma.	10-1	10'6	10'7	- '1	
" 11	5942	"	2	"	10-1	10'6	11'1	'5	
" 27	5958	"	I	"	10-5	11'0	11'7	'7	
" 29	5960	T.95	"	Ch.	=8, 10+3	10'1	11'8	1'7	
Aug. 1	5963	T.28	"	Ma.	10-5	11'0	11'9	- '9	
" 25	5987	"	"	"	...	...	12 3	...	Invisible.
Oct. 26	6049	"	"	"	=10	10'5	10'2	+ '3	
1903.									
Aug. 25	6352	"	"	"	10+2	10'3	10'3	0	
1904.									
May 18	6619	"	"	"	10-5	11'0	11'9	- '9	
July 8	6670	"	"	"	8+1	10'0	9'5	+ '5	
" 12	6674	"	"	"	5-7'5, 6+2	8'8	9'1	- '3	
" 16	6678	"	"	"	5-2	8'5	8'9	- '4	
Aug. 1	6694	"	"	"	5-2'5, 6+2'5	8'5	8'1	+ '4	Ruddy.
" 6	6699	"	"	"	5-2'5, 6+2'5	8'5	7'8	'7	
" 8	6701	"	"	"	5-1'5, 6+4'5	8'4	7'8	+ '6	
" 12	6705	"	"	"	=5	8'3	7'6	+ '7	Ruddy.
" 14	6707	"	"	"	=5	8'3	7'5	'8	
" 17	6710	"	"	"	=5	8'3	7'4	'9	
" 28	6721	"	"	"	=3	7'6	7'0	'6	
" 29	6722	"	"	"	4+1, 5+2	8'1	7'0	1'1	
" 30	6723	"	"	"	3-3, 4+1	7'9	7'0	'9	
Sept. 3	6727	"	"	"	3-3'5, 5+3'5	8'0	6'9	1'1	Ruddy.
" 14	6738	"	"	"	=3	7'6	6'7	'9	Warm tint.
" 16	6740	"	2	"	3-6, 5+2	8'2	6'7	1'5	
Oct. 3	6757	"	I	"	3-2'5, 4+2'5	7'8	6'9	'9	Ruddy.
" 7	6761	"	"	"	3-4, 4+1	8'0	7'0	1'0	
" 11	6765	"	"	"	3-5, 4+2, 5+4	8'0	7'1	'9	
" 29	6783	"	"	"	3-10, 4+1, 5+2	8'2	7'6	'6	Ruddy.
Nov. 14	6799	"	2	"	5-3, 7+3	8'6	8'2	+ '4	

## (6512) T HERCULIS.

## NOTE.

Data for mean curve:—Period, 165 d.  $M-m$ , 79 d. Variation, 7.7 m.  
to 11.3 m.

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deducted Mag.	Calc. Mag.	O-C	Remarks.
1900.									
Aug. 17	5249	T.28	1	Ma.	29+1	10.9	9.2	+1.7	Invisible < 90.
" 22	5254	B.	"	Or.	...	...	8.9	...	
" 24	5256	T.28	"	Ma.	29+2	10.8	8.8	2.0	
" 25	5257	"	"	"	29+4	10.6	8.7	1.9	
" 30	5262	"	"	"	=1	9.2	8.5	.7	
Sept. 2	5265	"	2	"	=8	8.7	8.4	+ .3	It is doubtful if this obs. is correct.
" 12	5275	"	3	"	6+1	7.7	8.0	- .3	
" 14	5277	"	1	"	4-2, 14-1	8.5	7.9	+ .6	
" 15	5278	T.25	"	Pe.	4-2, 6-4, 14+5	8.2	7.9	+ .3	
" 19	5282	B.	"	Ma.	=6	7.8	7.8	0	
" 20	5283	T.25	"	Pe.	6-2, 14+7	8.4	7.8	+ .6	Doubtful obs.
" 21	5284	"	"	"	4-3, 6-2, 14+8	8.0	7.7	+ .3	
" 26	5289	B.	2	"	4-2, 3-6	7.3	7.7	- .4	
" 27	5290	"	"	Ma.	=6	7.8	7.7	+ .1	
" 28	5291	T.28	1	"	6-2	8.0	7.7	.3	
" 29	5292	T.	"	Or.	4-5	7.7	7.2	.5	
Oct. 12	5305	B.	"	Ma.	...	...	7.9	...	Invisible < 7.2.
" 18	5311	T.28	"	"	8+4, 10+4	8.4	8.2	.2	Very doubtful obs.
" 21	5314	B.	"	Pe.	14-5	9.9	8.3	1.6	
" 21	5314	T.	1	Or.	14+3	9.1	8.3	.8	
" 26	5319	"	2	"	=14	9.4	8.5	.9	
" 27	5320	"	1	"	10-4, 14+2	9.3	8.6	.7	
" 27	5320	T.28	2	Ma.	=14	9.4	8.6	.8	
Nov. 17	5341	"	"	"	=29	11.0	10.0	1.0	About; suspected only.
" 25	5349	T.	1	Or.	=31	11.2	10.5	.7	About; doubtful.
1901.									
Apr. 10	5485	"	"	"	14-3	9.7	8.6	1.1	Approximate.
" 15	5490	"	"	"	14-5	9.9	8.9	1.0	About.
" 18	5493	"	"	"	14-10, 31+3	10.7	9.1	1.6	*
" 18	5493	T.60	"	Ch.	31+3	10.9	9.1	1.8	
" 21	5496	T.30	"	"	...	10.5±	9.3	+1.2	Just visible, 14 well seen.
May 18	5523	T.28	1	Ma.	...	10.5±	10.9	- .4	Just glimpsed.
" 20	5525	T.30	"	Ch.	14-5	9.9	11.0	-1.1	About.
" 22	5527	T.28	2	Ma.	=31	11.2	11.1	+ .1	
July 15	5581	"	"	"	3-14, 14+14	8.1	9.1	-1.0	Very doubtful obs.
" 15	5581	T.30	1	Ch.	14+3	9.1	9.1	0	
" 18	5584	"	"	"	=10, 14+3	9.0	8.9	+ .1	
" 22	5588	"	"	"	=10	8.9	8.7	+ .2	
" 27	5593	"	2	"	5-2, 8+3	8.3	8.4	- .1	
" 28	5594	"	"	"	8+4	8.3	8.4	- .1	

(6512) T HERCULIS—*continued.*

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deducted Mag.	Calc. Mag.	O—C.	Remarks.
1901.									
Aug. 6	5603	T.30	1	Ch.	4-6, 6-4	8.0	8.0	0	Date uncertain.
" 7	5604	F.	"	Pe.	6-4, 8+5	8.2	8.0	+ .2	
" 8	5605	"	"	"	6-1, 8+8	7.9	8.0	- .1	
" 8	5605	T.30	"	Ch.	4-3, =6	7.6	8.0	- .4	
" 8	5605	T.28	2	Ma.	4-5	7.7	8.0	- .3	
" 13	5610	T.30	1	Ch.	=6	7.8	7.8	0	
" 14	5611	F.	2	Pe.	4-3, 6+1	7.6	7.8	- .2	
" 15	5612	"	1	"	4-2, 6+1, 8+7	7.7	7.8	- .1	
" 17	5614	T.28	"	Ma.	=4	7.2	7.7	.5	
" 18	5615	T.30	"	Ch.	4-2, 5+3, 6+3	7.6	7.7	.1	
" 20	5617	T.28	"	Ma.	=4	7.2	7.7	.5	
" 20	5617	F.	"	Pe.	4-3, 6+1	7.6	7.7	- .1	
" 21	5618	"	2	"	6+1	7.7	7.7	0	
" 23	5620	T.28	3	Ma.	4-6.5, 6+1	7.8	7.7	+ .1	
Sept. 3	5631	"	2	"	6-3	8.1	7.9	.2	Red.
" 4	5632	T.30	1	Ch.	4-8, 5-5, 6-4, 8+4, 10+6	8.3	7.9	.4	
" 5	5633	T.	"	Pe.	6-2, 8+4	8.2	7.9	.3	Very dull red.
" 9	5637	T.30	"	Ch.	5-6, 6-6, 8+2, 10+3	8.6	8.1	.5	
" 13	5641	T.28	2	Ma.	8+1	8.6	8.2	.4	
" 15	5643	T.30	1	Ch.	=8, 10+3, 11+3, 14+5	8.7	8.3	+ .4	
" 16	5644	T.	"	Pe.	6-3, 8+2	8.3	8.3	0	
" 17	5645	"	"	"	6-5, 8+2	8.4	8.3	+ .1	Very dull red.
" 18	5646	"	"	"	6-5, 8+2	8.4	8.4	0	
" 18	5646	T.30	"	Ch.	=10, 11+1, 14+3	8.9	8.4	+ .5	
Oct. 2	5660	T.28	"	Ma.	14-2, 22+2	9.6	9.2	.4	Dull red.
" 3	5661	T.30	"	Ch.	25-1, 29+4, =27	10.7	9.3	1.4	
" 7	5665	"	"	"	22-4, 25-2, =27, 29+1	10.6	9.7	.9	
" 9	5667	T.28	"	Ma.	...	...	9.8	...	Invisible.
" 13	5671	T.20	"	LeB.	=31	11.2	10.0	1.2	
" 18	5676	T.28	"	Ma.	29-1	11.1	10.4	.7	
" 18	5676	T.60	2	Ch.	29-6, 31-5, 37+2, 39+5	11.6	10.4	1.2	About.
" 31	5689	T.90	"	"	45-3	12.7	11.0	1.7	
Nov. 3	5692	T.28	1	Ma.	...	...	11.1	...	Invisible.
Dec. 8	5727	T.95	2	Ch.	29+3	10.7	10.5	.2	
" 16	5735	"	1	"	14-3, 22+1, 25+3, 29+4	10.1	9.9	.2	
1902.									
Apr. 6	5846	"	"	"	34-8, 45-2, =46	12.5	10.7	1.8	< 11.8 < 11.0 < 11.0
" 18	5858	"	3	"	...	...	11.1	...	
" 23	5863	"	"	"	...	...	11.3	...	
" 27	5867	T.160	1	"	...	...	11.3	...	
" 28	5868	"	3	"	39-8, =52	13.0	11.3	1.7	
May 3	5873	T.67	1	Ma.	...	...	11.3	...	Invisible.
" 5	5875	T.160	2	Ch.	54+4	13.0	11.2	1.8	
" 25	5895	"	1	"	=29, 31+2	11.0	10.2	.8	
" 26	5896	"	2	"	=29, 31+1	11.0	10.1	.9	
" 27	5897	"	1	"	=26, 29+5	10.4	10.1	.3	

(6512) T HERCULIS—*continued*.

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deducted Mag.	Calc. Mag.	$\frac{C}{O}$	Remarks.
1902.									
June 24	5925	T.160	3	Ch.	=8	8.7	8.3	.4	About.
" 29	5930	"	1	"	8+3, 10+5	8.4	8.1	.3	
July 27	5958	T.28	"	Ma.	6-5.5, 10+5.5	8.4	7.8	.6	
Aug. 1	5963	"	2	"	8-1.5	8.8	7.9	.9	
" 25	5987	"	1	"	29+2	10.8	9.0	1.8	
Oct. 8	6031	T.95	2	Ch.	...	...	11.3	...	< 12.4.
" 21	6044	"	1	"	=37, 39+2	11.8	11.2	.6	
" 21	6044	T.28	2	Ma.	...	...	11.2	...	Invisible.
" 26	6049	"	1	"	...	...	10.9	...	"
" 30	6053	T.120	"	"	29-4	11.4	10.7	+ .7	
1903.									
June 2	6268	T.	"	Or.	=6	7.8	7.8	0	Invisible.
" 4	6270	B.	2	Ma.	...	...	9.5	...	
Aug. 21	6348	T.	1	Or.	3-6, 6+6	7.2	11.0	-3.8	Invisible.
" 25	6352	T.28	"	Ma.	...	...	11.2	...	
Nov. 6	6425	"	"	"	=8	8.7	8.0	+ .7	Doubtful identification.
" 17	6436	T.	1	Or.	6-8, 14+8	8.6	7.7	+ .9	
" 19	6438	T.28	"	Ma.	8+1.5	8.5	7.7	.8	
1904.									
May 4	6605	"	2	"	4-2	7.4	7.7	.7	
" 18	6619	"	1	"	=5	8.1	7.9	.2	
June 3	6635	"	2	"	=12, 19+2.5	9.4	8.6	.8	
" 7	6639	"	"	"	8-9, 19+3	9.6	8.8	+ .8	
" 22	6654	"	1	"	=14	9.4	9.8	- .4	
July 8	6670	"	"	"	29-2	11.2	10.8	+ .4	
" 12	6674	"	"	"	29-2.5, =31	11.2	10.9	.3	Difficult to see. Glimpsed. "
Aug. 1	6694	"	2	"	...	10.5±	11.3	- .8	
" 8	6701	"	1	"	...	10.5±	11.1	.6	
" 14	6707	"	"	"	...	10.5±	10.8	- .3	
" 30	6723	"	"	"	29+2.5	10.7	9.8	+ .9	
Sept. 3	6727	"	"	"	=14, 29+5	10.0	9.9	+ .1	
" 14	6738	"	2	"	8+1.5	8.5	8.8	- .3	*
" 16	6740	"	"	"	...	8.4±	8.2	+ .2	
" 29	6753	"	"	"	=4	7.2	8.1	- .9	
Oct. 3	6757	"	1	"	6-1.5	8.0	7.9	+ .1	
" 7	6761	"	"	"	4-3, 6+3	7.5	7.8	- .3	
" 11	6765	"	"	"	4-3, 6+3	7.5	7.7	.2	
" 13	6767	"	"	"	=4, 6+1	7.4	7.7	.3	
" 29	6783	"	"	"	4-1, 6-2	7.6	7.9	- .3	
Nov. 14	6799	"	"	"	=8	8.7	8.6	+ .1	

## (6733) R SCUTI.

## NOTES.

P.D.M.

Star R = 17 (U. Arg.) Scuti, 6.08 m.

The variation is somewhat irregular, and therefore columns 8 and 9 have not been completed; the residuals would be in some cases considerable.

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deducted Mag.	Calc. Mag.	O-C.	Remarks.
1899.									
July 7	4843	B.	2	Ma.	c-1, d-4	5.3			
" 16	4852	"	"	"	c-5, d-5, f+10, g+10	5.5			
" 27	4863	"	"	"	c-4, d-6	5.6			
" 31	4867	"	1	"	c-10, d-7.5, f+5	5.8			
Aug. 9	4876	"	"	"	c-5, d-6, f+7	5.6			
" 10	4877	"	"	"	c-1, d-1, f+7.5	5.2			
" 31	4898	"	"	"	c-3, d+2, f+10	5.1			
Sept. 3	4901	"	"	"	c-5, d-5, f+11	5.4			
" 4	4902	"	"	"	c-3, d-5	5.5			
1900.									
May 18	5158	"	"	Ke.	=g, h+3.5	6.7			
" 24	5164	"	"	"	f+0.5	6.1	...	...	Rather ruddy.
" 29	5169	"	"	"	f+1	6.0	...	...	Ruddy.
July 6	5207	"	2	"	=f	6.1			
" 7	5208	"	"	"	f-2.5	6.4			
" 16	5217	"	"	"	f-1	6.2			
" 17	5218	"	"	Or.	g-1	6.8			
" 18	5219	"	1	"	=g	6.7			
" 18	5219	T.15	"	Ki.	f-6, g-2	6.8			
" 19	5220	B.	"	Or.	=g	6.7			
" 23	5224	"	"	"	=g	6.7			
" 24	5225	"	"	"	=g	6.7			
" 24	5225	"	"	Ke.	f-4, h+1	6.8			
" 25	5226	"	"	Or.	=g	6.7			
" 27	5228	"	2	"	=g	6.7			
" 29	5230	"	1	Ke.	f-7.5, h+1.5	6.9			
" 30	5231	"	"	Or.	f-1.5, g+1.5	6.4			
" 30	5231	"	"	Ma.	c-10, f-1.5, g+1.5	6.3			
Aug. 1	5233	"	2	Ke.	h+1	7.0			
" 4	5236	"	"	Or.	f+2	5.9			
" 5	5237	"	1	"	f+3	5.8			
" 5	5237	"	3	Ma.	c-10, f+5	5.8			
" 14	5246	"	2	"	c-7.5, f+10, g+10	5.5			
" 14	5246	"	"	Ke.	=e, f+4.5	5.7	...	...	Distinctly ruddy.
" 17	5249	"	"	"	e-0.5	5.7			
" 17	5249	"	"	Ma.	c-4, f+12.5, g+12.5	5.2			
" 18	5250	"	"	Or.	c-2	5.2	...	...	Very red.
" 19	5251	"	1	Ke.	e-0.5	5.7			
" 21	5253	T.15	"	Ki.	f+11, g+15	5.1			
" 22	5254	B.	"	Or.	=c	5.0	...	...	About.
" 22	5254	"	"	Ch.	c-2, d-4	5.4			



(6733) R SCUTI—*continued.*

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deducted Mag.	Calc. Mag.	O. O.	Remarks.
1900.									
Aug. 22	5254	B.	I	Mi.	=c	5.0			
" 24	5256	"	"	Ch.	c-4	5.4			
" 24	5256	"	"	Or.	c+1	4.9			
" 24	5256	"	"	Ma.	c-1	5.1			
" 25	5257	"	"	"	c-2	5.2			
" 26	5258	"	"	Ch.	c-3, d-3	5.4			
" 28	5260	"	"	Wd.	a-9, =c, f+10	5.2	...	...	*
" 29	5261	"	"	Ch.	c-2	5.2			
" 30	5262	"	"	Ma.	c-1	5.1			
" 30	5262	"	2	Wd.	c-1	5.1			
Sept. 1	5264	"	I	"	c-1.5	5.1			
" 2	5265	"	2	Ma.	c-2	5.2			
" 2	5265	"	"	Or.	=c	5.0	...	...	Very red.
" 2	5265	"	I	Ke.	c-3, e+3	5.3	...	...	Reddish.
" 2	5265	"	"	Ch.	c-3, d+2	5.1			
" 5	5268	"	2	"	c-3, d+1	5.2			
" 6	5269	"	"	"	c+1, =d	5.0			
" 12	5275	"	"	"	c-4	5.4			
" 12	5275	"	I	Ke.	c-4, =e	5.5			
" 14	5277	"	2	"	c-5	5.5			
" 14	5277	"	I	Ma.	c-4.5	5.4			
" 17	5280	"	"	Ch.	c-7, g+3	6.1			
" 18	5281	"	I	Ke.	c-5, f+7	5.5			
" 19	5282	"	2	Or.	f+4	5.7			
" 23	5286	"	I	Ch.	g+1, f+3	6.2			
" 25	5288	"	"	"	=f	6.1			
" 25	5288	"	"	Or.	c-10, f+1	6.0			
" 29	5292	"	"	Ch.	f+3	5.8			
Oct. 2	5295	"	2	"	f+5	5.6			
" 3	5296	"	"	"	f+4	5.7			
" 4	5297	"	"	"	f+4	5.7			
" 5	5298	"	"	"	e-3	6.0			
" 7	5300	"	"	"	e-1, f+4	5.7			
" 8	5301	"	"	"	e-4, f+6	5.8			
" 10	5303	"	"	Ke.	c-1	5.1			
" 11	5304	"	"	Or.	c-6, f+6	5.6	...	...	About.
" 13	5306	"	"	Wd.	c-5, f+6	5.5			
" 13	5306	"	"	Ke.	c-1	5.1			
" 13	5306	"	"	Ch.	c-3, e+3	5.3			
" 17	5310	"	2	"	e+3, d+3	4.8			
" 17	5310	"	I	Ma.	=c	5.0			
" 18	5311	"	"	"	c-1	5.1			
" 21	5314	"	2	"	c-1	5.1			
" 21	5314	"	I	Ch.	c-2, =d	5.2			
" 26	5319	"	"	Or.	=d	5.2			
" 26	5319	"	"	Ke.	c+1	4.9	...	...	Ruddy.
" 27	5320	"	3	Ch.	=c	5.0			
Nov. 7	5331	"	I	Ke.	=c	5.0	...	...	Red.
" 9	5333	"	"	"	=c	5.0			
" 9	5333	"	"	Ch.	c+3	4.7			
" 10	5334	"	"	"	c+3	4.7			
" 11	5335	"	"	"	c-3	5.3			
" 12	5336	"	"	Ke.	c-1	5.1			

(6733) R SCUTI—*continued.*

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deducted Mag.	Calc. Mag.	O—C	Remarks.
1900.									
Nov. 23	5347	B.	I	Ch.	d-4	5.6			
" 25	5349	"	"	"	f+5	5.6			
" 27	5351	"	"	"	f+4	5.7			
Dec. 10	5364	"	"	"	f+6	5.5			
1901.									
May 19	5524	"	2	Ke.	=g	6.7			
" 20	5525	"	"	"	=g	6.7			
" 20	5525	"	1	Ch.	R+6, f+8	5.4			
" 23	5528	"	2	Ke.	=f	6.1	...	...	About.
" 24	5529	"	1	Ch.	f+6	5.5			
" 25	5530	"	2	Ke.	f-1.5, g+1.5	6.4			
June 6	5542	"	"	"	c-7, f+5	5.7	...	...	Reddish.
" 10	5546	"	I	Ch.	c-6, f+6	5.6			
" 23	5559	"	"	"	c-7, f+5	5.7			
" 27	5563	"	2	"	c-6, f+5	5.6			
July 5	5571	"	"	"	f+4, g+8	5.8			
" 7	5573	"	"	"	f+4	5.7			
" 7	5573	"	I	Ke.	c-6.5, f+5.5	5.6			
" 8	5574	"	"	Ch.	R+2, f+4	5.8			
" 13	5579	"	"	Ke.	c-7, f+5	5.7			
" 15	5581	"	2	"	c-9, f+3	5.9			
" 15	5581	"	I	Ch.	f+3	5.8			
" 16	5582	"	"	Ma.	c-10, f+2.5	5.9			
" 18	5584	"	"	Ch.	R+4, f+6	5.6			
" 19	5585	"	I	Ke.	=f	6.1			
" 21	5587	"	2	Ma.	f+1	6.0			
" 22	5588	"	I	Ch.	f+4	5.7			
" 27	5593	"	2	"	c-6, f+5	5.6			
Aug. 2	5599	"	"	Ke.	c-6, f+6	5.6			
" 4	5601	"	"	Ma.	c-10, f+7	5.7			
" 6	5603	"	"	"	f+7.5	5.4			
" 6	5603	"	I	Ch.	c-6, f+5	5.6			
" 6	5603	"	"	Ke.	c-7, f+5	5.7	...	...	Reddish.
" 10	5607	"	"	"	c-7, f+5	5.7			
" 10	5607	"	"	Ma.	c-6, f+6	5.6			
" 12	5609	"	"	Ke.	c-5, f+7	5.5			
" 13	5610	"	"	Ch.	c-7, f+4	5.7			
" 14	5611	"	"	Ke.	c-6, f+6	5.6			
" 17	5614	"	"	"	c-5, f+7	5.5	...	...	Red.
" 17	5614	"	"	Ma.	c-6, f+6	5.6			
" 18	5615	"	"	Ch.	c-5, f+6	5.5			
" 19	5616	"	"	Ke.	c-6, f+6	5.6			
" 19	5616	"	2	Ma.	c-6, f+6	5.6			
" 20	5617	"	I	"	c-2.5	5.2			
" 20	5617	"	2	Ke.	c-7, f+5	5.7			
" 21	5618	"	I	"	c-6, f+6	5.6	...	...	Reddish.
" 21	5618	"	"	Ma.	c-2	5.2			
" 22	5619	"	3	"	c-3	5.3			
" 22	5619	"	I	Ke.	c-6, f+6	5.6			
" 23	5620	"	"	"	c-6, f+6	5.6			
" 23	5620	"	3	Ma.	c-3.5	5.3			
" 24	5621	"	"	Ke.	c-6, f+6	5.6			

(6733) R SCUTI—*continued.*

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deducted Mag.	Calc. Mag.	$\frac{C}{O}$	Remarks.
1901.									
Sept. 3	5631	B.	2	Ma.	c-5	5.5			
" 4	5632	"	1	Ke.	c-6, f+6	5.6			
" 5	5633	"	"	Ma.	c-6, f+6	5.6			
" 9	5637	"	"	Ch.	c-5, f+6	5.5			
" 13	5641	"	3	Ma.	c-9, f+3	5.9			
" 15	5643	"	1	Ch.	f+3, g+5	6.0			
" 15	5643	"	"	Ke.	f+1.5	6.0			
" 16	5644	"	"	"	f+1	6.0			
" 20	5648	"	"	"	=f	6.1			
" 28	5656	"	2	"	f+1	6.0	...	...	Doubtful.
Oct. 2	5660	"	1	"	c-6, f+3	5.7			
" 2	5660	"	"	Ma.	c-10, f+3	5.9			
" 3	5661	T.7	2	LeB.	f-1, g+2	6.4			
" 4	5662	B.	1	Ma.	c-6.5, f+3	5.7			
" 4	5662	"	"	Ke.	c-7, f+5	5.7	...	...	Reddish.
" 5	5663	"	"	Ch.	c-6, f+5	5.6			
" 5	5663	"	"	Ke.	c-7, f+5	5.7			
" 7	5665	"	"	Ke.	c-6, f+6	5.6	...	...	Reddish.
" 9	5667	"	"	"	c-4.5, f+7.5	5.4	...	...	"
" 9	5667	"	2	Ma.	c-7, f+6	5.6			
" 10	5668	"	"	Ke.	c-1	5.1			
" 10	5668	T.20	1	LeB.	f+2, g+4	6.1			
" 12	5670	B.	"	Wl.	=c	5.0			
" 13	5671	T.20	2	LeB.	f+3	5.8			
" 14	5672	B.	1	Wl.	=d	5.2			
" 15	5673	"	"	"	c-2, R+6	5.3			
" 16	5674	"	"	"	=c, =d	5.1			
" 16	5674	"	2	Ke.	=c	5.0	...	...	About.
" 17	5675	"	"	Wl.	=c, =d	5.1			
" 18	5676	"	"	"	d+2	5.0			
" 18	5676	"	"	Ke.	c-1	5.1	...	...	Red.
" 19	5677	T.20	1	LeB.	f+4	5.7			
" 19	5677	B.	2	Wl.	c-2	5.2			
" 20	5678	"	"	"	c-3	5.3			
" 20	5678	"	"	Ke.	=c	5.0			
" 21	5679	"	"	"	=c	5.0			
" 25	5683	"	"	Wl.	c-2, R+7	5.3			
" 26	5684	"	"	"	c+2	4.8			
" 29	5687	"	1	"	c-2, R+5	5.4			
" 31	5689	"	"	"	c-3, R+5	5.4			
" 31	5689	"	2	Ke.	=c	5.0	...	...	Red.
" 31	5689	T.20	"	LeB.	f+3	5.8			
Nov. 1	5690	B.	1	Wl.	c-3, R+8	5.3			
" 4	5693	"	"	"	c-4, R+6	5.4			
" 4	5693	"	"	Ke.	c-1	5.1			
" 5	5694	"	"	"	c-5, f+7	5.5			
" 6	5695	"	"	Wl.	c-3, R+6	5.4			
" 11	5700	"	"	"	c-7, R+3	5.7			
" 13	5702	"	"	"	c-8, R+2	5.8			
" 14	5703	"	2	Ke.	c-7.5, f+4.5	5.7			
" 15	5704	"	"	Wl.	c-8, R+2	5.8			
" 16	5705	"	"	"	=f	6.1			
" 16	5705	"	"	Ke.	f+2.5	5.9			
" 17	5706	"	1	"	c-8.5, f+3.5	5.8			

(6733) R SCUTI—*continued.*

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deducted Mag.	Calc. Mag.	O—C	Remarks.
1901.									
Nov. 20	5709	B.	2	Wl.	f-2, g+3	6.4			
" 25	5714	"	"	"	=g	6.7	...	...	About, doubtful obs.
" 26	5715	"	"	"	g-2.5	7.0	...	...	" "
" 27	5716	"	"	"	g-5	7.2	...	...	" "
" 28	5717	"	"	"	g-10	7.7			
" 30	5719	"	"	Ke.	g-2	6.9			
Dec. 4	5723	"	"	"	g-1.5	6.9			
" 5	5724	"	"	"	g-1.5	6.9			
1902.									
Apr. 28	5868	"	3	Ch.	f+4, g+8	5.8			
May 11	5881	"	2	"	f+8, g+10	5.5			
" 12	5882	"	1	Wl.	d-6, R+3	5.8	...	...	Ruddy.
" 13	5883	"	"	"	d-6, R+4	5.7	...	...	"
" 14	5884	"	2	"	d-8, R+5	5.8	...	...	"
" 15	5885	"	"	"	d-10, R+3	6.0	...	...	Very ruddy.
" 26	5896	"	1	Ch.	c-4, =e	5.5			
" 27	5897	"	"	"	c-5, =e	5.6			
" 27	5897	"	"	Wl.	d-7, R+4	5.8	...	...	Ruddy.
" 28	5898	"	"	"	d-5, R+5	5.6			
" 31	5901	"	"	"	d-4, R+6	5.5			
June 27	5928	"	"	Ma.	c-4.5	5.4			
July 2	5933	"	1	Ch.	e-4	6.1			
" 6	5937	"	"	"	=e	5.7			
" 6	5937	"	2	Ma.	c-10, g+5	6.1			
" 8	5939	"	"	"	c-8, f+4	5.8			
" 18	5949	"	"	"	c-6, f+6	5.6			
" 23	5954	"	3	"	c-10, g+5	6.1			
" 27	5958	"	1	"	c-6, f+6	5.6			
Aug. 1	5963	"	"	"	c-5, f+11	5.3			
" 9	5971	"	2	"	c-8, f+4	5.8			
" 14	5976	"	"	"	c-4, f+8	5.4			
" 25	5987	"	1	"	c-9, f+3	5.9			
Sept. 24	6017	"	"	"	f-1.5, g+1.5	6.4			
" 25	6018	"	"	"	f-1, g+2	6.4			
" 26	6019	"	"	"	f-1, g+2	6.4			
Oct. 1	6024	"	"	"	f-1, g+2	6.4			
" 7	6030	"	"	"	f+2	5.9			
" 21	6044	"	2	"	=c	5.0			
" 26	6049	"	1	"	c-5, g+7.5	5.7			
" 28	6051	"	"	"	c-5, g+10	5.6			
" 30	6053	"	3	"	c-7.5, g+7.5	5.9			
Nov. 4	6058	"	1	"	c-10, g+4	6.2			
" 18	6072	"	2	"	f-1.5, g+1.5	6.4			
1903.									
May 31	6266	"	1	"	f+2.5, g+2.5	6.2			
June 20	6286	"	"	Wl.	g-1	6.8			

(6733) R SCUTI—*continued.*

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deducted Mag.	Calc. Mag.	$\frac{C}{O}$	Remarks.
1903.									
June 23	6289	B.	I	WL.	g-4	7.1			
" 25	6291	"	"	"	g-4	7.1			
" 27	6293	"	"	Ma.	f-10, g-10	7.4	...	...	Faint.
July 1	6297	"	"	"	g-11	7.8			
" 24	6320	"	"	"	c-4	5.4			
" 26	6322	"	"	"	c-2	5.2	...	...	Ruddy.
Aug. 18	6345	"	"	"	f+1	6.0			
" 21	6348	"	"	"	=f	6.1			
" 25	6352	"	"	"	f-1.5, g+1.5	6.4			
Sept. 12	6370	"	"	Co.	...	5.5			
" 15	6373	"	"	"	c-3	5.3			
" 18	6376	"	"	"	c-3	5.3			
" 20	6378	"	"	"	c-3	5.3			
" 25	6383	"	"	"	c-3	5.3			
Oct. 12	6400	"	"	"	...	5.3			
" 12	6400	"	"	Ma.	c-6, f+6	5.6			
" 15	6403	"	"	Co.	...	6.0			
Nov. 6	6425	"	"	"	f+2	5.9			
" 14	6433	"	"	"	f+1	6.0			
" 14	6433	"	"	Ma.	c-8, f+3, g+3	6.0			
" 19	6438	"	2	"	f+4	5.7			
1904.									
June 3	6635	"	...	Co.	f+3	5.8			
" 7	6639	"	2	Ma.	c-7.5, f+6	5.6			
" 8	6640	"	"	"	c-10, g+4	6.2	...	...	Difficult.
" 22	6654	"	I	"	f+2.5	5.9			
July 3	6665	"	"	"	c-6, f+6	5.6			
" 5	6667	"	...	Co.	f+2	5.9			
" 8	6670	"	I	Ma.	c-7.5, f+5.5	5.7			
" 11	6673	"	2	Or.	d-3, R+4	5.6			
" 12	6674	"	I	Ma.	c-6, f+7.5	5.5			
" 12	6674	"	...	Co.	...	5.8			
" 13	6675	"	I	Ma.	c+7.5, f+7	5.6			
" 15	6677	"	"	"	c-7, f+5	5.7			
" 16	6678	"	"	"	c-7.5, f+7	5.6			
" 16	6678	"	2	Or.	c-3, R+3	5.5			
" 20	6682	"	I	"	d-5, R+5	5.6			
Aug. 1	6694	"	2	Ma.	c-10, f+6	5.8	...	...	Difficult.
" 2	6695	"	I	"	c-15, f+4	6.1	...	...	"
" 2	6695	"	...	Co.	f+2	5.9			
" 2	6695	"	I	Or.	d-6, R+3	5.8			
" 8	6701	"	"	Ma.	=R, f+3	6.0			
" 9	6702	"	2	"	f+2.5	5.9			
" 11	6704	"	I	"	f+4	5.7			
" 12	6705	"	"	"	f+1.5	6.0			
" 14	6707	"	"	"	f+2	5.9			
" 14	6707	"	...	Co.	f+2	5.9			
" 15	6708	"	I	Ma.	=f	6.1			

(6733) R SCUTI—*continued*.

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deduced Mag.	Calc. Mag.	O-C.	Remarks.
1904.									
Aug. 17	6710	B.	I	Ma.	=f	6.1			
" 27	6720	"	"	Ch.	f-1, g+2	6.4			
" 28	6721	"	"	Ma.	f-3, =g	6.6			
" 28	6721	"	...	Co.	f-1.5, g+1.5	6.4			
" 28	6721	"	2	Or.	d-10, f+2	6.1			
" 29	6722	"	"	"	f-2, g+4	6.3			
" 29	6722	"	I	Ma.	f-1.5, g+1.5	6.4			
" 30	6723	"	"	"	f-2, g+1	6.5			
Sept. 3	6727	"	"	"	f+1	6.0			
" 3	6727	"	2	Or.	f-2, g+3	6.4			
" 3	6727	"	...	Co.	...	6.1			
" 6	6730	"	I	Ch.	f+3, g+7	5.9			
" 16	6740	"	2	Ma.	c-2	5.2			
" 29	6753	T.28	"	"	f+5	5.6	...	...	Ruddy.
Oct. 3	6757	B.	I	"	c-6, f+6	5.6			
" 3	6757	"	...	Co.	c-3	5.3			
" 7	6761	"	I	Ma.	c-4.5, f+7	5.4			
" 11	6765	"	"	"	c-6, f+5	5.6			
" 13	6767	"	"	"	c-6, f+6	5.6			
" 14	6768	"	"	"	c-6, f+6	5.6			
" 29	6783	"	2	"	f+2.5	5.9	...	...	Difficult.
" 29	6783	"	...	Co.	...	6.0			
Nov. 14	6799	"	I	Ma.	c-3, f+8	5.9			
" 23	6808	"	2	"	c-3	5.3	...	...	Very difficult.
Dec. 5	6820	"	...	Co.	c-4	5.4			

## (6849) R AQUILÆ.

## NOTES.

Star A = D.M. + 8° 3956 7.26 m. assumed.

" B = " + 5° 4040 5.35 " P.D.M.

" C = " + 9° 3979 6.93 " "

" D = " + 7° 3987 7.39 " "

" E = " + 6° 3989 6.38 " "

Data for mean curve:—Period, 355 d.  $M-m$ , 138 d. Variation, 6.5 m.  
to 11.8 m.

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deduced Mag.	Calc. Mag.	O-C.	Remarks.
1899.									
Oct. 23	4951	B.	I	Ma.	A+1	7.2	7.0	+ .2	
" 30	4958	"	"	"	=I	6.1	6.8	-.7	
" 31	4959	T.28	2	"	I+3	5.8	6.8	1.0	Slightly orange.



(6849) R AQUILÆ—continued.

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deducted Mag.	Calc. Mag.	O—C.	Remarks.
1899.									
Nov. 6	4965	B.	I	Ma.	1+7.5, B-4	5.6	6.6	1.0	Doubtful obs.
" 10	4969	"	3	"	=B	5.4	6.5	1.1	
" 11	4970	"	"	"	B-1	5.5	6.5	1.0	
Dec. 30	5019	"	2	"	1-1	6.2	6.9	.7	
1900.									
June 25	5196	T.28	I	"	=23	11.1	11.5	-.4	
July 3	5204	"	2	"	...	...	11.2	...	Glimpsed < 11.1. Invisible.
" 23	5224	B.	I	"	...	...	10.2	...	
Aug. 17	5249	T.28	I	"	23+1	11.0	8.7	+2.3	Barely visible.* Very faint > 11.1.
" 24	5256	B.	"	Or.	=3	7.9	8.3	-.4	
" 24	5256	T.28	"	Ma.	...	...	8.3	...	
" 25	5257	"	"	"	13-2.5	9.7	8.2	+1.5	
" 30	5262	"	"	"	=11	9.2	7.9	1.3	
Sept. 2	5265	"	2	"	6-1	8.6	7.8	.8	About, crimson.*
" 14	5277	"	I	"	3+1	7.8	7.1	.7	
" 19	5282	B.	"	"	A-3, 3+3	7.6	6.9	.7	
" 21	5284	"	"	Or.	=A	7.3	6.9	.4	
" 25	5288	T.	"	"	4+4	7.5	6.7	.8	
" 27	5290	B.	"	Ma.	A+3, C-2	7.0	6.7	.3	
" 29	5292	"	"	"	C-1	7.0	6.6	.4	
Oct. 2	5295	"	"	"	C+1	6.8	6.6	.2	Ruddy.
" 10	5303	"	2	"	C-2	7.1	6.5	.6	
" 12	5305	"	I	"	=C	6.9	6.5	.4	
" 17	5310	"	"	"	A-2, C+2	7.1	6.5	.6	
" 18	5311	"	"	"	A+3, C-1	7.0	6.5	.5	
" 19	5312	T.28	2	"	A+4	6.9	6.6	.3	
" 21	5314	B.	I	"	C-2, A+2	7.1	6.6	.5	
" 21	5314	"	"	Or.	1-5, A+5	6.7	6.6	.1	
" 26	5319	"	"	"	1-7, A+3	6.9	6.6	.3	
" 26	5319	"	"	Ma.	A+2, C-4	7.2	6.6	.6	
" 27	5320	T.28	"	"	A+2.5	7.0	6.6	.4	
Nov. 4	5328	B.	3	"	...	...	6.7	...	Suspected.
" 9	5333	"	I	"	A-3, 3+3	7.6	6.7	.9	
" 13	5337	T.28	2	"	A+2	7.1	6.8	.3	Glimpsed. Invisible.
" 15	5339	B.	I	"	...	...	6.8	...	
" 18	5342	"	"	"	...	...	6.9	...	
1901.									
July 10	5576	T.28	3	"	13-1	9.6	8.8	.8	Invisible.
" 16	5582	B.	2	"	...	...	8.5	...	
" 18	5584	T.28	3	"	=7, =8	8.9	8.4	.5	Invisible. Suspected.
" 19	5585	B.	2	Ke.	...	...	8.3	...	
" 21	5587	B.	"	Ma.	...	...	8.2	...	
Aug. 4	5601	"	"	"	...	...	7.4	...	Invisible.
" 6	5603	T.28	"	"	=4	7.9	7.3	.6	Ruddy. About.
" 6	5603	B.	"	Ke.	D-6	8.0	7.3	.7	
" 7	5604	T.30	"	Ch.	3+5	7.4	7.2	.2	
" 8	5605	"	"	"	3+5	7.4	7.2	.2	

## (6849) R AQUILÆ—continued.

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deducted Mag.	Calc. Mag.	O—C	Remarks.
1901.									
Aug. 8	5605	T.28	2	Ma.	A - 3, 3 + 3	7.6	7.2	+ .4	Ruddy.
" 10	5607	"	1	"	=A	7.3	7.1	+ .2	
" 10	5607	B.	"	Ke.	D - 5	7.9	7.1	-.8	Ruddy.
" 13	5610	T.30	"	Ch.	3 + 6	7.3	7.0	.3	
" 14	5611	B.	"	Ke.	=D	7.4	6.9	.5	
" 15	5612	T.28	"	Ma.	A + 2	7.1	6.9	.2	
" 17	5614	B.	"	Ke.	D + 1	7.3	6.8	.5	
" 17	5614	T.30	"	Ch.	3 + 8	7.1	6.8	+ .3	
" 18	5615	T.28	"	Ma.	A + 5	6.8	6.8	0	
" 19	5616	B.	2	"	A + 5, 1 - 5	6.7	6.8	- .1	
" 19	5616	"	1	Ke.	1 - 6, D + 6	6.8	6.8	0	
" 20	5617	"	"	"	1 - 6, D + 6	6.8	6.7	+ .1	
" 20	5617	"	"	Ma.	1 - 5, A + 5	6.7	6.7	0	Pale yellow.
" 21	5618	T.28	"	"	1 - 5	6.6	6.7	- .1	
" 21	5618	B.	"	Ke.	1 - 6, D + 6	6.8	6.7	+ .1	
" 22	5619	"	"	"	1 - 5, D + 7	6.7	6.7	0	
" 22	5619	"	3	Ma.	1 - 8, A + 4	6.9	6.7	+ .2	
" 23	5620	"	"	"	1 - 5, A + 5	6.7	6.7	0	
" 23	5620	"	2	Ke.	1 - 5, D + 7	6.7	6.7	0	
Sept. 3	5631	T.28	"	Ma.	1 - 8, A + 4	6.9	6.5	+ .4	
" 4	5632	B.	"	Ke.	1 - 5, D + 7	6.7	6.5	-.2	
" 5	5633	"	1	Ma.	1 - 8, A + 4	6.9	6.5	+ .4	Fine orange.
" 5	5633	T.30	2	Ch.	1 - 2	6.3	6.5	- .2	
" 6	5634	B.	"	Ke.	1 - 5, D + 7	6.7	6.5	+ .2	Ruddy.
" 13	5641	T.28	"	Ma.	1 - 8, A + 4	6.9	6.5	.4	
" 15	5643	B.	1	Ke.	1 - 6, D + 6	6.8	6.6	.2	
" 16	5644	"	2	"	1 - 7, D + 5	6.9	6.6	.3	
" 20	5648	"	1	"	1 - 6, D + 6	6.8	6.6	.2	
Oct. 2	5660	"	2	"	D - 1.5	7.5	6.7	.8	Deep red.
" 2	5660	T.28	"	Ma.	1 - 8, A + 4	6.9	6.7	.2	
" 4	5662	"	1	"	=A	7.3	6.7	.6	
" 4	5662	B.	"	Ke.	D - 1.5	7.5	6.7	.8	
" 5	5663	"	"	"	D - 3.5	7.7	6.7	1.0	
" 5	5663	T.30	"	Ch.	=A	7.3	6.7	.6	
" 6	5664	B.	"	Ma.	A - 1	7.4	6.7	.7	
" 7	5665	"	"	Ke.	D - 4	7.8	6.8	1.0	
" 9	5667	"	"	"	D - 4	7.8	6.8	1.0	
" 9	5667	"	"	Ma.	A - 3, 3 + 3	7.6	6.8	.8	
" 16	5674	"	"	"	A - 2	7.5	6.9	.6	
" 18	5676	T.28	2	"	A - 2, 3 + 4	7.5	6.9	.6	
" 18	5676	B.	1	Ke.	D - 5	7.9	6.9	1.0	
" 19	5677	"	2	Ma.	...	...	6.9	...	
" 19	5677	T.30	"	Ch.	2 - 1, 3 + 5	7.3	6.9	.4	
" 31	5689	B.	1	Ke.	...	...	7.1	...	Barely visible.
Nov. 3	5692	T.28	2	Ma.	=4	7.9	7.2	.7	Barely visible.
" 4	5693	B.	1	Ke.	...	...	7.2	...	
" 14	5703	T.28	3	Ma.	=3	7.9	7.5	.4	
" 16	5705	"	2	"	=4	7.9	7.5	+ .4	
1902.									
June 24	5925	B.	3	"	=C	6.9	7.7	-.8	Ruddy.
" 25	5926	"	2	"	=C, 1 - 2	6.6	7.7	- 1.1	
" 27	5928	"	1	"	1 + 2	5.9	7.6	1.7	

(6849) R AQUILÆ—*continued.*

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deducted Mag.	Calc. Mag.	O—C	Remarks.
1902. June 28	5929	B.	2	Ma.	I + I	6.0	7.5	1.5	
July 3	5934	"	1	"	I + 7.5, E - 5	6.1	7.2	1.1	Pale orange.
" 5	5936	"	2	"	E - 4.5	6.8	7.1	.3	
" 6	5937	"	"	"	I + 7.5, E - 5	6.1	7.1	1.0	
" 7	5938	"	"	"	E - 2.5	6.6	7.0	.4	
" 8	5939	"	"	"	E - 4	6.8	7.0	.2	
" 11	5942	"	1	"	= E	6.4	6.9	.5	Warm yellow.
" 13	5944	"	2	"	E - 3	6.7	6.8	.1	
" 17	5948	"	"	"	E - 2	6.6	6.7	.1	
" 18	5949	"	"	"	E - 1	6.5	6.7	.2	
" 23	5954	"	3	"	E - 6, I + 2	6.5	6.6	.1	
" 27	5958	"	1	"	E - 6, I + 4	6.4	6.5	.1	
Aug. 1	5963	"	"	"	E - 6, I + 3.5	6.4	6.5	.1	Warm orange.
" 9	5971	"	2	"	I - 4, C + 4	6.5	6.6	.1	
" 12	5974	"	1	"	I - 3	6.4	6.6	.2	
" 14	5976	"	2	"	I - 3.5	6.5	6.6	-.1	
" 19	5981	"	"	"	...	6.6	...	...	Invisible.
" 24	5986	T.	...	Co.	...	8.0	6.7	+1.3	
" 25	5987	T.28	1	Ma.	= A	7.3	6.7	.6	
Sept. 4	5997	T.	...	Co.	...	8.0	6.8	1.2	
" 21	6014	"	...	"	...	9.0	7.1	1.9	
" 24	6017	B.	1	Ma.	...	...	7.1	...	Invisible.
Oct. 21	6044	T.28	"	"	= 7, = 8	8.9	7.8	1.1	
" 21	6044	T.	...	Co.	...	9.5	7.8	1.7	
" 26	6049	T.28	1	Ma.	II - 1.5, I3 + 1.5	9.3	8.0	1.3	
" 30	6053	"	"	"	II - 1.5, I3 + 1.5	9.3	8.1	1.2	
Nov. 4	6058	"	"	"	= 13	9.5	8.3	1.2	
" 15	6069	T.	...	Co.	...	10.0	8.7	1.3	
" 28	6082	"	...	"	...	11.0	9.2	+1.8	
1903. Mar. 5	6179	"	...	"	...	11.0	11.6	-.6	
May 24	6259	"	...	"	...	7.5?	7.5	0	
" 24	6259	B.	1	Ma.	I + 3.5	5.8	7.5	-1.7	
" 31	6266	"	"	"	I + 4	5.7	7.1	1.4	
June 2	6268	"	2	"	I + 5	5.6	7.0	1.4	
" 3	6269	"	1	"	I + 7	5.4	7.0	1.6	
" 4	6270	"	"	"	I + 7	5.4	6.9	-1.5	
" 21	6287	T.	...	Co.	...	6.5	6.5	0	
" 24	6290	B.	2	Ma.	I + 3	5.8	6.5	-.7	
" 27	6293	"	1	"	I + 5	5.6	6.5	.9	
" 30	6296	"	2	Or.	= I	6.1	6.5	.4	
July 1	6297	"	1	Ma.	I + 3	5.8	6.5	-.7	
" 13	6309	"	"	"	I - 5, C - 1.5	6.9	6.6	+.3	
" 18	6314	"	"	"	A - 3, 3 + 3	7.6	6.5	1.1	
" 19	6315	"	"	"	A - 3, 3 + 3	7.6	6.7	.9	
" 23	6319	T.	...	Co.	5 + 6	7.7	6.7	+1.0	
" 24	6320	B.	2	Ma.	...	...	6.7	...	Invisible.
" 26	6322	B.	1	Ma.	= 3	7.9	6.7	+1.2	About, glimpsed.

## 1849) R. AQUILE—continued.

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Declined Mag.	Calc. Mag.	C-O	Remarks.
Aug. 21	6548	B.	I	Ma.	...	...	7.1	...	Invisible.
" 28	6552	T.28	"	"	=4	7.9	7.2	7	
" 28	6552	T.	...	Co.	=7	8.9	7.2	17	
Sept. 12	6570	"	...	"	=13	9.5	7.7	1.8	
" 18	6576	"	...	"	13-2	9.7	7.9	1.8	
" 25	6583	"	...	"	13-2	9.7	8.1	1.6	
Oct. 15	6603	"	...	"	23+5	10.6	8.9	1.7	
Nov. 6	6625	T.28	I	Ma.	...	...	9.7	...	<11".
" 14	6633	"	"	"	...	...	10.0	...	Invisible <11".
" 14	6633	"	"	"	=3	10.0	10.0	-1.0	
Dec. 11	6660	"	...	"	...	11.0	11.1	- .1	Very uncertain obs.
1904.									
Apr. 10	6581	"	...	"	=1	6.1	7.9	-1.8	
May 18	6619	B.	I	Ma.	C-1, 1-3	6.7	6.5	+ .2	
June 3	6635	T.28	"	"	A-3, 3+3	7.6	6.6	1.0	
" 3	6635	T.	...	Co.	A-3, 3+3	7.6	6.6	1.0	
" 7	6639	T.28	I	Ma.	=A	7.3	6.6	.7	
" 22	6654	"	2	"	4+2.5	7.7	6.7	1.0	
July 5	6667	T.	...	Co.	5+1	8.2	6.9	1.3	
" 8	6670	T.28	I	Ma.	=5	8.3	6.9	1.4	
" 12	6674	"	"	"	5-3, 8+3	8.6	7.0	1.6	
" 12	6674	T.	...	Co.	5-3, 8+3	8.6	7.0	1.6	
Aug. 1	6694	T.28	I	Ma.	=7, =8	8.9	7.4	1.5	
" 2	6695	T.	...	Co.	=13	9.5	7.5	2.0	
" 8	6701	T.28	I	Ma.	=7	8.9	7.7	1.2	
" 14	6707	"	"	"	=7	8.9	7.8	1.1	
" 14	6707	T.	...	Co.	13-3	9.8	7.8	2.0	
" 17	6710	T.28	I	Ma.	13-5.5, 23+11	10.0	7.9	2.1	
" 28	6721	"	2	"	7-10	9.9	8.3	1.6	
" 28	6721	T.	"	Co.	13-8, 23+8	10.3	8.3	2.0	
" 29	6722	T.28	I	Ma.	=16	10.3	8.4	1.9	
" 30	6723	"	"	"	16+2	10.1	8.4	1.7	
Sept. 3	6727	"	"	"	13-12, 23+4	10.7	8.5	2.2	
" 17	6741	"	2	"	...	...	9.1	...	Invisible.
Oct. 3	6757	T.	...	Co.	30+2	11.4	9.7	1.7	
" 7	6761	T.28	I	Ma.	...	...	9.9	...	Invisible.
" 29	6783	T.	2	Co.	30-2	11.8	10.7	+1.1	

## (7045) R CYGNI.

## NOTE.

Data for mean curve :—Period, 426 d.  $M-m$ , 157 d. Variation, 7.0 m. to 13.9 m.

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deducted Mag.	Calc. Mag.	C-C O	Remarks.
1901.									
May 8	5513	T.30	1	Ch.	4-3, 5+3, 6+3	8.8	8.2	+ .6	
" 12	5517	T.28	2	Ma.	4+4.5	8.2	8.0	+ .2	Ruddy.
" 13	5518	T.30	1	Ch.	2-3, =4	7.7	8.0	- .3	
" 14	5519	"	"	"	2-4, 4+1, 5+3	8.1	7.9	+ .2	
" 14	5519	T.28	"	Ma.	2-5	7.0	7.9	- .9	
" 15	5520	"	2	"	2-5	7.0	7.9	.9	
" 16	5521	"	"	"	2-5	7.0	7.8	- .8	Ruddy.
" 16	5521	T.30	1	Ch.	=4, 5+2	8.7	7.8	+ .9	
" 18	5523	T.28	"	Ma.	2-4	6.9	7.8	- .9	Very ruddy.
" 19	5524	T.30	"	Ch.	2-4, =4, 5+3	8.1	7.7	+ .4	
" 20	5525	T.28	2	Ma.	=2	6.5	7.7	- 1.2	Fine red.
" 22	5527	"	1	"	2-5	7.0	7.6	- .6	
" 24	5529	T.30	"	Ch.	2-5, =4	7.8	7.6	+ .2	
" 25	5530	T.28	2	Ma.	2-2.5	6.8	7.5	- .7	
June 5	5541	T.30	1	Ch.	2-4	6.9	7.2	- .3	
" 6	5542	"	"	"	2-6, 3+5	7.5	7.2	+ .3	
" 10	5546	"	"	"	2-6	7.1	7.1	0	
" 16	5552	"	"	"	2-8	7.3	7.0	+ .3	
" 23	5559	"	"	"	2-8	7.3	7.0	+ .3	
July 3	5569	T.28	3	Ma.	2-2	6.7	7.1	- .4	
" 8	5574	"	"	"	2-10, 4+10	7.6	7.1	+ .5	
" 11	5577	T.30	1	Ch.	4+3, 5+5	8.4	7.2	1.2	
" 15	5581	"	"	"	4+4, 5+6	8.3	7.2	1.1	
" 18	5584	"	"	"	4+6, 5+8	8.1	7.3	.8	
" 18	5584	T.28	3	Ma.	2-10, 4-2, 5+2	8.4	7.3	1.1	Warm tint.
" 21	5587	T.30	1	Ch.	4+4, 5+6	8.3	7.3	1.0	
" 28	5594	"	2	"	4+4, 5+6	8.3	7.4	.9	Very red.
Aug. 9	5606	T.60	"	"	4+3, 5+4	8.5	7.7	.8	
" 18	5615	T.30	"	"	4+2, 5+4, 6+6	8.5	7.9	.6	Very red.
" 29	5626	"	"	"	4+4, 5-2, =6, 14+6	9.2	8.2	1.0	"
Sept. 4	5632	"	"	"	4-5, 5-2, =6, 11+4, 13+5, 14+6	9.2	8.4	.8	"
" 13	5641	T.28	"	Ma.	14+1	9.8	8.7	1.1	
" 15	5643	T.30	1	Ch.	6-4, 8-1, =11, 14+2, 16+3	9.6	8.8	.8	Brilliant red.
Oct. 3	5661	"	"	"	14-5, =23, 27+2	10.4	9.4	+ 1.0	
" 4	5662	T.28	"	Ma.	14-1.5	10.1	9.4	+ .7	
" 7	5665	T.60	"	Ch.	14-5, 29+3, 30+3, 32+5	10.4	9.5	.9	
" 16	5674	T.28	2	Ma.	14-5	10.4	9.8	.6	
" 18	5676	"	1	"	14-5, =32	10.7	9.9	.8	
" 18	5676	T.60	"	Ch.	=31, =32	11.0	9.9	1.1	
" 31	5689	T.160	2	"	9-18, 56+10	11.4	10.3	1.1	

(7045) R CYGNI—*continued.*

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deduced Mag.	Calc. Mag.	O—C.	Remarks.
1901.									
Nov. 3	5692	T.28	I	Ma.	14-10, =32	10.9	10.5	.4	
" 14	5703	T.67	"	"	=35	11.3	10.9	.4	
" 28	5717	T.160	"	Ch.	56+2, 59+4	11.9	11.4	.5	
Dec. 6	5725	T.95	"	"	56-3, =59	12.4	11.6	+ .8	
" 16	5735	"	"	"	56+2, 59+3	12.0	12.0	0	Very red.
" 18	5737	T.28	3	Ma.	...	...	12.0	...	Invisible.
" 26	5745	T.335	I	Ch.	56-5, 59-2, =60	12.8	12.3	+ .5	Very red.
" 27	5746	T.160	"	"	56-3, 59-2, =60	12.7	12.3	.4	
" 29	5748	T.28	"	Ma.	...	...	12.4	...	Invisible.
1902.									
Jan. 4	5754	T.67	"	"	...	...	12.6	...	" < 12.0.
" 5	5755	T.335	"	Ch.	56-5, 59-3, =60	12.8	12.6	+ .2	
Apr. 6	5846	"	3	"	60-5	13.6	13.7	- .1	Hazy-looking.
" 18	5858	"	"	"	...	...	13.2	...	< 12.5.
" 27	5867	"	"	"	...	...	12.8	...	< 13.0.
" 28	5868	T.160	"	"	60-4	13.5	12.7	+ .8	
May 5	5875	"	2	"	60-3	13.4	12.3	1.1	Invisible in 6½ inch.
" 8	5878	T. ...	Co.	"	...	...	12.1	...	
" 25	5895	T.160	I	Ch.	39-6, 56+4	12.1	10.9	1.2	
" 26	5896	"	2	"	39-4, 56+4	12.0	10.9	1.1	
" 27	5897	"	I	"	=39, 56+8	11.6	10.8	.8	
June 7	5908	T. ...	Co.	"	...	10.5	10.0	.5	
" 24	5925	T.160	I	Ch.	=11, 14+4	9.6	8.9	.7	
" 25	5926	T.28	2	Ma.	14+2	9.7	8.9	.8	
" 26	5927	"	I	"	14-1	10.0	8.8	1.2	
" 28	5929	T. ...	Co.	"	...	9.5	8.7	.8	
" 29	5930	T.160	I	Ch.	5-3, 6+3, 14+6	9.2	8.6	.6	
July 3	5934	T.28	"	Ma.	=6	9.1	8.4	.7	
" 6	5937	T.95	"	Ch.	=5, 6+2, 11+4	9.1	8.3	.8	
" 7	5938	T.28	2	Ma.	6+1.5	9.0	8.2	.8	
" 11	5942	"	"	"	4-4, 6+4	8.9	8.0	.9	
Aug. 24	5986	T. ...	Co.	"	...	8.0	7.0	1.0	
Sept. 3	5996	"	...	"	...	8.0	7.1	.9	
" 24	6017	"	...	"	...	8.3	7.3	1.0	
" 30	6023	"	...	"	...	8.3	7.5	.8	
Oct. 8	6031	T.95	2	Ch.	4+3, 5+4, 6+4, 16+6	8.8	7.6	1.2	
" 21	6044	"	I	"	2-7, 4+1, 5+5	8.1	8.0	.1	
" 24	6047	T. ...	Co.	"	...	9.0	8.1	.9	
" 26	6049	T.28	I	Ma.	14+2.5	9.7	8.1	1.6	
" 27	6050	T.95	"	Ch.	4-3, 5+1	8.9	8.1	.8	
" 30	6053	T.28	"	Ma.	14+2	9.7	8.2	1.5	
Nov. 1	6055	T.95	"	Ch.	4-2, 5+2	8.8	8.3	.5	
" 4	6058	T.28	"	Ma.	14+1.5	9.8	8.4	+ 1.4	
" 7	6061	T. ...	Co.	"	...	9.5	8.5	+ 1.0	
" 9	6063	T.28	I	Ma.	14+3.5	9.6	8.5	1.1	Ruddy.



(7045) R CYGNI—*continued.*

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deducted Mag.	Calc. Mag.	C. O.	Remarks.
1902.									
Nov. 15	6069	T.	...	Co.	...	9.8	8.2	1.6	
" 28	6082	"	...	"	...	10.0	9.2	.8	
" 28	6082	T.95	2	Ch.	14-3	10.2	9.2	1.0	
Dec. 4	6088	T.	...	Co.	+	10.1	9.4	.7	
" 18	6102	T.120	2	Ma.	14-5, 31-2.5	10.8	9.8	1.0	
" 20	6104	T.	...	Co.	...	10.3	9.9	.4	
" 23	6107	T.28	2	Ma.	31-1	11.0	10.0	1.0	
" 31	6115	T.	...	Co.	...	11.3	10.3	1.0	
1903.									
Jan. 3	6118	T.120	1	Ma.	...	...	10.4	...	Invisible < 10.9.
" 23	6138	T.	...	Co.	56+5, 59+5	12.2	11.2	1.0	
Feb. 13	6159	"	...	"	...	...	11.9	...	Invisible.
" 21	6167	"	...	"	...	...	12.1	...	"
" 28	6174	"	...	"	...	...	12.4	...	"
Mar. 5	6179	"	...	"	x-5	13.3	12.5	.8	Glimpsed, about.
" 28	6202	"	...	"	...	...	13.1	...	Invisible < 13.3.
Apr. 11	6216	"	...	"	...	...	13.4	...	" < 13.3.
" 24	6229	"	...	"	...	...	13.7	...	"
May 15	6250	"	...	"	...	...	13.9	...	"
" 24	6259	"	...	"	...	...	13.9	...	"
June 21	6287	"	...	"	...	...	13.1	...	" in 6½ inch.
July 23	6319	"	...	"	...	...	11.2	...	" "
Aug. 25	6352	"	...	"	59-4	12.5	8.9	3.6	
Sept. 2	6360	"	...	"	56+7	11.7	8.5	3.2	
" 12	6370	"	...	"	...	9.5	8.0	1.5	
" 18	6376	"	...	"	...	8.9	7.8	1.1	
" 25	6383	"	...	"	...	8.8	7.5	1.3	
Oct. 15	6403	"	...	"	...	8.8	7.1	1.7	Rough estimates.
" 25	6413	"	...	"	...	8.8	7.0	1.8	
Nov. 14	6433	"	...	"	...	8.8	7.2	1.6	Ruddy.
" 14	6433	T.28	1	Ma.	=4	8.6	7.2	1.4	
" 16	6435	"	"	"	2-10, 4-3.5	8.2	7.2	1.0	
" 17	6436	T.	"	Or.	...	8.4	7.2	1.2	
" 19	6438	T.28	2	Ma.	=4	8.6	7.3	1.3	
Dec. 11	6460	T.	...	Co.	...	9.0	7.7	1.3	Rough estimates.
" 24	6473	"	...	"	...	8.8	8.1	.7	
1904.									
Jan. 3	6483	"	...	"	...	8.9	8.3	.6	
" 10	6490	"	...	"	...	9.8	8.6	1.2	
" 15	6495	T.28	1	Ma.	14+2.5	9.7	8.2	1.5	
Feb. 6	6517	T.	...	Co.	=12	9.7	9.5	.2	

(7045) R CYGNI—*continued*

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deducted Mag.	Calc. Mag.	O—C	Remarks.
1904.									
Apr. 6	6577	T.	...	Co.	56 - 1, 59 + 1	12.2	11.6	.6	
May 18	6619	"	...	"	...	...	12.9	...	Invisible.
June 6	6638	"	...	"	...	...	13.4	...	"
" 7	6639	T.28	I	Ma.	...	...	13.4	...	"
Sept. 10	6734	T.	...	Co.	...	...	11.9	...	"
Oct. 3	6757	"	...	"	59 - 3.5, x + 3.5	12.4	10.2	+ 2.2	
" 13	6767	T.28	I	Ma.	...	...	9.6	...	Invisible.
" 29	6783	T	...	Co.	9 + 1	9.5	8.7	+ .8	Doubtful.
" 29	6783	T.28	I	Ma.	14 - 2, 25 - 1, 28 + 1	10.4	8.7	1.7	
Nov. 3	6788	"	"	"	= 14	9.9	8.4	1.5	
" 12	6797	T.	"	Co.	14 + 3.	9.6	7.9	1.7	
" 14	6799	T.28	I	Ma.	5 + 2, 6 + 3	8.8	7.9	.9	Ruddy.
" 29	6814	"	"	"	2 - 14, 4 + 7	7.9	7.4	.3	
Dec. 5	6820	T.	...	Co.	...	8.0	7.2	.8	
" 7	6822	T.28	I	Ma.	2 - 5, = 3	7.7	7.2	+ .5	Ruddy.
" 13	6828	"	"	"	2 - 1.5	6.7	7.1	- .4	"
" 14	6829	"	"	"	= 2	6.5	7.1	.6	
" 18	6833	"	"	"	2 + 1	6.4	7.0	.6	Ruddy.
" 30	6845	"	"	"	2 - 1.5	6.7	7.0	- .3	

(7120)  $\chi$  CYGNI.

## NOTE.

Data for mean curve :—Period, 406 d.  $M - m$ , 172 d. Variation, 5.3 m. to 13.5 m.

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deducted Mag.	Calc. Mag.	O—C	Remarks.
1899.									
May 30	4805	B.	I	Ma.	= c	4.0	5.4	- 1.4	NOTE. P.D.M. P = $\psi$ Cygni 4.83 m. R = $\phi$ " 4.74 " S = F 8 " 4.90 " T = F 41 " 4.07 "
" 31	4806	"	"	"	= c	4.0	5.4	1.4	
June 2	4808	"	"	"	c - 4, 1 + 7	4.4	5.5	1.1	
" 3	4809	"	"	"	c - 5, 1 + 5	4.6	5.5	.9	
" 8	4814	"	"	"	c - 7, 1 + 5	4.7	5.6	.9	
" 9	4815	"	2	"	c - 5, 1 + 5	4.6	5.6	1.0	
" 12	4818	"	"	"	1 + 5	4.6	5.7	1.1	
" 15	4821	"	3	"	c - 7.5, 1 + 5	4.7	5.8	1.1	
" 29	4835	"	2	"	1 + 1	5.0	6.2	1.2	
July 7	4843	"	"	"	1 + 1	5.0	6.4	1.4	

(7120)  $\chi$  CYGNI—*continued.*

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deducted Mag.	Calc. Mag.	O-C.	Remarks.
1899.									
July 8	4844	B.	1	Ma.	=1	5.1	6.5	1.4	
" 14	4850	"	2	"	1-7.5, g+5	5.4	6.7	1.3	
" 16	4852	"	"	"	1-8.5, g+1, 2+6	5.6	6.8	1.2	
" 29	4865	"	"	"	g-2.5, 2+1, 3+6	5.9	7.3	1.4	
" 31	4867	"	1	"	1-7, 3+7	5.7	7.4	1.7	
Aug. 9	4876	"	"	"	=3	6.4	7.9	1.5	
" 10	4877	"	"	"	3-1	6.5	7.9	1.4	
" 16	4883	"	3	"	=0	7.3	8.2	.9	
" 23	4890	T.28	2	"	6+7.5	6.8	8.6	1.8	
" 28	4895	B.	1	"	...	...	8.9	...	Invisible.
Sept. 3	4901	T.28	"	"	6-2, 7+2	7.8	9.3	1.5	Ruddy.
Oct. 31	4959	"	2	"	...	...	12.2	...	Very faint < 11.0.
Nov. 6	4965	"	3	"	=62	11.0	12.4	-1.4	
1900.									
May 7	5147	B.	"	"	...	...	6.8	...	Invisible.
" 25	5165	"	2	"	...	...	5.9	...	"
" 29	5169	"	...	Ke.	...	...	5.8	...	"
June 17	5188	"	3	Ma.	2-2, 3-0.5	6.4	5.3	+1.1	
" 25	5196	"	2	"	g-3, 2+3	5.8	5.3	.5	
" 25	5196	T.15	1	Ki.	h+2, 2+6.5, 3+7	5.6	5.3	.3	
" 26	5197	B.	2	Ma.	=g	5.6	5.3	.3	
" 26	5197	"	"	Ke.	g-2.5	5.8	5.3	.5	
" 30	5201	"	"	Mi.	g-1, h+1	5.6	5.3	.3	
July 2	5203	"	"	Ma.	1-3, g+2	5.4	5.3	.1	Ruddy in T.
" 3	5204	"	"	"	1-4, g+2	5.4	5.3	+ .1	
" 5	5206	"	"	Ke.	1-2	5.3	5.4	- .1	
" 6	5207	"	1	"	1-2.5	5.3	5.4	.1	
" 7	5208	"	"	"	1-2.5, g+2.5	5.3	5.4	.1	
" 10	5211	"	2	Or.	1-2.5, g+2.5	5.3	5.4	- .1	
" 10	5211	T.15	"	Ki.	1-7, 3+9, 2+11	5.4	5.4	0	
" 15	5216	"	"	"	3+8, 2+10	5.3	5.5	- .2	
" 15	5216	B.	"	Or.	1-3, g+2	5.4	5.5	.1	
" 16	5217	"	1	"	1-3, g+2	5.4	5.5	.1	
" 16	5217	"	"	Ke.	1-3.5	5.4	5.5	.1	
" 17	5218	T.15	"	Ki.	2+7.5, 3+9	5.4	5.5	.1	
" 17	5218	B.	"	Or.	1-3, g+2	5.4	5.5	.1	
" 18	5219	"	"	"	1-3, g+2	5.4	5.5	.1	
" 18	5219	T.15	"	Ki.	2+8, 3+10	5.3	5.5	.2	
" 19	5220	B.	2	Or.	1-2.5, g+2.5	5.3	5.6	.3	
" 23	5224	"	1	"	1-3, g+2	5.4	5.7	- .3	
" 23	5224	"	"	Ma.	1-7, g+3	5.5	5.7	.2	
" 24	5225	"	"	"	1-8, g+2	5.6	5.7	.1	
" 24	5225	"	"	Or.	1-3, g+2	5.4	5.7	.3	
" 24	5225	"	"	Ke.	1-3.5	5.4	5.7	.3	
" 28	5229	"	"	"	g+3	5.3	5.8	.5	
" 28	5229	"	"	Or.	1-3, g+2	5.4	5.8	.4	
" 29	5230	"	"	Ma.	g+1.5	5.4	5.8	.4	
Aug. 1	5233	"	"	Ke.	1-3.5, g+1.5	5.4	5.9	.5	

(7120)  $\chi$  CYGNI—continued.

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deducted Mag.	Calc. Mag.	O-C	Remarks.
1900.									
Aug. 3	5235	B.	1	Ma.	$g-I$	5.7	6.0	.3	
" 4	5236	"	2	Or.	$I-3, g+2$	5.4	6.0	.6	
" 5	5237	"	3	Ma.	$g-0.5$	5.6	6.0	.4	
" 5	5237	"	2	Ke.	$=g$	5.6	6.0	.4	Doubtful.
" 6	5238	"	"	Ma.	$=g$	5.6	6.1	.5	
" 12	5244	"	"	"	$g-2, 2+I$	5.9	6.3	-.4	
" 12	5244	"	"	Mi.	$=3$	6.4	6.3	+.1	
" 13	5245	"	"	"	$=3$	6.4	6.3	+.1	
" 13	5245	"	"	Ma.	$=2$	6.1	6.3	-.2	
" 14	5246	"	"	"	$2-I$	6.2	6.3	-.1	
" 14	5246	"	"	Mi.	$3-I$	6.5	6.3	+.2	
" 14	5246	"	I	Ke.	$g-3$	5.9	6.3	-.4	
" 15	5247	"	"	Mi.	$=3$	6.4	6.4	0	
" 15	5247	"	"	Ma.	$2-I, 3+3$	6.1	6.4	-.3	
" 17	5249	"	"	"	$2-3, 3+2$	6.3	6.4	.1	
" 18	5250	"	"	"	$2-3, 3+I$	6.3	6.5	-.2	
" 18	5250	"	2	Or.	$3-2 \frac{1}{2}$	6.6	6.5	+.1	
" 22	5254	"	I	"	$=3$	6.4	6.6	-.2	About.
" 22	5254	"	2	Ma.	$2-3, 3-I$	6.4	6.6	.2	
" 22	5254	"	I	Mi.	$3-I$	6.5	6.6	-.1	
" 24	5256	"	"	Ma.	$3-3$	6.7	6.7	0	
" 25	5257	"	"	"	$3-3$	6.7	6.7	0	
" 26	5258	"	"	"	$3-I.5$	6.6	6.8	-.2	
" 28	5260	"	"	Ke.	$3-I$	6.5	6.9	.4	
" 30	5262	"	"	Ma.	$3-5$	6.9	7.0	-.1	
Sept. 2	5265	T.28	2	"	$6+3.5$	7.2	7.1	+.1	
" 4	5267	B.	"	"	...	...	7.1	...	Invisible.
" 12	5275	"	I	Ke.	...	...	7.5	...	< 8.0
" 14	5277	T.28	"	Ma.	$13+1.5$	8.5	7.6	.9	
" 25	5288	T.	"	Or.	$18+3$	9.0	8.2	.8	
" 27	5290	B.	"	Ma.	...	...	8.3	...	Invisible.
" 29	5292	T.28	"	"	$20+2$	9.2	8.4	+.8	
Oct. 18	5311	"	"	"	$=20$	9.4	9.5	-.1	
" 19	5312	"	2	"	$20-2$	9.6	9.5	+.1	
" 27	5320	"	I	"	$=27$	9.9	10.0	-.1	
" 27	5320	T.	"	Or.	...	...	10.0	...	< 10.2.
Nov. 13	5337	T.28	2	Ma.	...	...	10.9	...	< 10.5.
" 17	5341	"	I	"	$62-I$	11.1	11.1	0	
Dec. 13	5357	"	"	"	...	...	12.2	...	Invisible.
1901.									
May 11	5516	"	"	"	$=58, =62$	11.0	9.1	+1.9	
" 15	5520	"	2	"	$=27$	9.9	8.8	1.1	
" 18	5523	"	I	"	...	...	8.5	...	> 10.9.
" 20	5525	T.30	"	Ch.	...	...	8.3	...	Invisible in 2 inch.
" 22	5527	T.28	"	Ma.	$=34$	10.1	8.2	1.9	
" 25	5530	"	2	"	$=34$	10.1	8.1	2.0	
June 16	5552	T.30	I	Ch.	$9-5, 13-2, 16+1, 21+5$	8.9	6.8	2.1	Slightly ruddy.
" 23	5559	"	"	"	$9-3, 13+4, 16+6$	8.5	6.5	2.0	Light orange.
" 26	5562	"	"	"	$9+2, 13+6$	8.1	6.3	1.8	" "

(7120)  $\chi$  CYGNI—continued.

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deduced Mag.	Calc. Mag.	C-O	Remarks.
1901. June 27	5563	T.30	I	Ch.	6-3, 9+5	7.9	6.3	1.6	Red.
July 3	5569	T.28	3	Ma.	6-2, 7+4	7.7	6.0	1.7	Slightly ruddy.
" 4	5570	T.30	2	Ch.	6-2, 7+3	7.8	6.0	1.8	
" 7	5573	"	I	"	6+3	7.2	5.9	1.3	Invisible. Ruddy.
" 7	5573	B.	"	Ke.	...	...	5.9	...	
" 8	5574	T.28	3	Ma.	6-1.5	7.7	5.9	1.8	
" 10	5576	"	2	"	6+2.5	7.2	5.8	1.4	
" 13	5579	B.	I	Ke.	3-4	6.8	5.7	1.1	Warm hue.
" 14	5580	"	"	"	3-4	6.8	5.7	1.1	
" 15	5581	"	2	"	3-4.5	6.9	5.6	1.3	
" 15	5581	"	"	Ma.	3-1.5	6.6	5.6	1.0	
" 15	5581	T.30	I	Ch.	4+2, 6+5	6.8	5.6	1.2	
" 16	5582	B.	2	Ma.	3-1	6.5	5.6	.9	
" 17	5583	"	3	"	3-1	6.5	5.6	.9	
" 18	5584	"	"	"	3-1	6.5	5.6	.9	
" 18	5584	T.30	I	Ch.	2-6, 3-3	6.7	5.6	1.1	
" 19	5585	B.	2	Ke.	2-2	6.3	5.5	.8	
" 21	5587	T.30	I	Ch.	=2	6.1	5.5	.6	Quite brilliant.
" 21	5587	B.	2	Ma.	g-3, 2+3	5.8	5.5	.3	
" 22	5588	T.30	I	Ch.	2-1, 3+3	6.1	5.5	+ .6	
" 27	5593	B.	2	"	g+5, 2+7	5.2	5.4	- .2	
" 28	5594	"	"	"	2+6, 3+9	5.5	5.3	+ .2	
" 31	5597	"	"	Ma.	=1	5.1	5.3	- .2	
Aug. 1	5598	"	"	"	1+1	5.0	5.3	.3	Golden yellow.
" 2	5599	"	"	"	1+2	4.9	5.3	.4	Orange.
" 2	5599	"	"	Ke.	c-6, 1+4	4.7	5.3	.6	
" 4	5601	"	"	Ma.	1+2	4.9	5.3	.4	
" 4	5601	"	I	Ch.	1+4, =P	4.7	5.3	.6	
" 5	5602	"	"	Pe.	c-6, 1+1, R+2	4.7	5.3	.6	Orange.
" 6	5603	"	"	"	c-5, 1+1	4.8	5.3	.5	
" 6	5603	"	"	Ke.	c-5, 1+5	4.6	5.3	.7	
" 6	5603	"	"	Ch.	c-5, P+3	4.5	5.3	.8	
" 6	5603	"	2	Ma.	1+3	4.8	5.3	.5	
" 7	5604	"	I	Pe.	c-5, 1+2	4.7	5.3	.6	
" 7	5604	"	"	Ch.	P+3	4.5	5.3	.8	
" 8	5605	"	"	Pe.	c-4, 1+3	4.6	5.3	.7	
" 8	5605	"	"	Ke.	c-6, 1+4	4.7	5.3	.6	
" 8	5605	"	2	Ma.	c-5, 1+5	4.6	5.3	.7	
" 9	5606	"	I	Ch.	P+2	4.6	5.3	- .7	Orange.
" 10	5607	"	2	Pe.	c-6, 1+2	4.8	5.3	- .5	
" 10	5607	"	I	Ke.	c-4, 1+6	4.5	5.3	.8	
" 10	5607	"	"	Ma.	c-5, 1+5	4.6	5.3	.7	
" 12	5609	"	"	Ke.	c-4, 1+6	4.5	5.3	.8	Reddish.
" 13	5610	"	2	Pe.	c-6, 1+2	4.8	5.3	.5	
" 13	5610	"	I	Ch.	P+4	4.4	5.3	.9	
" 13	5610	"	"	Oa.	c-5, 1+5	4.6	5.3	.7	
" 14	5611	"	2	Pe.	c-4, 1+3	4.6	5.3	.7	* Very red.
" 14	5611	"	I	Ke.	c-3, 1+7	4.4	5.3	.9	
" 15	5612	"	"	Pe.	c-3, 1+4	4.5	5.4	.9	
" 15	5612	"	2	Oa.	c+5	3.5	5.4	1.9	
" 15	5612	N.E.	I	Ma.	c-3	4.3	5.4	1.1	* Very red.
" 15	5612	B.	"	Ch.	d-1, P+4	4.5	5.4	.9	
" 16	5613	"	"	Oa.	c-3	4.3	5.4	1.1	
" 17	5614	"	"	"	c+5	3.5	5.4	1.9	*

(7120)  $\chi$  CYGNI—continued.

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deducted Mag.	Calc. Mag.	O—O	Remarks.
1901.									
Aug. 17	5614	B.	1	Pe.	c-3, 1+4	4.5	5.4	.9	
" 17	5614	"	"	Ke.	c-2.5, 1+7.5	4.3	5.4	1.1	
" 17	5614	N.E.	"	Ma.	c-3.5, 1+6.5	4.4	5.4	1.0	
" 18	5615	"	"	"	c-2.5	4.3	5.4	1.1	
" 18	5615	B.	"	Oa.	c-4	4.4	5.4	1.0	
" 18	5615	"	"	Pe.	c-4, 1+3	4.6	5.4	.8	
" 18	5615	"	"	Ch.	c-4, 1+5	4.4	5.4	1.0	Very red.
" 19	5616	N.E.	"	Ma.	c-6, 1+4	4.7	5.4	.7	
" 19	5616	B.	2	Pe.	c-5, 1+5	4.6	5.4	.8	
" 19	5616	"	1	Ke.	c-3.5, 1+6.5	4.4	5.4	1.0	
" 19	5616	"	3	Oa.	c-2	4.2	5.4	1.2	
" 19	5616	N.E.	...	Mi.	c-1	4.1	5.4	1.3	
" 20	5617	"	"	"	=R	4.7	5.4	.7	
" 20	5617	B.	1	Oa.	c-5	4.5	5.4	.9	
" 20	5617	"	"	Ke.	c-5, 1+5	4.6	5.4	.8	
" 20	5617	"	"	Pe.	c-6, 1+4	4.7	5.4	.7	
" 21	5618	"	"	"	c-6, 1+3.5	4.7	5.4	.7	
" 21	5618	N.E.	"	Ma.	c-5, 1+5	4.6	5.4	.8	
" 21	5618	B.	"	Oa.	c-5	4.5	5.4	.9	
" 21	5618	"	"	Ke.	c-5, 1+5	4.6	5.4	.8	
" 22	5619	"	"	"	c-5, 1+5	4.6	5.4	.8	
" 22	5619	"	2	Pe.	c-6, 1+3	4.7	5.4	.7	
" 22	5619	"	1	Oa.	c+1.5	3.9	5.4	1.5	*
" 22	5619	N.E.	3	Ma.	c-7.5	4.8	5.4	.6	
" 23	5620	B.	"	"	c-3.5, 1+6.5	4.4	5.5	1.1	
" 23	5620	"	2	Oa.	c-6.5	4.7	5.5	.8	
" 23	5620	"	1	Ke.	c-5, 1+5	4.6	5.5	.9	
" 24	5621	"	2	"	c-4, 1+6	4.5	5.5	1.0	
" 24	5621	"	1	Oa.	c-6.5	4.7	5.5	.8	
" 25	5622	"	2	Pe.	c-6, 1+3	4.7	5.5	.8	
" 25	5622	"	"	Ke.	c-4, 1+6	4.5	5.5	1.0	
" 26	5623	"	1	"	c-5, 1+5	4.6	5.5	.9	
" 26	5623	"	"	Oa.	c-7	4.7	5.5	.8	
" 27	5624	"	2	Pe.	e-1, 1+2	4.8	5.5	.7	
" 28	5625	"	"	"	e-1, 1+3	4.8	5.6	.8	
" 29	5626	"	"	"	e-1, 1+3	4.8	5.6	.8	
" 30	5627	"	"	"	e-1, 1+3	4.8	5.6	.8	
" 31	5628	"	1	Ke.	c-4, 1+6	4.5	5.6	1.1	
Sept. 1	5629	"	"	"	c-4, 1+6	4.5	5.6	1.1	
" 2	5630	"	2	Pe.	e-2, 1+2	4.9	5.7	.8	
" 3	5631	"	1	Ke.	c-5, 1+5	4.6	5.7	1.1	
" 3	5631	"	2	Ma.	c-6, 1+4	4.7	5.7	1.0	
" 4	5632	"	1	Ke.	c-6, 1+4	4.7	5.7	1.0	
" 4	5632	"	2	Pe.	e-1, 1+3	4.8	5.7	.9	
" 5	5633	"	"	"	e-2, 1+2	4.9	5.7	.8	
" 5	5633	"	1	Ma.	c-6, 1+4	4.7	5.7	1.0	
" 6	5634	"	"	Ke.	c-6, 1+4	4.7	5.8	1.1	
" 7	5635	"	"	Pe.	e-3, 1+1	5.0	5.8	.8	
" 8	5636	"	2	"	1+1	5.0	5.8	.8	
" 9	5637	"	1	"	=1	5.1	5.9	.8	
" 9	5637	"	"	Ch.	P+2, 1+3, S+2	4.7	5.9	1.2	Red.
" 10	5638	N.E.	...	Mi.	1-1	5.2	5.9	.7	
" 12	5640	"	"	"	1-1	5.2	5.9	.7	
" 12	5640	B.	2	Pe.	1-2	5.3	5.9	.6	
" 13	5641	"	1	"	1-1, g+4	5.2	6.0	.8	



(7120)  $\chi$  CYGNI—*continued*.

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deducted Mag.	Calc. Mag.	$\frac{C}{O}$	Remarks.
1901.									
Sept. 13	5641	B.	2	Ma.	1+1.5	4.9	6.0	1.1	
" 14	5642	"	1	Pe.	1-1, g+4	5.2	6.0	.8	
" 14	5642	"	"	Ke.	c-7, 1+3	4.8	6.0	1.2	
" 15	5643	"	"	"	c-7, 1+3	4.8	6.0	1.2	
" 15	5643	"	"	Pe.	1-2, g+4	5.2	6.0	.8	
" 15	5643	N.E.	...	Mi.	1-1	5.2	6.0	.8	
" 15	5643	B.	2	Ch.	1-1	5.2	6.0	.8	
" 16	5644	"	1	Ke.	c-8, 1+2	4.9	6.1	1.2	
" 16	5644	"	"	Pe.	1-3, g+1	5.4	6.1	.7	
" 17	5645	"	"	"	1-3, g+2	5.4	6.1	.7	
" 18	5646	"	"	"	1-3, g+2	5.4	6.1	.7	
" 19	5647	"	"	"	1-4, g+1	5.5	6.2	.7	
" 20	5648	"	"	Ke.	1-1	5.2	6.2	1.0	
" 22	5650	"	2	Pe.	1-5, g-1	5.6	6.2	.6	
" 23	5651	"	"	Ke.	1-5, 2+5	5.6	6.3	.7	
" 25	5653	"	...	Mi.	=h	5.7	6.3	.6	
" 25	5653	F.	1	Ch.	1-6, h+1, 2+5, 3+8	5.6	6.3	.7	Red.
Oct. 2	5660	B.	"	Ma.	2-1, 3+2	6.2	6.6	.4	Ruddy.
" 2	5660	"	"	Ke.	2-1, 3+2	6.2	6.6	.4	
" 3	5661	"	"	Pe.	2-1, 3+2	6.2	6.7	.5	
" 3	5661	F.	"	Ch.	2-2, =3	6.3	6.7	.4	Very red.
" 4	5662	B.	"	Ma.	2-1.5, 3+1.5	6.2	6.7	.5	
" 4	5662	"	"	Ke.	2-1.5, 3+1.5	6.2	6.7	.5	
" 5	5663	"	"	Pe.	2-1, 3+3	6.1	6.7	.6	
" 5	5663	"	...	Mi.	=2	6.1	6.7	.6	
" 6	5664	"	"	"	=2	6.1	6.8	—	.7
" 6	5664	"	1	Pe.	2-2, 3+2	6.2	6.8	—	.6
" 6	5664	"	"	Ke.	2-1.5, 3+1.5	6.2	6.8	.6	
" 6	5664	"	"	Ma.	=3	6.4	6.8	.4	
" 7	5665	F.	"	Ch.	2-4, =3	6.4	6.8	.4	Ruddy.
" 9	5667	B.	...	Mi.	3-1	6.5	6.9	.4	
" 9	5667	"	1	Ke.	2-2, 3+1	6.3	6.9	.6	
" 9	5667	"	2	Ma.	=3	6.4	6.9	.5	
" 10	5668	"	1	Ke.	3-0.5	6.5	7.0	.5	
" 12	5670	"	"	"	=3	6.4	7.0	.6	
" 13	5671	T.20	"	LeB.	2-5, 3-3	6.6	7.1	.5	
" 15	5673	"	"	"	2-5, 3-2	6.6	7.2	.6	
" 16	5674	B.	"	Ke.	=3	6.4	7.2	.8	
" 16	5674	"	2	Ma.	3-4	6.8	7.2	.4	
" 18	5676	"	1	"	3-6	7.0	7.3	.3	Pale orange red.
" 18	5676	"	"	Ke.	3-2.5	6.7	7.3	.6	
" 18	5676	T.30	"	Ch.	3-6, 6+8	6.9	7.3	.4	
" 19	5677	T.20	"	LeB.	0+4, 6+6	6.9	7.3	.4	
" 19	5677	B.	"	Ma.	3-7.5	7.2	7.3	.1	
" 21	5679	"	"	Ke.	3-3.5	6.8	7.4	.6	
" 22	5680	"	2	Ma.	3-10	7.4	7.5	.1	
" 30	5688	T.20	"	LeB.	6+2	7.3	7.9	.6	Date doubtful.
" 31	5689	B.	1	Ke.	3-10, =6	7.5	7.9	.4	
" 31	5689	T.28	"	Ma.	6+2	7.3	7.9	.6	
" 31	5689	T.30	2	Ch.	6+6, 7+8	7.1	7.9	.8	
Nov. 3	5692	T.67	1	Ma.	6+2	7.3	8.1	—	.8
" 4	5693	B.	"	Ke.	...	...	8.1	...	Just visible.
" 10	5699	T.20	2	LeB.	9-3, =13	8.7	8.4	+ .3	

(7120)  $\chi$  CYGNI—*continued.*

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deducted Mag.	Calc. Mag.	O—C.	Remarks.
1901.									
Nov. 14	5703	T.20	2	LeB.	13-1	8.8	8.7	+ .1	Deep red.
" 14	5703	T.28	"	Ma.	6-4.5, 7+1.5	8.0	8.7	- .7	
" 15	5704	T.30	"	Ch.	6-3, 7+3	7.8	8.7	- .9	
" 16	5705	T.28	"	Ma.	6-5, 7+1	8.0	8.8	- .8	
" 16	5705	T.20	3	LeB.	13-2	8.9	8.8	+ .1	
" 17	5706	"	2	"	13-4, 18+2	9.1	8.9	.2	
" 21	5710	"	"	"	13-2, =16, 18+1, 21+4	9.1	9.0	+ .1	
" 22	5711	"	3	"	16-1, 18+2	9.1	9.2	- .1	
" 23	5712	"	"	"	16-2, =18, 27+5	9.3	9.2	+ .1	
" 23	5712	T.30	"	Ch.	=9	8.4	9.2	- .8	
" 25	5714	T.28	2	Ma.	7-6, 9-5, 18+5, 20+6	8.8	9.3	.5	
" 28	5717	T.30	1	Ch.	9-8, 20+2	9.2	9.5	- .3	Ruddy. Red.
" 29	5718	T.20	"	LeB.	16-4, 18-3, 27+2	9.6	9.5	+ .1	
Dec. 7	5726	"	"	"	27-3, =36, =37	10.2	10.0	.2	
" 8	5727	"	"	"	27-3, =36, =37	10.2	10.1	+ .1	
" 8	5727	T.95	"	Ch.	18-3, 20-2	9.6	10.1	- .5	
" 16	5735	"	"	"	14-2, =18, 20+3	9.2	10.5	1.3	
" 18	5737	T.20	2	LeB.	29-4	10.1	10.6	.5	
" 18	5737	T.28	"	Ma.	20-4, 34+2	9.8	10.6	.8	
" 26	5745	T.95	1	Ch.	51-3, =54, 59+4	10.7	11.0	.3	
" 29	5748	T.28	"	Ma.	=27	9.9	11.2	- 1.3	
1902.									
Jan. 4	5754	T.28	2	Ma.	27-2.5	10.1	11.4	- 1.3	Doubtful.
" 5	5755	"	1	"	=51	10.5	11.5	1.0	
" 28	5778	T.	...	Co.	...	11.0	12.4	1.4	
Apr. 18	5858	T.95	3	Ch.	...	...	13.3	...	< 11.0.
" 27	5867	"	"	"	...	...	13.0	...	< 11.0.
" 28	5868	"	2	"	101-4, =104	12.7	12.9	.2	
May 5	5875	"	"	"	92-2, =98	12.5	12.7	.2	Invisible.
" 8	5878	T.	...	Co.	...	...	12.5	...	
" 13	5883	T.28	1	Ma.	...	...	12.3	...	
" 25	5895	T.95	3	Ch.	=67	11.3	11.4	.1	
" 26	5896	"	"	"	=67	11.3	11.4	.1	
" 27	5897	"	1	"	59-4, =63, 64+2, 67+5	11.0	11.1	- .1	
June 7	5908	T.	...	Co.	...	11.0	10.3	+ .7	Rather ruddy.
" 24	5925	T.95	1	Ch.	13-3, =16	9.0	8.8	.2	
" 25	5926	T.28	"	Ma.	20-2, 27+1	9.7	8.7	1.0	
" 28	5929	T.	...	Co.	...	9.8	8.5	1.3	
" 29	5930	T.95	1	Ch.	=16, 20+4	9.0	8.4	.6	
July 3	5934	T.28	"	Ma.	20-1	9.5	8.2	1.3	
" 5	5936	T.	"	Pe.	16-1, 18+2	9.1	8.1	1.0	Rather ruddy.
" 6	5937	T.95	"	Ch.	13-3, =16, 20+3	9.0	7.9	1.1	
" 7	5938	T.28	2	Ma.	16+1, 20-2	9.3	7.9	1.4	
" 11	5942	"	1	"	=20	9.4	7.7	1.7	
" 27	5958	"	"	"	20-2	9.6	6.8	2.8	
Aug. 1	5963	"	"	"	=20	9.4	6.6	2.8	

(7120)  $\chi$  CYGNI—*continued*.

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deduced Mag.	Calc. Mag.	O—C.	Remarks.
1902.									
Aug. 9	5971	B.	1	Ma.	...	...	6.2	...	Invisible.
" 12	5974	T.28	2	"	6-3, 7+3	7.8	6.1	+1.7	Ruddy.
" 14	5976	B.	"	"	...	...	6.0	...	Invisible.
" 24	5986	T.	...	Co.	...	5.5	5.7	-.2	
" 25	5987	B.	2	Oa.	1-1.5	5.2	5.7	.5	
" 25	5987	"	1	Ma.	1-1	5.2	5.7	.5	
" 26	5988	"	2	Oa.	1-3	5.4	5.6	.2	
" 29	5991	"	"	"	=1	5.1	5.5	.4	
Sept.									
1	5994	"	"	"	1+5	4.6	5.4	.8	
" 1	5994	T.	...	Co.	...	5.0	5.4	.4	
" 6	5999	B.	1	Pe.	c-3, =d, 1+6	4.4	5.4	1.0	
" 8	6001	"	"	"	c-2, d+2	4.2	5.3	1.1	
" 10	6003	"	2	"	c-2, e+2	4.4	5.3	.9	
" 10	6003	N.E.	"	LeB.	c-3	4.3	5.3	1.0	
" 12	6005	"	"	"	c-2	4.2	5.3	1.1	
" 12	6005	B.	"	Pe.	c-3, d+2	4.3	5.3	1.0	
" 13	6006	"	"	"	c-3, d+2	4.3	5.3	1.0	
" 15	6008	T.	...	Co.	...	4.8	5.3	.5	
" 18	6011	B.	2	Ma.	c-1	4.1	5.3	1.2	
" 18	6011	"	1	Pe.	c-3	4.3	5.3	1.0	
" 23	6016	B.	"	Ma.	=c	4.0	5.4	1.4	
" 24	6017	N.E.	"	"	c-2	4.2	5.4	1.2	
" 24	6017	...	...	Co.	...	4.6	5.4	.8	
" 25	6018	N.E.	1	Ma.	c-2	4.2	5.4	-1.2	
" 26	6019	N.E.	1	Ma.	c-2	4.2	5.4	-1.2	
" 29	6022	"	"	"	c-1.5	4.2	5.4	1.2	
" 30	6023	...	...	Co.	...	4.9	5.4	.5	
Oct.									
1	6024	N.E.	1	Ma.	c-2	4.2	5.4	1.2	
" 1	6024	"	"	LeB.	c-2.5	4.3	5.4	1.1	
" 3	6026	"	"	Ma.	c-3	4.3	5.5	1.2	
" 4	6027	"	2	"	c-3.5	4.4	5.5	1.1	
" 7	6030	"	"	"	c-5, 1+5	4.6	5.6	1.0	
" 8	6031	T.95	1	Ch.	e-4, 1+6, 8+5	4.6	5.6	1.0	*
" 9	6032	N.E.	2	LeB.	c-3	4.3	5.6	1.3	
" 10	6033	B.	1	Ch.	d+4, P+5	4.2	5.6	1.4	
" 11	6034	"	2	Ma.	c-6, 1+5	4.6	5.6	1.0	
" 14	6037	"	1	Ch.	d-2, =c	4.6	5.7	1.1	
" 21	6044	"	"	"	=P, 8+3	4.7	5.9	1.2	
" 21	6044	"	"	Ma.	1+2	4.9	5.9	1.0	
" 21	6044	N.E.	"	LeB.	c-5, =1	4.8	5.9	1.1	
" 23	6046	T.7	"	"	c-6.5, 1-2	5.0	6.0	1.0	*
" 24	6047	...	...	Co.	...	5.0	6.0	1.0	
" 26	6049	B.	1	Ma.	1+1	5.0	6.1	1.1	
" 27	6050	"	"	"	=1	5.1	6.1	1.0	
" 27	6050	"	"	Ch.	P-3, 1-3	5.2	6.1	.9	
" 29	6052	"	"	"	P-4, 1-5	5.4	6.2	.8	
" 30	6053	"	"	Ma.	1-3, g+1.5	5.4	6.2	.8	
Nov.									
1	6055	"	3	Ch.	1-3	5.4	6.2	.8	
" 4	6058	"	1	Ma.	=g	5.6	6.4	.8	
" 7	6061	"	"	Ch.	1-6, g+3	5.5	6.5	1.0	
" 8	6062	"	"	Ma.	g-1	5.7	6.5	.8	Date doubtful.
" 9	6063	"	2	"	g-3, 2+2	5.9	6.5	.6	
" 10	6064	"	1	Ch.	1-8, 3+5, 2+5	5.8	6.6	.8	

(7120)  $\chi$  CYGNI—*continued*.

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deducted Mag.	Calc. Mag.	$\frac{C}{O}$	Remarks.
1902.									
Nov. 12	6066	B.	I	Ch.	2+1, 3+3	6'0	6'7	7	
" 15	6069	T.	...	Co.	...	6'6	6'8	2	
" 18	6072	B.	2	Ma.	2-5, 3+1	6'4	6'9	5	
" 28	6082	"	"	Ch.	3-4	6'8	7'3	5	
" 28	6082	T.	...	Co.	...	7'3	7'3	0	
Dec. 4	6088	"	...	"	...	8'0	7'6	+ '4	
" 18	6102	T.28	I	Ma.	6-5, 7+1	8'0	8'3	- '3	Ruddy.
" 23	6107	"	2	"	6-3'5	7'9	8'6	- '7	
" 26	6110	T.	...	Co.	...	9'0	8'8	+ '2	
" 31	6115	"	...	"	...	9'6	9'1	'4	
1903.									
Jan. 3	6118	T.28	I	Ma.	20-1	9'5	9'3	+ '2	
Mar. 5	6179	T.	...	Co.	...	11'0	12'3	- 1'3	
Apr. 11	6216	"	...	"	...	...	13'2	...	Invisible < 13'0.
May 20	6255	B.	I	Ma.	...	...	13'4	...	"
" 24	6259	T.	...	Co.	...	...	13'4	...	"
Sept. 11	6369	B.	...	Ma.	...	...	6'6	...	"
" 26	6384	T.	2	Or.	...	...	5'9	...	" < 10'0.
Oct. 12	6400	B.	I	Ma.	2+2	5'9	5'4	+ '5	
" 12	6400	T.	...	Co.	1-5, 2+5	5'6	5'4	+ '2	
" 15	6403	"	...	"	2+1	6'0	5'4	+ '6	
" 16	6404	B.	I	Ma.	1-5, 2+5	5'6	5'4	'2	
" 21	6409	"	"	"	1-3, 8+1'5	5'4	5'3	+ '1	
" 22	6410	T.	...	Co.	1-2	5'3	5'3	0	
" 25	6413	"	...	"	1+1	5'0	5'3	- '3	
" 30	6418	B.	I	Ma.	1+2'5	4'8	5'3	- '5	
Nov. 4	6423	"	"	"	1-5, 2+5	5'6	5'4	+ '2	
" 6	6425	"	"	"	1-1, 2+9	5'2	5'4	- '2	
" 6	6425	N.E.	2	Co.	1+1	5'0	5'4	'4	
" 7	6426	B.	I	Ma.	1-1, g+3	5'2	5'4	'2	
" 14	6433	"	"	"	1-1, g+4	5'2	5'5	'3	Fiery red.
" 14	6433	"	...	Co.	1-0'5	5'1	5'5	'4	
" 15	6434	B.	I	Ma.	1-1, g+4	5'2	5'5	'3	
" 16	6435	"	"	"	1-1, g+4	5'2	5'5	'3	
" 17	6436	"	"	Or.	=1	5'1	5'6	'5	Red.
" 18	6437	"	"	Ma.	1-1, g+4	5'2	5'6	'4	
" 19	6438	"	"	"	1-2, g+3	5'3	5'6	'3	
" 21	6440	"	2	"	1-2, g+3	5'3	5'6	'3	
Dec. 9	6458	"	I	Or.	g+2'5	5'3	6'2	- '9	
" 11	6460	"	...	Co.	3+1	6'3	6'2	+ '1	
" 14	6463	B.	I	Or.	=g	5'6	6'3	- '7	
" 15	6464	"	"	Ma.	2-1'5, 3+1'5	6'2	6'3	'1	
" 24	6473	"	...	Co.	3+1	6'3	6'7	'4	
1904.									
Jan. 3	6483	"	...	"	3-4	6'8	7'1	'3	
" 10	6490	"	...	"	...	7'3	7'4	'1	*

(7120)  $\chi$  CYGNI—*continued*.

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deducted Mag.	Calc. Mag.	$\frac{C}{O}$	Remarks.
1904.									
Jan. 10	6490	B.	2	Ma.	...	...	7.4	...	Invisible < 6.9.
" 13	6493	T.28	1	"	6+2.5	7.3	7.6	.3	
" 15	6495	"	"	"	6+1, 7+3	7.6	7.7	.1	
" 15	6495	B.	"	Or.	2-1	6.2	7.7	1.5	About.*
Apr. 6	6577	T.	...	Co.	51-6	11.1	11.9	.8	
May 3	6604	T.28	1	Ma.	...	...	12.9	...	Invisible.
" 18	6619	T.	...	Co.	...	...	13.2	...	"
June 3	6635	"	...	"	...	...	13.4	...	"
July 3	6665	T.28	...	Ma.	...	...	13.4	...	" < 10.1.
" 5	6667	T	...	Co.	...	...	13.3	...	"
Aug. 2	6695	"	...	"	...	10.8	12.2	1.4	Doubtful.
" 14	6707	"	...	"	...	10.0	11.3	1.3	
" 18	6711	T.	...	Wm	...	...	11.0	...	Invisible.
" 28	6721	T.	...	Co.	...	9.8	10.1	-.3	
" 28	6721	T.40	1	Br.	=36	10.2	10.1	+.1	
" 29	6722	"	"	"	=36	10.2	10.0	.2	
" 30	6723	B.	...	Ma.	...	...	9.9	...	Invisible.
Sept. 3	6727	T.28	1	Ma.	27-1, 34+1	10.0	9.6	.4	
" 10	6734	T.	...	Co.	...	9.5	9.0	.5	
" 15	6739	T.25	1	Br.	20-1, 29+2	9.5	8.6	.9	
" 16	6740	T.28	2	Ma.	20-2, 27+2	9.6	8.5	1.1	
" 17	6741	"	1	"	20-1	9.5	8.4	1.1	
" 18	6742	T.75	"	Br.	=18	9.3	8.4	+.9	
" 20	6744	T.40	2	"	16+1, 13-2	8.9	8.2	+.7	
" 25	6749	"	"	"	13-1.5, 16+1.5	8.8	7.9	.9	
" 27	6751	T.28	"	Ma.	20-1	9.5	7.8	1.7	
" 29	6753	"	1	"	20-1	9.5	7.7	1.8	
Oct. 1	6755	T.25	"	Br.	13-2, 14+2	8.9	7.6	1.3	
" 3	6757	T.28	2	Ma.	20+1	9.3	7.4	1.9	
" 3	6757	T.	...	Co.	9-4.5, 18+4.5	8.8	7.4	1.4	
" 7	6761	T.28	1	Ma.	20-1	9.5	7.2	1.3	
" 8	6762	T.25	"	Br.	=12	8.8	7.2	1.6	
" 11	6765	T.28	"	Ma.	20+1.5	9.2	7.0	2.2	
" 11	6765	T.	...	Wm	=20	9.4	7.0	2.4	
" 12	6766	T.28	1	Ma.	20+1.5	9.2	7.0	2.2	
" 12	6766	T.40	"	Br.	9-2, 12+2	8.6	7.0	1.6	
" 13	6767	T.28	"	Ma.	13-3.5, 20+3.5	9.0	6.9	2.1	
" 26	6780	B.	"	"	...	...	6.8	...	Invisible.
" 29	6783	T.28	"	"	7-2, 13+4,	8.3	6.2	2.1	
" 29	6783	T.	...	Co.	9+2	8.2	6.2	2.0	
Nov. 3	6788	T.28	1	Ma.	6+2, 7+2	7.8	5.9	1.9	
" 6	6791	T.25	2	Br.	3-2	6.6	5.9	.7	
" 6	6791	B.	1	My.	=3	6.4	5.9	.5	
" 9	6794	"	"	"	2-2, 3+1	6.3	5.8	.5	
" 12	6797	"	"	"	2-1, 3+2	6.2	5.7	.5	
" 12	6797	T.25	"	Br.	2+1	6.0	5.7	.3	
" 12	6797	B.	"	Ma.	2-1, 3+3	6.1	5.7	.4	
" 12	6797	T.	...	Wm	=2	6.1	5.7	.4	

(7120)  $\chi$  CYGNI—*continued.*

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deducted Mag.	Calc. Mag.	O—C	Remarks.
1904.									
Nov. 12	6797	T.	...	Co.	2+1	6.0	5.7	.3	Warm hue.
" 14	6799	B.	1	Ma.	=2	6.1	5.6	.5	
" 14	6799	"	"	Br.	1-8, 2+2	5.9	5.6	+ .3	
" 14	6799	"	"	My.	1-2.5, 2+7.5	5.3	5.6	- .3	
" 15	6800	"	"	Br.	g-2, 2+2	5.8	5.6	+ .2	
" 16	6801	"	"	My.	1-6, 2+4	5.7	5.6	+ .1	
" 18	6803	"	2	"	1-4, 2+6	5.5	5.5	0	
" 20	6805	"	"	"	1-2.5, 2+7.5	5.3	5.4	- .1	
" 22	6807	"	1	Br.	1-2, 2+8	5.3	5.4	.1	
" 23	6808	"	"	"	1-1	5.2	5.4	.2	
" 25	6810	"	2	My.	1+1	5.0	5.4	.4	
" 26	6811	F.	...	Wm	1+4	4.7	5.3	.6	
" 26	6811	B.	1	Br.	R-1.5, 1+1.5	4.9	5.3	.4	
" 27	6812	"	"	My.	1+2	4.9	5.3	.4	
" 28	6813	"	"	Br.	R-1, 1+3	4.8	5.3	.5	
" 29	6814	"	"	Ma.	c-6, 1+3	4.7	5.3	.6	Warm orange.
" 29	6814	"	"	My	c-6, 1+4	4.7	5.3	.6	
Dec. 1	6816	"	"	"	c-4, 1+6	4.5	5.3	.8	Reddish orange.
" 1	6816	"	2	Br.	c-6, 1+3	4.7	5.3	.6	
" 2	6817	"	"	"	c-6, R+2	4.6	5.3	.7	
" 3	6818	"	"	Ma.	c-2	4.2	5.3	1.1	
" 4	6819	"	"	My.	c-1	4.1	5.3	1.2	
" 5	6820	T.	...	Co.	1+3	4.8	5.3	.5	
" 5	6820	N.E.	1	Br.	e-1, d+1	4.5	5.3	- .8	
" 6	6821	B.	1	My.	c-1	4.1	5.3	- 1.2	
" 7	6822	"	"	Ma.	c-2.5, 1+5	4.4	5.3	.9	
" 7	6822	F.	...	Wm	c-3	4.3	5.3	1.0	
" 8	6823	B.	1	My.	c	4.0	5.3	1.3	
" 8	6823	"	2	Br.	e-1, d+1	4.5	5.3	.8	
" 9	6824	B. & N.E.	1	"	c-2, R+4, T-3, e+3	4.3	5.3	1.0	
" 10	6825	B.	2	Ma.	c-2	4.2	5.3	1.1	
" 11	6826	"	"	My.	c+1	3.9	5.3	1.4	
" 12	6827	F.	...	Wm	c-3, 1+8	4.3	5.3	1.0	
" 13	6828	B.	1	Ma.	c-2, 1+7	4.3	5.4	1.1	Ruddy.
" 13	6828	B. & N.E.	"	Br.	c-2, R+4, T-3, e+3	4.3	5.4	1.1	
" 13	6828	B.	"	My.	c-1	4.1	5.4	1.3	
" 14	6829	"	"	Ma.	c-1.5, 1+7	4.3	5.4	1.1	
" 14	6829	"	...	Co.	1+4	4.7	5.4	.7	
" 16	6831	B.	2	Br.	c-2, R+4, T-3, e+3	4.3	5.4	1.1	
" 17	6832	"	"	My.	c-1	4.1	5.4	1.3	
" 18	6833	"	1	Ma.	c-1.5, 1+7	4.3	5.4	1.1	
" 19	6834	"	2	My.	c-2.5, 1+7.5	4.3	5.4	1.1	
" 20	6835	F.	...	Wm	c-5, 1+6	4.5	5.4	.9	
" 22	6837	B.	2	Br.	c-3.5, R+3.5	4.4	5.5	1.1	
" 25	6840	"	"	My.	c-5, 1+5	4.6	5.5	.9	
" 27	6842	"	1	"	c-5, 1+5	4.6	5.5	.9	
" 29	6844	"	"	"	c-6, 1+4	4.7	5.6	.9	
" 29	6844	T.	...	Co.	1+3	4.8	5.6	.8	
" 30	6845	B.	1	Ma.	c-2.5	4.3	5.6	1.3	
" 30	6845	B. & N.E.	"	Br.	c-6, R+2	4.6	5.6	1.0	
" 31	6846	B.	"	My.	c-6, 1+4	4.7	5.6	- .9	



## (7609) T CEPHEL.

## NOTE.

Additional stars:—

P =	D.M.	+ 68° 1187,	9° 10 m.
R =	"	+ 66° 1405,	5° 35 " P.D.M.
S =	"	+ 67° 1329,	6° 80 "
T =	"	+ 68° 1190,	8° 80 "

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deducted Mag.	Calc. Mag.	$\frac{C}{O}$	Remarks.
1900.									
Nov. 17	5341	T.28	1	Ma.	=h	8.1	7.5	+ .6	
" 18	5342	B.	"	"	h+1	8.0	7.4	+ .6	
Dec. 12	5366	"	"	Ke.	(h+1)+1.5	7.6	7.0	.6	
" 13	5367	"	"	Ma.	d-5	7.2	7.0	+ .2	
" 15	5369	T.28	"	"	d-2	6.9	6.9	0	
" 16	5370	B.	"	Ke.	(h+1)+2.5	7.5	6.9	+ .6	
" 19	5373	T.28	"	Ma.	=e	7.1	6.8	.3	Ruddy.
" 20	5374	B.	"	Ke.	(h+1)+4	7.4	6.8	+ .6	
1901.									
Jan. 8	5393	T.28	2	Ma.	d+5	6.2	6.4	- .2	
" 17	5402	B.	"	Ke.	d+2.5	6.4	6.2	+ .2	Reddish.
" 19	5404	"	"	"	d+3	6.4	6.2	.2	Red.
" 22	5407	"	"	"	d+3.5	6.3	6.1	.2	
" 25	5410	"	"	"	d+4.5	6.2	6.0	.2	Red.
" 31	5416	"	"	"	c-1.5, d+5.5	6.2	6.0	.2	
Feb. 5	5421	"	2	Ma.	d+3 <sup>0</sup> .	6.4	5.9	.5	
" 12	5428	T.28	"	"	d+5	6.2	6.0	.2	
" 12	5428	B.	1	Ke.	c-3, d+2	6.4	6.0	.4	Reddish.
" 15	5431	"	2	Ma.	d+4	6.3	6.0	.3	
" 15	5431	T.	"	Or.	d+3	6.4	6.0	.4	
" 21	5437	B.	1	Ke.	=d	6.7	6.1	.6	
Mar. 8	5452	T.28	1	Ma.	d-5, h+10	7.2	6.4	.8	
" 10	5454	B.	3	Or.	d-1	6.8	6.4	.4	
" 16	5460	T.28	"	Ma.	d-7, h+7	7.4	6.6	.8	
" 18	5462	B.	2	"	d-10	7.7	6.6	1.1	
" 22	5466	T.28	1	"	d-6	7.3	6.7	.6	Slightly ruddy.
" 25	5469	T.30	"	Ch.	f-2, h+3	7.9	6.8	1.1	
" 27	5471	"	2	"	f-2, h+3	7.9	6.8	1.1	
" 28	5472	"	"	"	h+4	7.7	6.9	.8	
" 28	5472	T.28	"	Ma.	d-7, h+7	7.4	6.9	.5	
" 31	5475	T.30	"	Ch.	h+3	7.8	7.0	.8	
Apr. 1	5476	"	"	"	h+4	7.7	7.0	+ .7	
" 1	5476	T.	1	Or.	d-1, e+3	6.8	7.0	- .2	Red.
" 4	5479	T.30	2	Ch.	h+3	7.8	7.1	+ .7	
" 9	5484	"	1	"	f-3, 2-1, h+2	8.1	7.2	.9	
" 10	5485	"	"	"	f-3, g+2, h+2	8.0	7.3	.7	
" 10	5485	T.	"	Or.	f+2, e-3	7.5	7.3	.2	
" 12	5487	T.30	"	Ch.	=h	8.1	7.3	.8	
" 15	5490	T.	"	Or.	f+1	7.6	7.4	.2	
" 17	5492	"	2	"	f-2, g+3	7.9	7.5	.4	
" 18	5493	"	1	"	f-2, g+3	7.9	7.5	.4	

(7609) T CEPHEI—*continued*.

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deducted Mag.	Calc. Mag.	O-C.	Remarks.
1901.									
Apr. 18	5493	T.60	I	Ch.	g-2, h-4	8.5	7.5	1.0	
" 19	5494	T.	"	Or.	=f	7.7	7.5	.2	
" 20	5495	"	"	"	f+1, g+3	7.7	7.6	.1	
" 20	5495	T.30	"	Ch.	h-2	8.3	7.6	.7	
" 21	5496	"	"	"	h-3, g+2	8.2	7.6	.6	
" 22	5497	"	2	"	h-3, g-2	8.4	7.6	.8	
" 25	5500	"	"	"	h-3, g-3	8.2	7.7	.5	
" 30	5505	"	"	"	g-4	8.6	7.9	+ .7	
May 6	5511	"	I	"	h-5	8.6	8.0	.6	
" 8	5513	"	"	"	=k, m+8	8.8	8.1	.7	
" 12	5517	"	"	"	k-2	9.0	8.2	.8	
" 13	5518	"	"	"	h-8, k-2	9.0	8.2	.8	
" 14	5519	"	"	"	k-3, m+3	9.2	8.3	.9	
" 16	5521	"	"	"	k-3, m+5	9.1	8.3	.8	
" 19	5524	"	"	"	k-3	9.1	8.4	.7	
" 20	5525	"	"	"	k-4, m+6	9.1	8.5	.6	
" 31	5536	"	2	"	k-4, m+6	9.1	8.8	.3	
June 5	5541	"	I	"	l+3, m+4	9.1	8.9	.2	
" 16	5552	"	"	"	k-7, m+3	9.4	9.2	.2	
" 23	5559	"	"	"	m-3, o+1	10.2	9.4	+ .8	
" 26	5562	"	2	"	m+3	9.4	9.4	0	Very red.
" 27	5563	"	"	"	m+3	9.4	9.5	- .1	
July 7	5573	T.60	"	"	m-5, =n	10.1	9.7	+ .4	
" 8	5574	"	I	"	m-3, n+2	9.9	9.7	.2	
" 15	5581	T.30	"	"	m-4, n+1	10.0	9.8	.2	
" 18	5584	"	"	"	=n	10.1	9.8	.3	
" 22	5588	"	"	"	n-2, o+2	10.3	9.9	.4	
" 28	5594	T.60	2	"	n-2	10.3	9.9	.4	
Aug. 6	5603	"	I	"	n-1	10.2	9.9	+ .3	
" 13	5610	"	"	"	=m	9.7	9.9	- .2	
" 18	5615	T.30	"	"	=m, n+4	9.7	9.9	.2	
Sept. 4	5632	"	2	"	k-6, m+6, n+8	9.2	9.6	- .4	Very red.
" 15	5643	"	I	"	h-5, k+3, m+8	8.7	9.3	+ .4	" "
Oct. 7	5665	"	"	"	=g, =h, k+6	8.2	8.7	- .5	Fine red.
" 18	5676	"	"	"	f-3.5, g+1.5	8.0	8.5	.5	" "
Nov. 3	5692	T.28	"	Ma.	h+4	7.7	8.1	- .4	Ruddy.
" 10	5699	T.20	2	LeB.	h+2, g+2	8.0	7.9	+ .1	
" 14	5703	"	"	"	f-3, h+1	8.0	7.9	+ .1	
" 14	5703	T.28	"	Ma.	d-7, h+7	7.4	7.9	- .5	
" 17	5706	T.20	"	LeB.	h+1, g+1	8.1	7.8	+ .3	
" 21	5710	"	"	"	h+2, g+2	8.0	7.8	+ .2	
" 28	5717	T.30	I	Ch.	f+4, g+6	7.4	7.7	- .3	
" 29	5718	T.20	"	LeB.	f-3, h+4	7.9	7.6	+ .3	
Dec. 6	5725	"	3	"	h+4, g+4	7.8	7.5	.3	Date doubtful.
" 10	5729	"	I	"	f+5, g+3	8.0	7.4	.6	" "
" 16	5735	T.30	"	Ch.	c-5, f-2, g+5	7.4	7.3	.1	
" 17	5736	T.20	2	LeB.	h+2, g+3	7.9	7.3	.6	Date doubtful.
" 26	5745	T.30	I	Ch.	d-5, e-3, f+4	7.3	7.1	.2	

(7609) T CEPHEI—*continued.*

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deducted Mag.	Calc. Mag.	$\frac{t}{O-C}$	Remarks.
1901.									
Dec. 27	5746	T.20	1	LeB.	f-3, g+2	8.0	7.1	.9	Date doubtful.
" 30	5749	"	3	"	f-4, h+2	8.0	7.0	+1.0	
1902.									
Jan. 1	5751	T.	"	Co.	...	6.9	7.0	-.1	Ruddy. Yellowish white.
" 4	5754	T.28	1	Ma.	=d	6.7	6.9	-.2	
" 5	5755	"	"	"	=d	6.7	6.9	-.2	
" 5	5755	T.30	"	Ch.	d-2, e+2, f+2	7.1	6.9	+.2	
" 9	5759	T.20	3	LeB.	d+2	6.5	6.8	-.3	
" 13	5763	"	2	"	d+1	6.6	6.8	-.2	
" 14	5764	"	3	"	d+2	6.5	6.7	-.2	
" 19	5769	"	"	"	d+5	6.2	6.6	-.4	
" 21	5771	T.	"	Co.	...	6.0	6.6	-.6	
" 31	5781	T.30	1	Ch.	d+5, e+8	6.3	6.4	-.1	
Feb. 9	5790	B.	"	"	b-2, d+8	5.8	6.2	-.4	White.
" 27	5808	"	2	"	d+8, e+10	6.0	5.9	+.1	
Mar. 15	5824	T.	...	Co.	...	7.0	6.1	.9	Very red.
Apr. 7	5847	"	...	"	...	7.0	6.6	+.4	
" 18	5858	T.95	1	Ch.	d+3, e+6	6.5	6.9	-.4	
" 23	5863	"	"	"	d+4, e+8	6.3	7.0	.7	
" 27	5867	"	"	"	d-3, e+2, f+5	7.0	7.1	-.1	
May 5	5875	"	"	"	d-4, f+8	7.0	7.3	-.3	
" 7	5877	T.	...	Co.	...	7.5	7.4	+.1	
" 12	5882	T.95	1	Ch.	f+3, g+2	8.0	7.6	.4	
" 25	5895	T.30	"	"	g+2, k+3	8.2	7.9	+.3	
June 7	5908	T.	...	Co.	...	8.0	8.3	-.3	
" 21	5922	"	...	"	...	8.2	8.7	-.5	
July 1	5932	"	...	"	...	9.0	9.0	0	
" 6	5937	T.95	1	Ch.	m+4	9.3	9.1	+.2	
Sept. 4	5997	T.	...	Co.	...	10.0	9.9	.1	
" 21	6014	"	...	"	...	10.5	9.7	.8	
Oct. 21	6044	"	...	"	...	9.8	8.9	.9	
" 30	6053	T.28	1	Ma.	l-1, P+2.5	9.1	8.7	.4	
Nov. 7	6061	T.	...	Co.	...	9.0	8.5	.5	
" 10	6064	T.95	2	Ch.	g-4, k+2	8.6	8.4	.2	
" 15	6069	T.	...	Co.	...	9.3	8.3	1.0	
" 21	6075	"	"	"	...	9.0	8.2	.8	
" 28	6082	"	...	"	...	9.0	8.0	1.0	
Dec. 4	6088	"	...	"	...	9.0	7.9	1.1	
" 18	6102	T.28	2	Ma.	h-1	8.2	7.7	+.5	
" 20	6104	T.	...	Co.	...	7.5	7.7	-.2	
" 21	6105	T.28	2	Ma.	f-2.5, g+2.5, =h	8.0	7.6	+.4	
" 23	6107	"	"	"	=h	8.1	7.6	+.5	
" 31	6115	T.	...	Co.	...	7.5	7.5	0	
1903.									
Jan. 2	6117	"	...	"	...	7.5	7.4	+.1	Ruddy.
" 3	6118	T.28	1	Ma.	h-2	8.3	7.4	.9	

## (7609) T CEPHEI—continued.

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deducted Mag.	Calc. Mag.	O—O	Remarks.
1903.									
Jan. 23	6138	B.	I	Ma.	...	...	7.0	...	Invisible < 7.1.
" 23	6138	T.	...	Co.	...	7.8	7.0	.8	
Feb. 1	6147	"	2	"	...	7.3	6.8	+ .5	
" 13	6159	"	I	"	...	6.5	6.6	- .1	
" 17	6163	T.28	"	Ma.	d + 2	6.4	6.5	- .1	
" 21	6167	T.	...	Co.	...	6.5	6.4	+ .1	
" 28	6174	"	...	"	...	6.3	6.2	+ .1	
" 28	6174	T.28	I	Ma.	d + 6	6.1	6.2	- .1	Ruddy.
Mar. 3	6177	"	"	"	d + 4.5	6.2	6.2	0	
" 5	6179	T.	...	Co.	...	6.3	6.1	+ .2	
" 16	6190	"	"	"	...	6.0	6.0	0	
" 16	6190	B.	I	Ma.	d + 4	6.3	6.0	+ .3	Ruddy.
" 22	6196	B.	...	Co.	...	6.3	5.9	+ .4	
" 28	6202	T.	...	"	...	6.0	6.0	0	
" 30	6204	B.	"	"	...	6.5	6.0	+ .5	
Apr. 2	6207	T.	...	"	...	6.5	6.0	.5	
" 11	6216	"	...	"	...	6.3	6.2	.1	
" 24	6229	"	...	"	= d	6.7	6.5	.2	
May 15	6250	"	...	"	h + 3	7.8	7.0	.8	
" 24	6259	"	...	"	h + 5	7.6	7.3	.3	
June 21	6287	"	...	"	...	9.3	8.1	1.2	
July 23	6319	"	...	"	...	9.3	9.0	+ .3	
Aug. 25	6352	"	...	"	m + 2	9.5	9.7	- .2	
Sept. 2	6360	"	...	"	...	9.8	9.8	0	
" 12	6370	"	...	"	m + 2	9.5	9.9	- .4	
Oct. 15	6403	"	...	"	m + 2	9.5	9.6	- .1	
" 25	6413	"	...	"	...	9.6	9.4	+ .1	
Nov. 8	6427	B.	I	Ma.	...	...	9.0	...	Invisible < 8.0.
" 14	6433	T.28	"	"	= 1	9.2	8.9	.3	
" 14	6433	T.	...	Co.	...	9.3	8.9	.4	
" 21	6440	T.28	I	Ma.	h - 7, l + 3.5	8.8	8.7	.1	
Dec. 11	6460	T.	...	Co.	...	8.8	8.2	.6	
" 24	6473	"	...	"	h - 5, l + 5	8.7	8.0	.7	
1904.									
Jan. 3	6483	"	...	"	= h	8.1	7.8	.3	
" 10	6490	"	...	"	h + 1	8.0	7.7	.3	
" 14	6494	T.28	I	Ma.	h + 2	7.9	7.6	+ .3	
Feb. 6	6517	T.	...	Co.	= d	6.7	7.2	- .5	
" 13	6524	"	...	"	d + 2	6.5	7.0	.5	
Mar. 10	6550	"	...	"	d + 9	5.8	6.5	.7	
" 16	6556	B.	2	Oa.	R - 3.5	5.7	6.3	.6	
" 21	6561	"	I	"	R - 5	5.9	6.2	.3	
" 21	6561	T.	...	Co.	d + 9	5.8	6.2	.4	
" 22	6562	B.	I	Oa.	R - 5	5.9	6.2	- .3	

(7609) T CEPHEI—*continued.*

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deducted Mag.	Calc. Mag.	O—C.	Remarks.
1904.									
Apr. 4	6575	B.	2	Oa.	R-8.5	6.2	6.0	+ .2	
" 6	6577	"	"	"	=8	6.8	6.0	+ .8	
" 6	6577	"	"	Or.	d+4	6.3	6.0	+ .3	Fine red.
" 6	6577	T.	...	Co.	d+7	6.0	6.0	0	
" 8	6579	B.	1	Oa.	S+3	6.5	5.9	+ .6	
" 9	6580	"	"	"	=8	6.8	5.9	+ .9	
" 10	6581	"	"	Or.	c-1	6.1	5.9	+ .2	
" 10	6581	"	"	Ma.	d+5	6.2	5.9	+ .3	
" 12	6583	T.28	"	"	d+2.5	6.4	5.9	+ .5	Ruddy.
" 15	6586	B.	"	Or.	c-4, d+2	6.5	6.0	+ .5	
" 16	6587	T.	...	Co.	d+7	6.0	6.0	0	
May 2	6603	"	...	"	=d	6.7	6.2	+ .5	
" 2	6603	B.	1	Oa.	S-2	7.0	6.2	+ .8	
" 3	6604	"	"	Ma.	=d	6.7	6.2	+ .5	
" 18	6619	T.28	"	"	=d	6.7	6.5	+ .2	
" 18	6619	T.	...	Co.	d+2	6.5	6.5	0	
June 3	6635	T.	...	Co.	d-1	6.8	6.9	- .1	
" 3	6635	T.28	1	Ma.	=d	6.7	6.9	- .2	Ruddy.
" 7	6639	"	2	"	d-3	7.0	7.0	0	
" 22	6654	"	3	"	e-3.5	7.5	7.5	0	
" 28	6660	"	1	"	e-7.5	7.9	7.7	+ .2	
July 3	6665	"	"	"	d-10, h+5	7.7	7.8	- .1	Ruddy.
" 5	6667	T.	...	Co.	h+1	8.0	7.9	+ .1	
" 12	6674	"	...	"	h-3, k+3	8.5	8.1	+ .4	
" 15	6677	T.28	1	Ma.	h+2.5	7.9	8.2	- .3	
" 20	6682	"	2	"	h+2	7.9	8.3	- .4	Ruddy.
Aug. 2	6695	"	1	"	h-1.5	8.3	8.2	+ .1	
" 2	6695	T.	...	Co.	h-7	8.8	8.2	+ .6	
" 8	6701	T.28	1	Ma.	h-2	8.3	8.9	- .6	
" 11	6704	"	"	"	h-4, T+4	8.5	9.0	- .5	
" 14	6707	T.	...	Co.	=1	9.2	9.0	+ .2	
" 17	6710	T.28	1	Ma.	g-3, =k, l+2	8.7	9.1	- .4	
" 18	6711	"	"	"	h-7, g-5, k-2	8.8	9.2	- .4	
" 20	6713	"	"	"	k-3, m+5	9.1	9.2	- .1	
" 28	6721	"	2	"	m-1	9.8	9.4	+ .4	
Sept. 3	6727	"	1	"	=1, m+4, P+3	9.1	9.5	- .4	
" 3	6727	T.	...	Co.	m+4	9.3	9.5	- .2	
Oct. 3	6757	"	...	"	l-2, m+2	9.4	9.9	- .5	
" 3	6757	T.28	2	Ma.	m+1.5	9.5	9.9	- .4	
" 11	6765	"	1	"	m-3, n+1	10.0	9.9	+ .1	
" 29	6783	"	"	"	m-2, m+5.5	9.7	9.8	- .1	
" 29	6783	T.	...	Co.	m+4	9.3	9.8	- .5	
Nov. 3	6788	T.28	1	Ma.	m+1, n+3.5	9.8	9.7	+ .1	
" 12	6797	T.	...	Co.	l-1	9.3	9.5	- .2	
" 14	6799	T.28	1	Ma.	m+1, n+5	9.6	9.4	+ .2	
" 29	6814	"	"	"	m+3	9.4	9.0	+ .4	
Dec. 5	6820	T.	...	Co.	=1	9.2	8.9	+ .3	
" 7	6822	T.28	1	Ma.	=1, m+4	9.2	8.8	+ .4	
" 14	6829	"	"	"	g-6	8.8	8.6	+ .2	

## (7754) W CYGNI.

## NOTE.

Comparison stars used:—

A = D.M. + $44^{\circ}$	3889	6.12 m. P.D.M.
B = „ + $43^{\circ}$	4002	6.70 „ „
C = „ + $45^{\circ}$	3584	6.56 „ „
D = F 71 Cygni = D.M. + $46^{\circ}$	3558	5.38 „ „
F = D.M. + $46^{\circ}$	3305	5.54 „ „

Data for mean curve:—Period, 132 d.  $M-m$ , 70 d. Variation, 5.0 m. to 6.7 m.

On plotting the observations it is found that they by no means support, or agree with this curve. In many cases they are directly opposed to it, showing the star bright when it should be faint. It has, therefore, not been considered necessary to complete the two columns next following the deduced magnitude.

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deduced Mag.	Calc. Mag.	C. O.	Remarks.
1899. Aug. 9	4876	B.	I	Ma.	A-3, B-5, C+7.5	6.5			
1900. Sept. 29	5292	„	„	„	A-3, B+2, C+6	6.3			
Oct. 5	5298	T.30	2	Ch.	A+4	5.7			
„ 13	5306	„	I	„	A+4	5.7			
„ 18	5311	B.	„	Ma.	A-3, B+2, C+3	6.4			
„ 19	5312	„	2	„	A-5, B+2, C+3	6.5			
„ 21	5314	„	„	„	A-5, B-1, C+5	6.5			
Nov. 13	5337	„	„	„	A-3, B+3	6.4			
„ 13	5337	T.15	I	Ki.	A+4, B+7, C+8.5, D-6.5	5.9			
„ 18	5342	B.	„	Ma.	=A	6.1			
„ 25	5349	„	„	Ch.	=F	5.5			
„ 27	5351	„	2	„	D-2	5.6			
Dec. 7	5361	„	„	„	=D	5.4			
„ 10	5364	„	I	„	D-1, F+1	5.5			
„ 13	5367	„	„	Ma.	A+1.5	6.0			
„ 15	5369	„	„	Ch.	D-2	5.6			
„ 17	5371	„	„	„	D-1, F+1	5.5			
„ 25	5379	„	„	„	D-1	5.5			
„ 26	5380	„	2	„	D-1	5.5			
„ 28	5382	„	I	„	D+1	5.3			
1901. Jan. 9	5394	„	„	„	D-2	5.6			
„ 14	5399	„	„	„	D-2	5.6			
Apr. 21	5496	„	„	„	A-4, B-2	6.7			
May 13	5512	„	„	„	A-1, B+4	6.3			



(7754) W CYGNI—*continued.*

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deducted Mag.	Calc. Mag.	O—C.	Remarks.
1901.									
May 19	5524	B.	I	Ch.	A-6, B-2	6.8			
" 20	5525	"	"	"	A-6, =B	6.7			
" 23	5528	"	"	"	B-2, C+3	6.6			
" 24	5529	"	"	"	B-2, C+3	6.6			
June 10	5546	T.30	"	"	A-3, B+2, C+4	6.4			
" 16	5552	"	"	"	A+4, B+7	5.9			
" 23	5559	"	"	"	D-6, F-3, A+4	5.8			
" 27	5563	"	2	"	A+6	5.5			
July 7	5573	B.	"	"	A+3	5.8			
" 8	5574	"	I	"	A+4	5.7			
" 10	5576	"	"	"	A+3	5.8			
" 16	5582	"	"	"	=F, A+4	5.6			
" 18	5584	"	"	"	A+4	5.7			
" 22	5588	"	"	"	=A	6.1			
" 27	5593	"	2	"	F-3, A+4	5.8			
Aug. 4	5601	"	I	"	=F	5.5			
" 7	5604	"	"	"	=F	5.5			
" 13	5610	"	"	"	F-4, A+3	5.9			
" 18	5615	"	"	"	=F, A+6	5.5			
" 19	5616	"	2	Ma.	F-3, A+3	5.8			
" 20	5617	"	I	Pe.	A+3, B+6	6.0			
" 21	5618	"	"	"	A+4, B+7	5.9			
" 21	5618	"	"	Ch.	=F, A+6	5.5			
" 22	5619	"	3	Ma.	=F, A+1.5	5.8			
" 22	5619	"	2	Pe.	A+6	5.5			
" 27	5624	"	"	"	A+7	5.4			
" 28	5625	"	"	"	A+6	5.5			
" 29	5626	"	"	"	A+7	5.4			
" 30	5627	"	"	"	A+8	5.3			
Sept. 2	5630	"	"	"	A+6	5.5			
" 4	5632	"	"	"	A+5	5.6			
" 5	5633	"	"	"	A+6	5.5			
" 7	5635	"	I	"	A+6	5.5			
" 9	5637	"	"	"	A+4	5.7			
" 9	5637	"	"	Ch.	F-2, A+5	5.7			
" 13	5641	"	"	Pe.	A+3	5.8			
" 14	5642	"	"	"	A+4	5.7			
" 15	5643	"	"	"	A-1, B+5	6.2			
" 15	5643	"	"	Ch.	=F, A+5	5.6			
" 16	5644	"	"	Pe.	A-1	6.2			
" 17	5645	"	"	"	A-5, B-1	6.7			
" 18	5646	"	"	"	A-5, B-1	6.7			
" 19	5647	"	"	"	A-5	6.6			
" 22	5650	"	2	"	B-1	6.8			
Oct. 3	5661	"	I	"	B-3, C+1	6.7			
" 4	5662	"	"	Ma.	A-3, B+3	6.4			
" 5	5663	"	"	Ch.	F-4, A+6	5.7			
" 5	5663	"	"	Pe.	A-2, B+3	6.4			
" 6	5664	"	"	"	A-3	6.4			
" 18	5676	"	"	Ch.	F-4, A+1.5	6.0			
" 22	5680	"	2	Ma.	A-4, B+2, C+6	6.3			

## (7754) W CYGNI—continued.

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deducted Mag.	Calc. Mag.	O—O	Remarks.
1901.									
Nov. 3	5692	B.	I	Ma.	= C	6.6			
" 28	5717	"	"	Ch.	F - 3, A + 4	5.8			
1902.									
Jan. 5	5755	"	"	Ma.	B - 8, C - 5	7.3			
Apr. 6	5846	F.	2	Ch.	A - 4, C + 2	6.4			
" 18	5858	"	3	"	F - 9, C + 4	6.3			
" 23	5863	"	I	"	F - 3, = A	6.0			
" 27	5867	"	2	"	A - 4, = B, C + 3	6.5			
" 28	5868	"	I	"	F - 3, = A, B + 5	6.1			
May 5	5875	"	"	"	F - 3, = A	6.0			
" 8	5878	B.	3	"	= B	6.7			
" 25	5895	"	I	"	A - 3, C + 4	6.3			
" 27	5897	"	"	"	F - 4, A + 3	5.9			
June 26	5927	"	"	"	F - 3, A + 2, B + 5	6.0			
" 29	5930	"	2	"	A - 2, B + 3	6.4			
July 2	5933	"	I	"	F - 4, A + 3	5.9			
" 6	5937	"	"	Ma.	A - 3, = B	6.6			
Oct. 8	6031	"	2	Ch.	A - 4, C + 1	6.5			
" 10	6033	"	I	"	= C	6.6			
" 14	6037	F.	"	"	A - 9, C - 1	6.8			
" 21	6044	"	"	"	C - 4	7.0	...	...	V. faint.
" 27	6050	"	3	"	C - 3	6.9			
" 29	6052	"	2	"	C - 2	6.8			
Nov. 1	6055	"	I	"	C - 3	6.9			
" 7	6061	"	3	"	C + 2	6.4			
" 10	6064	"	I	"	C - 2, = B	6.7			
" 12	6066	"	"	"	B + 3, C + 3	6.6			
" 18	6072	B.	"	Ma.	A - 3, B + 3	6.4			
" 28	6082	F.	"	Ch.	= C, B + 2	6.5			
Dec. 2	6086	B.	"	"	F - 4, A + 4	5.8			
" 23	6107	"	"	Ma.	A - 3, B + 3	6.4			
" 24	6108	"	"	"	= A	6.1			
1903.									
Jan. 3	6118	"	"	"	A - 3, B + 3	6.4			
" 23	6138	"	"	"	A - 4, B + 2	6.5			
July 2	6298	"	2	Pe.	A - 2, B + 1	6.5			
" 19	6315	"	"	"	= A	6.1			
" 26	6322	"	"	"	A + 1	6.0			
Aug. 10	6337	"	"	"	A + 3	5.8			
" 11	6338	"	"	"	A + 3	5.8			
" 13	6340	"	I	"	A + 5	5.6			
" 21	6348	"	"	Ma.	A + 1.5, B + 1.5	6.3			
Nov. 18	6437	"	"	"	B - 1	6.8			

(7754) W CYGNI—*continued.*

Date.	Julian Date.	Inst.	Class	Observer.	Comparisons.	Deducted Mag.	Calc. Mag.	O—C	Remarks.
1904.									
May 7	6608	B.	I	Ch.	A+2, B+5	6.1			
" 8	6609	"	"	"	A+1, B+3	6.2			
" 17	6618	"	"	"	A-2, B+3, C+2	6.4			
Sept. 6	6730	"	"	"	=A, B+4, C+4	6.2			
Oct. 11	6765	"	"	Ma.	B-1, C+2	6.6			
Nov. 14	6799	"	"	"	=A	6.1			
" 29	6814	"	"	"	A-3, B+3	6.4			
Dec. 7	6.22	"	"	"	A-3, B+3	6.4			

## (8290) R PEGASI.

## NOTE.

Data for mean curve:—Period, 378 d.  $M-m$ , 172 d. Variation, 7.4 m. to 13.2 m.

Date.	Julian Date.	Inst.	Class	Observer.	Comparisons.	Deducted Mag.	Calc. Mag.	O—C	Remarks.
1900.									
Aug. 19	5251	B.	I	Ke.	f-2.5, 3+1.5	8.1	7.6	+ .5	
" 22	5254	"	"	"	f-2.5, 3+1.5	8.1	7.6	.5	
Sept. 2	5265	"	"	"	...	...	7.6	...	Just seen < 8.4.
" 12	5275	"	"	"	...	...	7.8	...	Invisible.
Oct. 16	5309	T.33	"	Or.	...	...	9.2	...	" < 11.3.
" 21	5314	"	"	"	...	...	9.4	...	Just seen < 11.0.
1901.									
Aug. 6	5603	B.	"	Ke.	...	...	7.4	...	Invisible.
" 8	5605	T.30	"	Ch.	3+2, 4+4	8.3	7.4	.9	
" 10	5607	B.	"	Ke.	3-2.5, =4	8.7	7.4	1.3	
" 12	5609	"	"	"	3-2.5, 4+1	8.7	7.4	1.3	
" 13	5610	T.30	"	Ch.	=3, 4+2	8.5	7.4	1.1	
" 14	5611	B.	2	Ke.	...	...	7.4	...	Faint.
" 15	5612	T.28	1	Ma.	=3	8.5	7.4	1.1	
" 17	5614	"	"	"	3-1, 4-2.5	8.8	7.5	1.3	
" 18	5615	T.30	"	Ch.	=3, 4+3	8.4	7.5	.9	
" 19	5616	B.	2	Ke.	3-2, 4+2	8.6	7.5	1.1	
" 20	5617	T.28	1	Ma.	4+1	8.6	7.5	1.1	
" 21	5618	B.	2	Ke.	=4	8.7	7.5	1.2	
" 23	5620	T.28	3	Ma.	3+1	8.4	7.5	.9	

(8290) R PEGASI—*continued*.

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deducted Mag.	Calc. Mag.	C-O	Remarks.
1901.									
Sept. 3	5631	T.28	2	Ma.	=5	9.3	7.7	1.6	Very ruddy.
" 9	5637	T.30	1	Ch.	4-3, 3-6, 5+2, 9+4	9.2	7.8	1.4	
" 15	5643	"	"	"	3-5, =6, 9+6	9.3	8.0	1.3	
" 16	5644	T.	"	Pe.	4-4, 13+7	9.6	8.0	1.6	
" 18	5646	"	"	"	9+4	9.7	8.1	1.6	
Oct. 3	5661	T.30	2	Ch.	5-5, =8, 9+1	9.9	8.5	1.4	Very ruddy.
" 4	5662	T.28	1	Ma.	=9	10.1	8.5	1.6	Very ruddy.
" 7	5665	T.30	"	Ch.	=9, 12+3, 13+4	10.1	8.6	1.5	
" 16	5674	T.28	"	Ma.	9-2.5, 13+5.5	10.4	8.9	1.5	
" 18	5676	"	"	"	=9	10.1	9.0	1.1	
" 18	5676	T.30	"	Ch.	9-3, 13+5	10.4	9.0	1.4	Dull red.
Nov. 3	5692	T.28	"	Ma.	=13	10.9	9.6	1.3	Difficult.
" 14	5703	"	2	"	13-1	11.0	10.0	1.0	
" 15	5704	T.60	"	Ch.	21-4, 22-5, 30+4, 31+2.5	12.4	10.0	2.4	
" 28	5717	"	3	"	=33	12.8	10.6	2.2	
Dec. 26	5745	T.160	1	"	...	...	11.7	...	< 11.8.
" 27	5746	"	"	"	22-5, 25-2, 26-1	12.5	11.7	.8	
1902.									
Jan. 5	5755	T.95	"	"	21-3, 25+3	12.1	12.0	+ .1	Invisible.
" 5	5755	T.28	"	Ma.	...	...	12.0	...	
Aug. 1	5963	"	2	"	2-2	7.5	7.6	- .1	
" 12	5974	"	1	"	=2	7.3	7.4	- .1	
Oct. 21	6044	T.95	"	Ch.	5-2, =8	9.7	8.8	+ .9	
" 30	6053	T.28	2	Ma.	=8	9.8	9.2	.6	
Nov. 2	6056	T.95	1	Ch.	5-2, 9+5	9.6	9.3	+ .3	
Dec. 18	6102	T.28	2	Ma.	...	...	11.1	...	Invisible.
" 21	6105	"	1	"	13-2	11.1	11.2	- .1	Invisible < 10.1.
" 23	6107	"	2	"	...	...	11.2	...	
1903.									
Jan. 3	6118	"	1	"	...	...	11.7	...	" < 10.9.
Sept. 12	6370	T.	...	Co.	6+2, 7+2	9.4	7.6	+ 1.8	
" 18	6376	"	...	"	4-3, 6+3	9.0	7.7	+ 1.3	
Oct. 15	6403	"	...	"	9-4, 13+4	10.5	8.3	2.2	
Nov. 15	6434	T.28	1	Ma.	=13	10.9	9.4	1.5	
" 16	6435	"	"	"	9-2.5, 13+5.5	10.4	9.4	1.0	
" 21	6440	"	"	"	=13	10.9	9.6	+ 1.3	
1904.									
Jan. 15	6495	"	"	"	...	...	11.8	..	Invisible < 10.9.
Aug. 2	6695	T.	...	Co.	2-7, 4+7	8.0	8.1	- .1	*
" 12	6705	"	...	Wm	...	8.2	7.8	+ .4	
" 14	6707	"	...	Co.	2+3	7.0	7.7	- .7	

(8290) R PEGASI—*continued*.

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deducted Mag.	Calc. Mag.	C-O	Remarks.
1904.									
Aug. 18	6711	T.28	I	Ma.	2-3, 4+11	7.6	7.6	0	Bright ruddy.
" 28	6721	T.	2	Co.	2-7, 4+7	8.0	7.5	+ .5	
Sept. 3	6727	B.	I	Or.	...	8.0	7.4	.6	Doubtful obs.
" 4	6728	T.	...	Wm	...	8.3	7.4	.9	*
" 16	6740	T.28	I	Ma.	2-7, 4+7	8.0	7.5	.5	
" 17	6741	"	"	"	2-7, 4+7	8.0	7.5	.5	
" 29	6753	T.	...	Wm	...	8.5	7.7	.8	*
Oct. 3	6757	T.28	I	Ma.	3+2, 4+4	8.3	7.8	.5	
" 3	6757	T.	...	Co.	3+1	8.4	7.8	.6	
" 7	6761	"	...	Wm	...	8.4	7.9	.5	*
" 8	6762	T.28	I	Ma.	3+1, =4	8.5	7.9	.6	
" 11	6765	"	"	"	2-8, =3, 4+2	8.4	8.0	.4	
" 13	6767	"	3	"	=3, =4	8.6	8.0	.6	
" 29	6783	"	I	"	4-2.5	9.0	8.5	.5	
" 29	6783	T.	...	Co.	4-7, 9+7	9.4	8.5	.9	
Nov. 3	6788	T.28	2	Ma.	3-3.5, 5-2.5	9.3	8.7	+ .6	
					8+2.5				
" 12	6797	T.	...	Co.	3-1	8.6	9.0	- .4	
" 12	6797	"	...	Wm	...	9.1	9.0	+ .1	*
" 26	6811	"	...	"	9+3	9.8	9.5	.3	
Dec. 5	6820	"	...	Co.	=9	10.1	9.8	.3	
" 7	6822	"	...	Wm	9+1	10.0	9.9	+ .1	
" 7	6822	T.28	I	Ma.	9+3	9.8	9.9	- .1	
" 10	6825	"	2	"	9+2	9.9	10.0	- .1	
" 30	6845	"	I	"	13+1	10.8	10.8	0	

## (8600) R CASSIOPELÆ.

## NOTE.

Star N = D.M. + 50° 41'99, 8.70 m. D.M.

" P = " + 49° 43'14, 7.37 " P.D.M.

" R = " + 50° 42'10, 8.90 " D.M.

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deducted Mag.	Calc. Mag.	C-O	Remarks.
1900.									
Aug. 23	5255	T.28	I	Ma	=1	8.2	6.0	+ 2.2	Ruddy.
" 25	5257	"	"	"	1+1	8.1	6.0	2.1	"
" 26	5258	B.	"	"	...	...	6.0	...	Invisible.
Sept. 29	5292	T.28	"	"	n+5	8.9	6.8	2.1	
1901.									
July 28	5594	T.90	2	Ch.	=1	11.4	9.2	2.2	

## (8600) R CASSIOPEIÆ—continued.

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deducted Mag.	Calc. Mag.	C O	Remarks.
1901.									
Aug. 6	5603	T.60	I	Ch.	r+2	11.2	8.7	2.5	
" 21	5618	"	"	"	o-6, r+6	10.6	7.7	2.9	Very red.
Sept. 4	5632	B.	"	Ke.	...	...	6.7	...	Invisible.
" 5	5633	T.30	2	Ch.	k-4, l+2	7.9	6.6	1.3	Very red.
" 6	5634	B.	I	Ke.	...	8.0	6.6	1.4	
" 8	5636	"	"	"	...	8.0	6.5	1.5	
" 9	5637	T.30	"	Ch.	h-4, =k	7.5	6.4	1.1	Very red.
" 14	5642	B.	"	Ke.	P-3.5	7.7	6.2	1.5	
" 15	5643	"	"	"	=P	7.4	6.2	1.2	
" 15	5643	"	"	Pe.	h-3, k+1	7.4	6.2	1.2	
" 16	5644	"	"	"	=h	7.2	6.1	1.1	
" 16	5644	"	"	Ke.	=P	7.4	6.1	1.3	
" 17	5645	"	"	Pe.	k+1	7.4	6.1	1.3	
" 18	5646	"	"	"	h-1	7.3	6.1	1.2	
" 18	5646	T.30	"	Ch.	=g, h+4	6.7	6.1	.6	Fine orange.
" 19	5647	B.	"	Pe.	k+3	7.2	6.0	1.2	
" 20	5648	"	"	Ke.	f-6, P+5	6.9	6.0	.9	
" 23	5651	"	2	"	f-5.5, P+5.5	6.8	5.9	.9	
Oct. 2	5660	"	"	"	f-5.5, P+5.5	6.8	5.8	1.0	
" 4	5662	"	"	"	f-6, P+5	6.9	5.7	1.2	
" 5	5663	F.	"	Ch.	g+2	6.5	5.7	.8	Light orange.
" 5	5663	B.	"	Pe.	f-5, h+3	6.8	5.7	1.1	
" 6	5664	"	I	Ke.	f-5.5, P+5.5	6.8	5.7	1.1	
" 7	5665	F.	"	Ch.	=g, h+4, k+3	6.9	5.7	1.2	
" 9	5667	B.	"	Ke.	f-5, P+6	6.8	5.7	1.1	
" 10	5668	"	"	"	f-7, P+4	7.0	5.7	1.3	
" 18	5676	"	"	"	P-1.5	7.5	5.8	1.7	
" 19	5677	"	"	"	P-1.5	7.5	5.8	1.7	
" 19	5677	T.30	"	Ch.	g-3, h+1.5	7.0	5.8	1.2	
" 21	5679	B.	2	Ke.	P-1.5	7.5	5.8	1.7	
" 31	5689	"	"	"	P-3	7.7	6.0	1.7	
" 31	5689	T.30	"	Ch.	g-2, h+2	6.9	6.0	.9	
Nov. 5	5694	B.	I	Ke.	=P	7.4	6.0	1.4	
" 10	5699	T.20	2	LeB.	h-4	7.6	6.1	1.5	
" 14	5703	"	"	"	h-3	7.5	6.2	1.3	
" 14	5703	B.	I	Ke.	P-3.5	7.7	6.2	1.5	
" 16	5705	"	"	"	P-4	7.8	6.2	1.6	
" 17	5706	T.20	2	LeB.	h-2	7.4	6.2	1.2	
" 21	5710	"	"	"	h-3	7.5	6.3	1.2	
" 30	5719	B.	I	Ke.	P-5.5	7.9	6.6	1.3	
Dec. 6	5725	"	"	"	P-5	7.9	6.7	1.2	
" 10	5729	T.20	"	LeB.	h-5, k-3, l+3	7.8	6.8	1.0	
" 17	5736	"	2	"	m+3	8.5	7.0	+1.5	
" 26	5745	B.	I	Ke.	...	...	7.2	...	Invisible.
" 27	5746	T.20	"	LeB.	m-4, n+2	9.2	7.2	+2.0	
" 30	5749	"	3	"	m-5, n+2	9.3	7.4	1.9	
1902.									
Jan. 4	5754	"	2	"	n+3	9.1	7.5	1.6	Doubtful obs.
" 4	5754	T.28	I	Ma.	n+2	9.2	7.5	1.7	
" 5	5755	T.20	"	LeB.	n+2	9.2	7.6	1.6	
" 6	5756	T.95	"	Ch.	m+6, =1	8.2	7.6	.6	Very red.*



(8600) R CASSIOPEÆ—*continued*.

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deducted Mag.	Calc. Mag.	O—O	Remarks.
1902.									
Jan. 31	5781	T.95	2	Ch.	=m, o+8	9'0	8'2	'8	Very red.
Feb. 9	5790	"	I	"	n+2, o+4	9'4	8'5	'9	
" 28	5809	"	"	"	n-6, o+2, p+6,	9'9	9'0	+ '9	
					q+9				
July 6	5937	"	I	"	q+4	10'6	11'3	-1'2	
Aug. 28	5990	T.	...	Co.	...	11'8	10'7	+1'1	
Sept. 4	5997	"	...	"	...	12'0	9'5	2'5	
" 21	6014	"	...	"	...	12'0	9'8	2'2	
" 28	6021	"	...	"	...	11'8	9'6	2'2	
Oct. 8	6031	T.95	I	Ch.	o-3, p+2, q+2	10'4	9'1	1'3	
" 10	6033	"	"	"	p-2, q+3	10'7	9'0	1'7	
" 21	6044	"	"	"	2+3	11'1	8'4	2'7	
" 21	6044	T.	...	Co.	...	11'6	8'4	3'1	
Nov. 1	6055	T.	I	Ch.	o-8, =q, r+4	10'9	7'5	3'4	
" 7	6061	"	...	Co.	...	9'5	7'1	2'4	
" 28	6082	"	...	"	...	8'5	6'0	2'5	The residuals, generally, are large, but the dates of observed maxima correspond closely with those of the mean curve.
Dec. 4	6088	"	...	"	...	8'3	5'9	2'4	
" 23	6107	T.28	I	Ma.	h-6	7'8	5'8	2'0	
" 24	6108	T.	...	Co.	...	8'0	5'8	2'2	
1903.									
Jan. 3	6118	T.28	I	Ma.	h-9, l-2	8'2	5'9	2'3	
" 23	6138	T.	"	Co.	...	8'5	6'2	2'3	
Feb. 1	6147	"	2	"	...	9'0	6'4	2'6	
" 13	6159	"	...	"	...	9'3	6'7	2'6	
" 17	6163	T.28	I	Ma.	R-2'5, n+2'5	9'2	6'8	2'4	
" 21	6167	T.	...	Co.	...	9'4	6'9	2'5	
" 28	6174	"	...	"	...	9'5	7'1	2'4	
Mar. 3	6177	T.28	I	Ma.	n+1	9'3	7'2	2'1	
" 16	6190	T.	2	Co.	...	9'8	7'6	2'2	
May 24	6259	"	...	"	r-1	11'5	9'5	2'0	
June 21	6287	"	...	"	r+1	11'3	10'3	1'0	
July 23	6319	"	...	"	...	13'0	11'2	1'8	Barely visible in 6½ inch.
Aug. 25	6352	"	...	"	r-6	12'0	11'9	'1	
Sept. 12	6370	"	...	"	...	12'0	11'8	'2	
" 18	6376	"	...	"	...	12'5	11'7	'8	
Oct. 15	6403	"	...	"	...	11'8	11'2	'6	
" 25	6413	"	...	"	...	11'6	11'0	'6	
Nov. 16	6435	"	...	"	...	11'3	10'2	1'1	
Dec. 11	6460	"	...	"	...	11'3	9'3	2'0	



(8600) R CASSIOPEIÆ—*continued*.

Date.	Julian Date.	Inst.	Class.	Observer.	Comparisons.	Deduced Mag.	Calc. Mag.	O—C.	Remarks.
1903. Dec. 24	6473	T.	...	Co.	...	9·8	8·7	1·1	
1904. Jan. 10	6490	...	...	...	...	8·0	7·4	+ ·6	
„ 16	6496	T.28	I	Ma.	h + 4	6·8	7·0	- ·2	
„ 22	6502	T.	...	Co.	...	7·5	6·6	+ ·9	
Feb. 6	6517	T.	...	Co.	...	6·0	6·0	0	
„ 13	6524	...	...	...	...	5·8	5·8	0	
Mar. 10	6550	...	...	...	...	6·0	5·9	+ ·1	
„ 21	6561	...	...	...	...	6·2	6·0	·2	
June 3	6635	...	...	...	...	9·0	7·9	1·1	
July 5	6667	...	...	...	...	10·5	8·8	1·7	
„ 12	6674	...	...	...	...	10·0	9·0	1·0	
Aug. 2	6695	...	...	...	...	11·0	9·6	1·4	
„ 3	6696	T.28	I	Ma.	0 - 5	10·4	9·6	·8	
„ 8	6701	...	...	...	p + 1	10·4	9·8	·6	
„ 11	6704	...	...	...	p + 2	10·3	9·8	·5	
„ 14	6707	T.	...	Co.	...	11·3	9·9	1·4	
„ 17	6710	T.28	I	Ma.	0 - 3, p + 3	10·2	10·0	·2	
„ 18	6711	...	...	...	0 - 3, p + 3	10·2	10·0	+ ·2	
Sept. 3	6727	...	...	...	0 - 3, p + 3	10·2	10·5	- ·3	
„ 3	6727	T.	...	Co.	...	12·0	10·5	+ 1·5	
„ 15	6739	T.28	I	Ma.	= p	10·5	10·8	- ·3	
Oct. 3	6757	...	...	...	= q	11·0	11·3	·3	Difficult.
„ 29	6783	T.	...	Co.	...	...	11·8	...	Invisible in 6½ inch.
Dec. 5	6820	...	...	...	...	...	11·5	...	Doubtfully visible.
„ 10	6825	T.28	I	Ma.	R - 3, N + 2	9·1	11·4	- 2·3	*

(Published 12th December 1906.)

# NS OF (112) R ANDROMEDÆ

of the British Astronomical Association  
H.C.O. Mean Light Curve ———



## OBSERVATIONS OF (782) R ARIETIS



the Variable Star Section of the British Astronomical Association  
compared with H.C.O. Mean Light Curve ———














1899

1899-1900

80 4700 4720

4860

80

4900

20

40

60

80

5000

20

40

5060

80



5220

40

60

1901-1902

1902-1903



5700 20 40 60 80 5800

5980

6000

20

40

60

80

6100


20

40

60

6180


6360



1901-1902

20 40 60 80 5100 20 40 60 80 5800 20 40 60 80 5880

6040 60 80 6100 20





1903-1904

40 60 80 6500 20 40 60 80 6600 20 40 60 80 6700 20 40 60 80 6800 20

By the V

# OBSERVATIONS OF (806) O MIRA CETI



By the Variable Star Section of the British Astronomical Association  
in 1900-04, compared with H.C.O. Mean Light Curve




## OBSERVATIONS OF (1855) R AURIGÆ

By the Variable Star Section of the British Astronomical Association  
compared with H.C.O. Mean Light Curve






**OBSERVATIONS OF**  
*By the Variable Star Section of the British*  
*N.B. Corder's and some other*



**OBSERVATIONS OF (3493)**  
*By the Variable Star Section of the British Astronomical Association*  
*compared with Mean I*






# U ORIONIS

omical Association in 1900-1904

l Observations indicated thus \*


Plate. III.



# LEONIS

al Association in 1899-1904



Curve —







# URSÆ MAJORIS

tion compared with H. C. O. Mean Light Curve —



# URSÆ MAJORIS

Association compared with H. C. O. Mean Light Curve —
















**OBSERVATIONS OF (4826) R HY**  
*By the Variable Star Section of the British Astronomical Association in 1900-04 compared with H.C.O. Mean Light Curve*




# OBSERVATIONS OF (4557) S URSÆ M

By the Variable Star Section of the British Astronomical Association compared




## DRAE

al Association  
urve




## OBSERVATIONS OF (4847) S VIRGINIS

By the Variable Star Section of the British Astronomical Association in 1900-04 compared with H.C.O. Mean Light Curve




H.C.O. Mean Light Curve ———



## OBSERVATIONS OF (5237) R BOOTIS

By the Variable Star Section of the British Astronomical Association  
 compared with H.C.O. Mean Light Curve ———






# S CORONÆ


Plate. VI.

red with Mean Light Curve from Vol. XXXVII. H.C.O. Annals P. 202.



# R CORONÆ

Astronomical Association.
















# OBSERVATIONS


By the Variable Star Section of the British




# 7) R SERPENTIS

Plate VII.

*Physical Association compared with Mean Light Curve*







MAY. JUNE. JULY. AUG. SEPT. OCT. NOV.



**OBSERVATIONS** (either direct or inferred) of the light interval between Stars a & b used as comparison Stars for (5758) X HERCULIS.



From Markwick's Observations. Arranged according to the dates of each year, which are vertically under one another.







**OBSERVATIONS OF (5758)**  
*By the Variable Star Section of the British Astronomical Association*  
*Typical Curve* ———

**VICK'S OBSERVATIONS ALONE,**  
*compared with star "α" alone*



**HER OBSERVATIONS OF THE SECTION**  
*compared with star "α" alone*











# RCULIS

*omical Association*

Plate. VIII.









# OBSERVATIONS OF (5758) X I

By the Variable Star Section of the British Astronomical Association



# OBSERVATIONS OF (5955) R DR


By the Variable Star Section of the British Astronomical Association



ULIS


comparisons with star "b" alone.

Plate. IX.



S

with H.C.O. Mean Light Curve









5  
7  
9  
9  
10  
1  
2  
  
3  
7  
1  
3  
0  
1  
2  
  
1  
  
7  
.  
2  
1  
2  
  
1  
1  
2  
2  
2



By the Variable Star Section of the British




By the Variable Star Section of the British



# S OF (6044) S HERCULIS


Plate. X.

omical Association compared with H.C.O. Mean Light Curve





# S OF (6512) T HERCULIS


omical Association compared with H.C.O. Mean Light Curve








**OBSERVATIONS OF (6733) P**  
By the Variable Star Section of the British Astronomical Association




**OBSERVATIONS OF (6849) R A**  
By the Variable Star Section of the British Astronomical Association



UTI


al Association.

Plate. XI.






ed with Mean Light Curve

(Probably over estimated  
by Markwick)












# **OBSERVATIONS OF (7045) R CYGNI**

*Variable Star Section of the British Astronomical Association compared with H.C.O. Mean Light Curve*




# **OBSERVATIONS OF (7120) X CYGNI**



*Variable Star Section of the British Astronomical Association compared with H.C.O. Mean Light Curve*







t Curve ———



Ann. Vol. XXXVII









# OBSERVATIONS OF (7609)

By the Variable Star Section of the British Astronomical Association



# OBSERVATIONS OF (77)


By the Variable Star Section of the British Astronomical Association



# EPHEI


Plate. XIII.

compared with H.C.O. Mean Light Curve — — — — —







# CYGNI

compared with Mean Light Curve — — — — —












# OBSERVATIONS OF (829)

By the Variable Star Section of the British Astronomical Association



# OBSERVATIONS OF (8600)


By the Variable Star Section of the British Astronomical Association



# PEGASI


Plate XIV.


compared with H.C.O. Mean Light Curve ———



# ASSIOPEIÆ

compared with H.C.O. Mean Light Curve ———







Members of the Association receive one copy of this Report, post free, and if they require extra copies, can obtain them from the Assistant Secretary, Mr T. Frid Maunder, 85 Gracechurch Street, E.C., at Two Shillings each. The price to Non-Members is Three Shillings. Postage, Three Pence.

Fifteen Volumes of the Memoirs of the Association are now complete, and may be purchased either in complete volumes or as separate reports. Members desiring extra Copies of these Memoirs can procure them from the Assistant Secretary, at two-thirds the published prices given below.

The cost of Postage of Copies of the Memoirs is  $\frac{1}{2}d.$  in the case of those parts charged at  $9d.$  each to Non-Members, and  $1d.$  in the case of parts charged  $1s. 6d.$  and upwards, each.

	Price to Non-Members, exclusive of Postage.		Price to Non-Members, exclusive of Postage.		Price to Non-Members, exclusive of Postage.
Volume I.—	s. d.	Volume II.—	s. d.	Volume III.—	s. d.
Part 1.—The Moon . . .	0 9	Part 1.—Saturn . . .	1 6	Part 1.—Meteors . . .	0 9
„ 2.—Meteors . . .	0 9	„ 2.—The Moon . . .	1 6	„ 2.—Variable Stars . . .	0 9
„ 3.—Star Colours . . .	0 9	„ 3.—The Sun . . .	1 6	„ 3.—The Sun . . .	1 6
„ 4.—Variable Stars . . .	0 9	„ 4.—Star Colours . . .	0 9	„ 4.—Jupiter . . .	1 6
„ 5.—Jupiter . . .	1 6	„ 5.—Jupiter . . .	1 6	„ 5.—The Moon . . .	1 6
„ 6.—The Sun . . .	1 6	„ 6.—Mars . . .	1 6		
The Set (unbound) . . .	6 0	The Set (unbound) . . .	8 3	The Set (unbound) . . .	6 0
Volume IV.—	s. d.	Volume V.—	s. d.	Volume VI.—	s. d.
Part 1.—Meteors . . .	0 9	Part 1.—Meteors . . .	0 9	Part 1.—Eclipse Expedition . . .	1 6
„ 2.—Jupiter . . .	1 6	„ 2.—Variable Stars . . .	0 9	„ 2.—Meteors . . .	0 9
„ 3.—The Sun . . .	1 6	„ 3.—Jupiter . . .	1 6	„ 3.—Mars . . .	3 0
„ 4.—Mars . . .	1 6	„ 4.—The Sun . . .	1 6	„ 4.—Jupiter . . .	1 6
The Set (unbound) . . .	5 3	The Set (unbound) . . .	4 6	„ 5.—The Sun . . .	1 6
				The Set (unbound) . . .	8 3
Volume VII.—	s. d.	Volume VIII.—	s. d.	Volume IX.—	s. d.
Part 1.—Meteors . . .	0 9	Part 1.—Meteors . . .	0 9	Part 1.—Meteors . . .	0 9
„ 2.—The Sun . . .	1 6	„ 2.—The Sun . . .	1 6	„ 2.—Star Colours . . .	1 6
„ 3.—The Moon . . .	1 6	„ 3.—Photographic . . .	0 9	„ 3.—Mars . . .	3 0
„ 4.—Jupiter . . .	1 6	„ 4.—Jupiter . . .	1 6	„ 4.—Saturn . . .	0 9
The Set (unbound) . . .	5 3	The Set (unbound) . . .	4 6	The Set (unbound) . . .	6 0
Volume X.—	s. d.	Volume XI.—	s. d.	Volume XII.—	s. d.
Part 1.—Meteors . . .	1 6	Part 1.—Meteors . . .	1 6	Part 1.—Meteors . . .	1 6
„ 2.—The Moon . . .	1 6	„ 2.—The Sun . . .	1 6	„ 2.—The Sun . . .	1 6
„ 3.—Variable Stars . . .	1 6	„ 3.—Mars . . .	3 0	„ 3.—Jupiter . . .	1 6
„ 4.—Jupiter . . .	1 6	„ 4.—Variable Stars . . .	1 6		
The Set (unbound) . . .	6 0	The Set (unbound) . . .	7 6	The Set (unbound) . . .	4 6
Volume XIII.—	s. d.	Volume XIV.—	s. d.	Volume XV.—	s. d.
Part 1.—Meteors . . .	1 6	Part 1.—Meteors . . .	1 6	Variable Stars . . .	3 0
„ 2.—The Sun . . .	1 6	„ 2.—The Sun . . .	1 6		
„ 3.—The Moon . . .	1 6	„ 3.—Jupiter . . .	1 6	The Total Solar Eclipse of 1905 (Special Number) . . .	1 6
The Set (unbound) . . .	4 6	The Set (unbound) . . .	4 6		

## JOURNALS.

Sixteen Volumes of the Journal of the Association are now complete, the price of each, unbound, being  $15s.$  to Non-Members, post free  $15s. 6d.$  Members can obtain additional copies of any single number, price  $1s. 1d.$  post free. Members, desirous of completing their sets of the publications of the Association by the purchase of those issued prior to the Session in which they were elected, will be supplied with one set of such publications, including both "Journals" and "Memoirs," at the special rate of  $10s. 6d.$  per Session, delivered post free. Members will find the dates of their election given in the List of Members, issued annually.

All orders for "Journals" and "Memoirs" should be addressed to the Assistant Secretary, Mr T. Frid Maunder, 85 Gracechurch Street, London, E.C.

